

standard 09:47:11.702018+0100 DockLAUNCHING:0x0-0x50050 FaceTime foreground=1 bringForward=1 seed=136 userActivityCount=0  
standard 09:47:11.706374+0100 loginwindow -[PersistentAppsSupport applicationReady:] | App: FaceTime, ready, updating active tracking timer  
standard 09:47:11.707231+0100 runningboardd Resolved pid 2750 to [executable<FaceTime(501)>:2750]  
standard 09:47:11.708384+0100 runningboardd [executable<FaceTime(501)>:2750] This process will not be managed.  
standard 09:47:11.706402+0100 loginwindow -[ApplicationManager checkInAppContext:eventData:] | ApplicationManager: Checked in app : FaceTime  
standard 09:47:11.708446+0100 runningboardd Now tracking process: [executable<FaceTime(501)>:2750]  
standard 09:47:11.708837+0100 runningboardd Acquiring assertion targeting executable<FaceTime(501)> from originator [daemon<com.apple.coreservices.launchservicesd>:127] with description <RBSAssertionDescriptor; foregroundApp:2750; ID: 248-127-195; target: 2750> attributes = {  
    <RBSDomainAttribute: 0x7ff69e91b2f0; domain: com.apple.launchservicesd; name: RoleUserInteractiveNonFocal; sourceEnvironment: 0x0>;  
}  
standard 09:47:11.709008+0100 runningboardd Assertion 248-127-195 (target:executable<FaceTime(501)>) will be created as active  
standard 09:47:11.709719+0100 runningboardd Acquiring assertion targeting executable<FaceTime(501)> from originator [daemon<com.apple.coreservices.launchservicesd>:127] with description <RBSAssertionDescriptor; foregroundApp:2750; ID: 248-127-196; target: 2750> attributes = {  
    <RBSDomainAttribute: 0x7ff69c615620; domain: com.apple.launchservicesd; name: RoleUserInteractiveNonFocal; sourceEnvironment: 0x0>;  
}  
standard 09:47:11.709758+0100 runningboardd [executable<FaceTime(501)>:2750] Ignoring jetsam update because this process is not memory-managed  
standard 09:47:11.709814+0100 runningboardd [executable<FaceTime(501)>:2750] Ignoring resume because this process is not lifecycle managed  
standard 09:47:11.709903+0100 runningboardd [executable<FaceTime(501)>:2750] Set darwin role to: UserInteractiveNonFocal  
standard 09:47:11.709845+0100 runningboardd Assertion 248-127-196 (target:executable<FaceTime(501)>) will be created as active  
standard 09:47:11.710027+0100 runningboardd [executable<FaceTime(501)>:2750] Ignoring GPU update because this process is not GPU managed  
standard 09:47:11.710119+0100 runningboardd Finished acquiring assertion 248-127-195 (target:executable<FaceTime(501)>)  
standard 09:47:11.710525+0100 runningboardd Finished acquiring assertion 248-127-196 (target:executable<FaceTime(501)>)  
standard 09:47:11.710536+0100 runningboardd Invalidating assertion 248-127-195 (target:executable<FaceTime(501)>) from originator 127  
standard 09:47:11.715862+0100 distnoted register name:

com.apple.sharedfilelist.change object:  
com.apple.LSSharedFileList.ApplicationRecentDocuments/com.apple.facetime  
token: f42e6 pid: 332  
standard 09:47:11.721446+0100 secinitd FaceTime[2750]: root path for  
bundle "<private>" of main executable "<private>"  
standard 09:47:11.727689+0100 secinitd FaceTime[2750]: AppSandbox  
request successful  
standard 09:47:11.739800+0100 FaceTime FRONTLOGGING: version 1  
standard 09:47:11.739814+0100 FaceTime Registering, pid=2750  
standard 09:47:11.740696+0100 FaceTime CHECKIN: pid=2750  
standard 09:47:11.745810+0100 launchservicesd CHECKIN:0x0-0x50050  
2750 com.apple.FaceTime  
standard 09:47:11.745939+0100 FaceTime CHECKEDIN: pid=2750  
asn=0x0-0x50050 foreground=1  
standard 09:47:11.747430+0100 loginwindow -[ApplicationManager  
checkInAppContext:eventData:] | ApplicationManager: Checked in app : FaceTime  
standard 09:47:11.751425+0100 tccd -[TCCDAccessIdentity staticCode]: static  
code for: identifier com.apple.FaceTime, type: 0: 0x7fa4fec270c0 at /System/  
Applications/FaceTime.app  
standard 09:47:11.757890+0100 tccd -[TCCDAccessIdentity staticCode]: static  
code for: identifier com.apple.FaceTime, type: 0: 0x7fa500015290 at /System/  
Applications/FaceTime.app  
standard 09:47:11.763478+0100 FaceTime Registered, pid=2750  
ASN=0x0,0x50050  
standard 09:47:11.766375+0100 FaceTime Registered, pid=2750  
cgConnectionID=71d4b  
standard 09:47:11.767647+0100 FaceTime BringForward: pid=2750  
asn=0x0-0x50050 bringForward=1 foreground=1 uiElement=0 launchedByLS=1  
modifiersCount=1 allDisabled=0  
standard 09:47:11.767874+0100 FaceTime BringFrontModifier: pid=2750  
asn=0x0-0x50050 Modifier 0 hideAfter=0 hideOthers=0 dontMakeFrontmost=0  
mouseDown=0/0 seed=0/0  
standard 09:47:11.768084+0100 FaceTime BringForward: pid=2750  
asn=0x0-0x50050  
standard 09:47:11.768138+0100 FaceTime SetFrontProcess: asn=0x0-0x50050  
options=0  
standard 09:47:11.769052+0100 runningboardd Acquiring assertion targeting  
executable<FaceTime(501)> from originator  
[daemon<com.apple.coreservices.launchservicesd>:127] with description  
<RBSAssertionDescriptor; frontmost:2750; ID: 248-127-197; target: 2750> attributes  
= {  
 <RBSDomainAttribute: 0x7ff69c427b50; domain: com.apple.launchservicesd;  
 name: RoleUserInteractiveFocal; sourceEnvironment: 0x0>;  
}  
standard 09:47:11.769134+0100 runningboardd Assertion 248-127-197  
(target:executable<FaceTime(501)>) will be created as active  
standard 09:47:11.769491+0100 runningboardd Finished acquiring assertion  
248-127-197 (target:executable<FaceTime(501)>)  
standard 09:47:11.769834+0100 runningboardd  
[executable<FaceTime(501)>:2750] Ignoring jetsam update because this process is

not memory-managed  
standard 09:47:11.771043+0100 FaceTime Current system appearance, (HLTB: 2), (SLS: 1)  
standard 09:47:11.770076+0100 runningboardd  
[executable<FaceTime(501)>:2750] Set darwin role to: UserInteractiveFocal  
standard 09:47:11.770876+0100 runningboardd  
[executable<FaceTime(501)>:2750] Ignoring GPU update because this process is not GPU managed  
standard 09:47:11.773237+0100 FaceTime Post-registration system appearance: (HLTB: 2)  
standard 09:47:11.779659+0100 distnoted register name: com.apple.xctest.FakeForceTouchDevice object: com.apple.FaceTime token: f4268 pid: 2750  
standard 09:47:11.787667+0100 FaceTime LFSMCopySessionAgentEndpoint: enter  
standard 09:47:11.788454+0100 FaceTime LFSMCopySessionAgentEndpoint: exit: result = 0  
standard 09:47:11.788980+0100 FaceTime SACShieldWindowShowing:443: exit: isShieldWindowShowing = 0  
standard 09:47:11.788923+0100 loginwindow -[SessionAgentCom SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:11.789212+0100 FaceTime Initializing TUCallCenter <private>  
standard 09:47:11.789264+0100 FaceTime Initialized TUCallCenter <private>  
standard 09:47:11.789271+0100 FaceTime Retrieving initial call capabilities state.  
standard 09:47:11.789283+0100 FaceTime for <private>  
standard 09:47:11.789289+0100 FaceTime Setting up XPC connection for com.apple.telephonyutilities.callservicesdaemon.callcapabilities  
standard 09:47:11.789295+0100 FaceTime Requesting current state  
standard 09:47:11.789316+0100 FaceTime Proxying setClientCapabilities through CSD for capabilities <private>  
standard 09:47:11.789335+0100 FaceTime <private>: Setting up XPC connection.  
standard 09:47:11.789851+0100 FaceTime Proxying setClientCapabilities through CSD for capabilities <private>  
standard 09:47:11.790045+0100 FaceTime Received initial call capabilities state  
standard 09:47:11.790606+0100 FaceTime ViceroyTrace [NOTICE] VRTraceInit:264 logging-started  
standard 09:47:11.790616+0100 FaceTime ViceroyTrace [NOTICE] VRTraceInit:269 gVRTraceErrorLogLevel initialized to NOTICE (6)  
standard 09:47:11.791004+0100 FaceTime ViceroyTrace [NOTICE] VRTraceInit:274 @:@ ViceroyTrace-init AVConference=1624.34, PID=2750, VRTraceErrorLogLevel=NOTICE  
standard 09:47:11.791057+0100 FaceTime ViceroyTrace [NOTICE] VRTracePrintLoggingInfo:586 ErrorLogLevel=NOTICE ProductType=iMacPro1,1 BuildVersion=19D76 AVConference=1624.34  
standard 09:47:11.792579+0100 FaceTime HALPlugInManagement::RegisterPlugIns: skipping in-process plug-ins  
fehler 09:47:11.792597+0100 FaceTime AddInstanceForFactory: No factory registered for id <CFUUID 0x60000194e160> F8BB1C28-

BAE8-11D6-9C31-00039315CD46

fehler 09:47:11.813369+0100 FaceTime HALC\_ShellDriverPlugIn::Open:  
Can't get a pointer to the Open routine  
fehler 09:47:11.813591+0100 FaceTime HALC\_ShellDriverPlugIn::Open:  
Can't get a pointer to the Open routine  
fehler 09:47:11.813762+0100 FaceTime HALC\_ShellDriverPlugIn::Open:  
Can't get a pointer to the Open routine  
fehler 09:47:11.813955+0100 FaceTime HALC\_ShellDriverPlugIn::Open:  
Can't get a pointer to the Open routine  
fehler 09:47:11.815843+0100 FaceTime HALC\_ShellDriverPlugIn::Open:  
Can't get a pointer to the Open routine  
fehler 09:47:11.816034+0100 FaceTime HALC\_ShellDriverPlugIn::Open:  
Can't get a pointer to the Open routine  
fehler 09:47:11.816236+0100 FaceTime HALC\_ShellDriverPlugIn::Open:  
Can't get a pointer to the Open routine  
fehler 09:47:11.816431+0100 FaceTime HALC\_ShellDriverPlugIn::Open:  
Can't get a pointer to the Open routine  
fehler 09:47:11.823092+0100 FaceTime [ERROR] -[AVAudioDevice  
createNameForScope:]:144 AudioObjectGetPropertyDataSize  
kAudioDevicePropertyDataSource failed with error=who? [2003332927] deviceId=42  
sources=0  
fehler 09:47:11.823273+0100 FaceTime [ERROR] -[AVAudioDevice  
createNameForScope:]:144 AudioObjectGetPropertyDataSize  
kAudioDevicePropertyDataSource failed with error=who? [2003332927] deviceId=46  
sources=0  
standard 09:47:11.824285+0100 FaceTime AVCAudioClient [NOTICE] -  
[AVAudioClient init]:290 @:@ AVAudioClient-init (0x600001b48140)  
standard 09:47:11.824327+0100 FaceTime Choosing preferred device from list if  
one exists: <private>  
standard 09:47:11.824440+0100 FaceTime Host has no conversations  
standard 09:47:11.825350+0100 FaceTime Connecting to daemon  
standard 09:47:11.826982+0100 FaceTime Created connection to  
com.apple.imagent.desktop.auth service: 0x600002c583c0  
standard 09:47:11.831135+0100 FaceTime nw\_path\_evaluator\_start  
[6B72D574-54A8-4D75-8470-DE5D882DC264 <NULL> generic, indefinite]  
path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns  
standard 09:47:11.831693+0100 FaceTime Evaluating trust: 0x600002b5cea0  
standard 09:47:11.837311+0100 FaceTime Server bag trust validation result  
YES  
standard 09:47:11.860332+0100 FaceTime Server bag signature verification  
succeeded { algorithm: IDSServerBagHashAlgorithmSHA1 }  
standard 09:47:11.860383+0100 FaceTime Finished bag validation  
{passedValidation: YES, class: IDSCourierServerBag}  
standard 09:47:11.861371+0100 FaceTime AVConferencePreview [NOTICE] -  
[AVConferencePreview init]:478 AVConferencePreview: done initialization of  
singleton 0x600002b58750  
standard 09:47:11.861393+0100 FaceTime AVConferencePreview [NOTICE] -  
[AVConferencePreview init]:480 @:@ AVConferencePreview-init (0x600002b58750)  
standard 09:47:11.862674+0100 FaceTime Calculating local landscape/portrait  
aspect ratios (and caching) (landscape: <private>, portrait: <private>)

standard 09:47:11.862694+0100 FaceTime Notifying TUCallCenter of our local aspect ratio (landscape: <private>, portrait: <private>)

standard 09:47:11.862730+0100 FaceTime Cameras or microphones changed: (null)

standard 09:47:11.874680+0100 FaceTime AudioComponentPluginMgr.mm:748 First wildcard component search: acdc/lpcm/0x00000000

fehler 09:47:11.888726+0100 FaceTime AddInstanceForFactory: No factory registered for id <CFUUID 0x60000194f380>  
30010C1C-93BF-11D8-8B5B-000A95AF9C6A

fehler 09:47:11.916743+0100 FaceTime [ERROR] -[AVAudioDevice createNameForScope:]:144 AudioObjectGetPropertyDataSize kAudioDevicePropertyDataSource failed with error=who? [2003332927] deviceId=42 sources=0

fehler 09:47:11.916923+0100 FaceTime [ERROR] -[AVAudioDevice createNameForScope:]:144 AudioObjectGetPropertyDataSize kAudioDevicePropertyDataSource failed with error=who? [2003332927] deviceId=46 sources=0

fehler 09:47:11.923475+0100 FaceTime [ERROR] -[AVAudioDevice createNameForScope:]:144 AudioObjectGetPropertyDataSize kAudioDevicePropertyDataSource failed with error=who? [2003332927] deviceId=42 sources=0

fehler 09:47:11.923655+0100 FaceTime [ERROR] -[AVAudioDevice createNameForScope:]:144 AudioObjectGetPropertyDataSize kAudioDevicePropertyDataSource failed with error=who? [2003332927] deviceId=46 sources=0

standard 09:47:11.924226+0100 FaceTime Current Camera: <private>

standard 09:47:11.924257+0100 FaceTime All Cameras: <private>

standard 09:47:11.924273+0100 FaceTime Current Audio Input: <private>

standard 09:47:11.924288+0100 FaceTime All Audio Input: <private>

standard 09:47:11.924295+0100 FaceTime Current Audio Output: (null)

standard 09:47:11.924304+0100 FaceTime All Audio Output: <private>

standard 09:47:11.924675+0100 FaceTime Adding video menu item (microphone): [<private>] <private> -> <private>

standard 09:47:11.924690+0100 FaceTime Adding video menu item (microphone): [<private>] <private> -> <private>

standard 09:47:11.924699+0100 FaceTime Adding video menu item (microphone): [<private>] <private> -> <private>

standard 09:47:11.924707+0100 FaceTime Adding video menu item (microphone): [<private>] <private> -> <private>

standard 09:47:11.924760+0100 FaceTime Adding video menu item (audio output): [<private>] <private> -> <private>

standard 09:47:11.924768+0100 FaceTime Adding video menu item (audio output): [<private>] <private> -> <private>

standard 09:47:11.924777+0100 FaceTime Adding video menu item (audio output): [<private>] <private> -> <private>

standard 09:47:11.924789+0100 FaceTime Adding video menu item (audio output): [<private>] <private> -> <private>

standard 09:47:11.924818+0100 FaceTime Adding video menu item (audio output): [<private>] <private> -> <private>

standard 09:47:11.924844+0100 FaceTime Adding video menu item (audio

output): [<private>] <private> -> <private>  
standard 09:47:11.924870+0100 FaceTime Adding video menu item (audio  
output): [<private>] <private> -> <private>  
standard 09:47:11.926228+0100 FaceTime Registering for test daemon  
availability notify post.  
standard 09:47:11.926316+0100 FaceTime notify\_get\_state check indicated test  
daemon not ready.  
standard 09:47:11.936016+0100 distnoted register name:  
com.apple.nsqiet\_safe\_quit\_give\_reason object: com.apple.FaceTime token: f42ad  
pid: 2750  
standard 09:47:11.975778+0100 FaceTime SignalReady: pid=2750  
asn=0x0-0x50050  
standard 09:47:11.976496+0100 FaceTime SIGNAL: pid=2750  
asn=0x0x-0x327760  
standard 09:47:11.976659+0100 loginwindow -[PersistentAppsSupport  
applicationReady:] | App: FaceTime, ready, updating active tracking timer  
standard 09:47:11.989998+0100 tccd -[TCCDAccessIdentity staticCode]: static  
code for: identifier com.apple.FaceTime, type: 0: 0x7fa4fee15430 at /System/  
Applications/FaceTime.app  
standard 09:47:11.993942+0100 FaceTime Client requesting to warmup the  
query cache for service: com.apple.madrid  
standard 09:47:11.993957+0100 FaceTime \_warmupQueryCacheForService:  
(service: com.apple.madrid)  
standard 09:47:11.993968+0100 FaceTime Cache request for service  
com.apple.madrid  
standard 09:47:11.993982+0100 FaceTime transactionID map after ADD  
<private>  
standard 09:47:11.994023+0100 FaceTime Sending cache request for service  
com.apple.madrid transactionID <private>  
standard 09:47:11.994252+0100 FaceTime Created connection to  
com.apple.identityservicesd.idquery.desktop.auth service: 0x600002c41b00  
standard 09:47:11.994389+0100 FaceTime [Warning] ASSERTION FAILED:  
Unexpected nil 'IMCNGeminiManagerClass' in void  
SetupContactClassesIfNeeded(void)\_block\_invoke at IMContactStore.m:177.  
standard 09:47:11.995134+0100 FaceTime Received cache for service  
<private>, 1 count  
standard 09:47:11.995210+0100 FaceTime transactionID map after REMOVE  
<private>  
standard 09:47:11.995237+0100 FaceTime Client requesting to warmup the  
query cache for service: com.apple.ess  
standard 09:47:11.995261+0100 FaceTime \_warmupQueryCacheForService:  
(service: com.apple.ess)  
standard 09:47:11.995275+0100 FaceTime Cache request for service  
com.apple.ess  
standard 09:47:11.995290+0100 FaceTime transactionID map after ADD  
<private>  
standard 09:47:11.995315+0100 FaceTime Sending cache request for service  
com.apple.ess transactionID <private>  
standard 09:47:11.995752+0100 FaceTime Received cache for service  
<private>, 1 count

standard 09:47:11.995815+0100 FaceTime transactionID map after REMOVE  
<private>  
standard 09:47:12.003364+0100 FaceTime Adding SQLite store with options:  
<private> <private>  
standard 09:47:12.006928+0100 FaceTime Adding SQLite store with options:  
<private> <private>  
standard 09:47:12.006948+0100 FaceTime Received configuration update from  
daemon (initial)  
standard 09:47:12.018857+0100 FaceTime 0x600000c6c080: Posting  
CNCDContactStoreDidChangeNotification because accounts changed  
standard 09:47:12.029123+0100 FaceTime Application finished launching  
standard 09:47:12.029226+0100 FaceTime Connecting XPC Service  
standard 09:47:12.029297+0100 FaceTime Setting remote behavior and handler  
block.  
standard 09:47:12.030071+0100 FaceTime MediaRemote server initializing...  
standard 09:47:12.030730+0100 mediaremoted Adding client  
<MRDMediaRemoteClient 0x7fbacaf23390, bundleIdentifier = com.apple.FaceTime,  
pid = 2750>  
standard 09:47:12.031763+0100 FaceTime Setting cached activePlayerPath  
(null) -> origin-Rons-iMac-Pro.local-1280262988/client--0/player-(null)  
standard 09:47:12.031831+0100 mediaremoted Setting hardware remote  
behavior to ForegroundReceiver for client <MRDMediaRemoteClient  
0x7fbacaf23390, bundleIdentifier = com.apple.FaceTime, pid = 2750>  
standard 09:47:12.033361+0100 FaceTime Daemon setup is complete  
standard 09:47:12.033406+0100 FaceTime Connected to Daemon: YES  
standard 09:47:12.033515+0100 FaceTime Updating setup view, showing sign  
in  
standard 09:47:12.033696+0100 FaceTime Initializing  
standard 09:47:12.034470+0100 FaceTime \_isCameraValid - camera: <private>  
isSuspended: 0  
standard 09:47:12.034600+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.034822+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.034888+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.034934+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.035116+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.035176+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.035206+0100 FaceTime Waiting for initial state  
standard 09:47:12.035386+0100 FaceTime Received current state with calls for  
synchronousServer: <private>  
standard 09:47:12.035558+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.035739+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.035792+0100 FaceTime SACShieldWindowShowing:443:

```
exit: isShieldWindowShowing = 0
standard 09:47:12.035808+0100 FaceTime _isCameraValid - camera: <private>
isSuspended: 0
standard 09:47:12.035816+0100 FaceTime Update camera state -> Starting
preview
standard 09:47:12.035870+0100 FaceTime Starting preview with
self.currentInputDevice: <private>
standard 09:47:12.035885+0100 FaceTime AVConferencePreview [NOTICE] -
[AVConferencePreview startPreviewUnpausing:]:538 AVConferencePreview
startPreviewUnpausing 0, self 0x600002b58750
standard 09:47:12.035908+0100 FaceTime AVConferencePreview [NOTICE] -
[AVConferencePreview startPreviewUnpausing:]:563 @:@ AVConferencePreview-
startPreviewUnpausing (0x600002b58750) unpauses=0
standard 09:47:12.039690+0100 FaceTime NSApp cache appearance:
-NSRequiresAquaSystemAppearance: 0
-appearance: (null)
-effectiveAppearance: <NSCompositeAppearance: 0x600003750a00
(
  "<NSDarkAquaAppearance: 0x600003750b80>",
  "<NSSystemAppearance: 0x600003750b00>"
)>
standard 09:47:12.040038+0100 FaceTime VideoLayer (<private>) | Setting
aspect ratio to: <private>
standard 09:47:12.040438+0100 FaceTime Observing clamshell state
standard 09:47:12.040458+0100 FaceTime Creating local video layer.
standard 09:47:12.040488+0100 FaceTime Setting local video layer on
AVInterface: <private>
standard 09:47:12.040503+0100 FaceTime localFrontLayer: <private>
standard 09:47:12.040517+0100 FaceTime AVConferencePreview [NOTICE] -
[AVConferencePreview setLocalVideoLayer:front:]:670 AVConferencePreview
setLocalVideoLayer layer 0x60000190fe00 front 1
standard 09:47:12.040584+0100 FaceTime VideoLayer (<private>) | Setting
aspect ratio to: <private>
standard 09:47:12.040638+0100 FaceTime Being marked as a local video layer
(<private>)
standard 09:47:12.043289+0100 secinitd
FaceTimeNotificationCenterService[2753]: root path for bundle "<private>" of main
executable "<private>"
standard 09:47:12.045763+0100 FaceTime nw_path_evaluator_start
[6B72D574-54A8-4D75-8470-DE5D882DC264 <NULL> generic, indefinite]
  path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
standard 09:47:12.046299+0100 FaceTime Evaluating trust: 0x600002b5a640
standard 09:47:12.050002+0100 FaceTime Server bag trust validation result
YES
standard 09:47:12.050477+0100 FaceTime Server bag signature verification
succeeded { algorithm: IDSServerBagHashAlgorithmSHA256 }
standard 09:47:12.050524+0100 FaceTime Finished bag validation
{passedValidation: YES, class: IDSSIDSServerBag}
standard 09:47:12.051249+0100 secinitd
FaceTimeNotificationCenterService[2753]: AppSandbox request successful
```



standard 09:47:12.055042+0100 FaceTimeNotificationCenterService  
Initializing service.

standard 09:47:12.055104+0100 FaceTimeNotificationCenterService  
Creating sharedServiceListener

standard 09:47:12.055188+0100 FaceTimeNotificationCenterService  
Adding our listener to the shared service

standard 09:47:12.055206+0100 FaceTimeNotificationCenterService  
Bringing up TUCallCenter

standard 09:47:12.055258+0100 FaceTimeNotificationCenterService  
Initializing TUCallCenter <private>

standard 09:47:12.055327+0100 FaceTimeNotificationCenterService  
Initialized TUCallCenter <private>

standard 09:47:12.055332+0100 FaceTimeNotificationCenterService  
Retrieving initial call capabilities state.

standard 09:47:12.055356+0100 FaceTimeNotificationCenterService  
for <private>

standard 09:47:12.055375+0100 FaceTimeNotificationCenterService  
Requesting current state

standard 09:47:12.055377+0100 FaceTimeNotificationCenterService  
Setting up XPC connection for  
com.apple.telephonyutilities.callservicesdaemon.callcapabilities

standard 09:47:12.055397+0100 FaceTimeNotificationCenterService  
Proxying setClientCapabilities through CSD for capabilities <private>

standard 09:47:12.055422+0100 FaceTimeNotificationCenterService  
<private>: Setting up XPC connection.

standard 09:47:12.056175+0100 FaceTimeNotificationCenterService  
Setting up client capabilities on TU

standard 09:47:12.056197+0100 FaceTimeNotificationCenterService  
Proxying setClientCapabilities through CSD for capabilities <private>

standard 09:47:12.056222+0100 FaceTimeNotificationCenterService  
Bringing up TU videoDeviceController...

standard 09:47:12.056837+0100 FaceTimeNotificationCenterService  
Received initial call capabilities state

standard 09:47:12.057203+0100 FaceTime -awakeFromLoad

standard 09:47:12.057298+0100 FaceTime -setServername: <private> Parsed  
into scheme: https host: <private> port: 0 path: <private>

standard 09:47:12.057390+0100 FaceTime -initWithUID:persistence: called on  
thread: <Main>

standard 09:47:12.057617+0100 FaceTime -clearPrincipalProperties

standard 09:47:12.057651+0100 FaceTime -clearHomeContainers

standard 09:47:12.059212+0100 FaceTimeNotificationCenterService  
ViceroyTrace [NOTICE] VRTraceInit:264 logging-started

standard 09:47:12.059223+0100 FaceTimeNotificationCenterService  
ViceroyTrace [NOTICE] VRTraceInit:269 gVRTraceErrorLogLevel initialized to  
NOTICE (6)

standard 09:47:12.059613+0100 FaceTimeNotificationCenterService  
ViceroyTrace [NOTICE] VRTraceInit:274 @:@ ViceroyTrace-init  
AVConference=1624.34, PID=2753, VRTraceErrorLogLevel=NOTICE

standard 09:47:12.059675+0100 FaceTimeNotificationCenterService  
ViceroyTrace [NOTICE] VRTracePrintLoggingInfo:586 ErrorLogLevel=NOTICE

ProductType=iMacPro1,1 BuildVersion=19D76 AVConference=1624.34  
fehler 09:47:12.071126+0100 kernel Sandbox: FaceTime(2750) deny(1)  
mach-lookup com.apple.contacts.donation.agent  
fehler 09:47:12.071257+0100 FaceTime Error retrieving contacts from  
daemon: Error Domain=NSCocoaErrorDomain Code=4099 "The connection to  
service on pid 0 named com.apple.contacts.donation.agent was invalidated."  
UserInfo={NSDebugDescription=The connection to service on pid 0 named  
com.apple.contacts.donation.agent was invalidated.}  
standard 09:47:12.080394+0100 FaceTime -[PRPersonaStore  
\_startListeningForCacheChangeNotifications] (854) "called"  
standard 09:47:12.090986+0100 FaceTime -[PRPersonaStore  
\_startListeningForCacheChangeNotifications] (854) "called"  
standard 09:47:12.092251+0100 FaceTime did set property keys to display (  
namePrefix,  
givenName,  
middleName,  
familyName,  
nameSuffix,  
previousFamilyName,  
nickname,  
creationDate,  
sortingGivenName,  
sortingFamilyName,  
phoneticGivenName,  
phoneticMiddleName,  
phoneticFamilyName,  
phoneticOrganizationName,  
organizationName,  
departmentName,  
jobTitle,  
birthday,  
nonGregorianBirthday,  
note,  
imageData,  
thumbnailImageData,  
imageDataAvailable,  
externalImageURI,  
displayNameOrder,  
contactType,  
phoneNumbers,  
emailAddresses,  
postalAddresses,  
dates,  
urlAddresses,  
contactRelations,  
socialProfiles,  
instantMessageAddresses,  
linkIdentifier,  
callAlert,  
textAlert,

cropRect,  
mapsData,  
calendarURIs,  
phonemeData,  
preferredLikenessSource,  
preferredApplePersonalIdentifier,  
downtimeWhitelist

)

```
fehler 09:47:12.106127+0100 kernel Sandbox: FaceTime(2750) deny(1)
file-link /Users/ronhiestermann/Library/Application Support/AddressBook/Sources/
D1ED67E6-83E5-4EA2-A1B7-0D832FF22DBC/.AddressBook-v22_SUPPORT/
_EXTERNAL_DATA/74D10988-7E08-463A-B60B-170BD1FD9ED7
fehler 09:47:12.106185+0100 kernel Sandbox: FaceTime(2750) deny(1)
file-link /Users/ronhiestermann/Library/Application Support/AddressBook/Sources/
D1ED67E6-83E5-4EA2-A1B7-0D832FF22DBC/.AddressBook-v22_SUPPORT/
_EXTERNAL_DATA/B7842AAB-2036-4810-8992-E1D72466A0DA
fehler 09:47:12.150563+0100 kernel Sandbox: FaceTime(2750) deny(1)
file-link /Users/ronhiestermann/Library/Application Support/AddressBook/Sources/
D1ED67E6-83E5-4EA2-A1B7-0D832FF22DBC/.AddressBook-v22_SUPPORT/
_EXTERNAL_DATA/74D10988-7E08-463A-B60B-170BD1FD9ED7
fehler 09:47:12.150619+0100 kernel Sandbox: FaceTime(2750) deny(1)
file-link /Users/ronhiestermann/Library/Application Support/AddressBook/Sources/
D1ED67E6-83E5-4EA2-A1B7-0D832FF22DBC/.AddressBook-v22_SUPPORT/
_EXTERNAL_DATA/B7842AAB-2036-4810-8992-E1D72466A0DA
fehler 09:47:12.168678+0100 kernel Sandbox: FaceTime(2750) deny(1)
file-link /Users/ronhiestermann/Library/Application Support/AddressBook/Sources/
D1ED67E6-83E5-4EA2-A1B7-0D832FF22DBC/.AddressBook-v22_SUPPORT/
_EXTERNAL_DATA/74D10988-7E08-463A-B60B-170BD1FD9ED7
fehler 09:47:12.168732+0100 kernel Sandbox: FaceTime(2750) deny(1)
file-link /Users/ronhiestermann/Library/Application Support/AddressBook/Sources/
D1ED67E6-83E5-4EA2-A1B7-0D832FF22DBC/.AddressBook-v22_SUPPORT/
_EXTERNAL_DATA/B7842AAB-2036-4810-8992-E1D72466A0DA
standard 09:47:12.176661+0100 FaceTime <SidebarContentViewController:
0x600002859540> already have child of: <CallDetailsSideBarController:
0x600002e45550>
standard 09:47:12.189460+0100 FaceTime Calculating local landscape/portrait
aspect ratios (and caching) (landscape: <private>, portrait: <private>)
standard 09:47:12.189480+0100 FaceTime Notifying TUCallCenter of our local
aspect ratio (landscape: <private>, portrait: <private>)
standard 09:47:12.189870+0100 FaceTime Creating window
standard 09:47:12.190108+0100 FaceTime Registered moments connection
standard 09:47:12.201863+0100 FaceTime setWindowAspectRatio: <private>
forOrientation: 0
standard 09:47:12.201880+0100 FaceTime setWindowAspectRatio GCD is >=
2.0, new size is <private>
standard 09:47:12.201895+0100 FaceTime Setting window portrait aspect ratio
to: <private>
standard 09:47:12.201917+0100 FaceTime SACShieldWindowShowing:434:
enter
standard 09:47:12.202125+0100 loginwindow -[SessionAgentCom
```

SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.202183+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.203016+0100 FaceTime Calculating local landscape/portrait  
aspect ratios (and caching) (landscape: <private>, portrait: <private>)  
standard 09:47:12.203033+0100 FaceTime Notifying TUCallCenter of our local  
aspect ratio (landscape: <private>, portrait: <private>)  
standard 09:47:12.207148+0100 FaceTime lsetState service=com.apple.madrid  
standard 09:47:12.207366+0100 FaceTime Suspend at connect  
0x600003738800  
standard 09:47:12.207416+0100 FaceTime Requesting connectionID 1  
standard 09:47:12.207432+0100 FaceTime Created connection to  
com.apple.identityservicesd.desktop.auth service: 0x600002c48cc0  
standard 09:47:12.207916+0100 FaceTime Setting limiting call kinds: <private>  
standard 09:47:12.208004+0100 FaceTime Creating XPC connection to Sync  
Helper  
standard 09:47:12.208046+0100 FaceTime Setting up sign in VC's  
standard 09:47:12.208378+0100 FaceTime Completed connection  
{connectionID 1, fatalError NO, relevantConnection: YES, localObject: <private>}  
standard 09:47:12.208391+0100 FaceTime Setup complete with info  
standard 09:47:12.208484+0100 FaceTime Deferred setup on ivar queue, got 0  
dependent devices  
standard 09:47:12.208564+0100 FaceTime Dependent devices all disappeared,  
removing all dependent devices  
standard 09:47:12.208641+0100 FaceTime Connection is not complete,  
waiting...  
standard 09:47:12.208678+0100 FaceTime Connection complete  
standard 09:47:12.208709+0100 FaceTime Connection complete, notifying  
standard 09:47:12.208714+0100 FaceTime Resume due to connect completion  
0x600003738800  
standard 09:47:12.208765+0100 FaceTime Cleaning up  
daemonConnectedGroup 0x600003a1fb10  
standard 09:47:12.208798+0100 FaceTime Finished blocking for  
daemonConnectedGroup 0x600003a1fb10 (Success: YES)  
standard 09:47:12.208628+0100 FaceTime OS version: <private>  
standard 09:47:12.208740+0100 FaceTime Registering for  
kCallHistorySyncHelperReadyNotification  
standard 09:47:12.209387+0100 FaceTime <private>  
enabledAccountsForService com.apple.madrid  
standard 09:47:12.209503+0100 FaceTime Updating delegates of account  
changes  
standard 09:47:12.209609+0100 FaceTime Setting up new connection for  
<private>  
standard 09:47:12.209625+0100 FaceTime Connection map:  
standard 09:47:12.209644+0100 FaceTime <private> => <private>  
standard 09:47:12.209698+0100 FaceTime activeAccountsChanged, oldSet:  
(null) newSet: <private>  
standard 09:47:12.209726+0100 FaceTime Finished processing accounts set.  
standard 09:47:12.209736+0100 FaceTime Connection map:  
standard 09:47:12.209747+0100 FaceTime <private> => <private>

standard 09:47:12.209886+0100 FaceTime Version: <private>  
standard 09:47:12.209916+0100 FaceTime Build revision: 1026.12~1  
standard 09:47:12.210002+0100 FaceTime <private>  
enabledAccountsForService com.apple.madrid  
standard 09:47:12.210047+0100 FaceTime Updating delegates of account  
changes  
standard 09:47:12.210055+0100 FaceTime Setting up invalidation handler  
standard 09:47:12.210215+0100 FaceTime Setting up interruption handler  
standard 09:47:12.210422+0100 FaceTime Build reason: stock  
standard 09:47:12.210794+0100 FaceTime ==>  
<private>:kCHCoalescingStrategyRecents  
standard 09:47:12.212193+0100 FaceTime Using database path: <private>  
standard 09:47:12.212213+0100 FaceTime Call History supports displaying  
FaceTime Audio calls  
standard 09:47:12.213011+0100 FaceTime createPermanent client: <private>  
standard 09:47:12.213113+0100 FaceTime Setting limiting call kinds: <private>  
standard 09:47:12.214380+0100 FaceTime ==> <private>  
standard 09:47:12.214401+0100 FaceTime Fetching from DB and updating  
cache. And coalescing: Yes, With callType limit: kCallTypeAll  
standard 09:47:12.216551+0100 FaceTime Ignoring configuration request.  
Obtained configuration in the last week.  
standard 09:47:12.216711+0100 FaceTime "The connection to  
ACDAccountStore was invalidated."  
standard 09:47:12.216768+0100 FaceTime Using database path: <private>  
standard 09:47:12.216905+0100 FaceTime Persistent store at URL <private> is  
not present  
standard 09:47:12.217087+0100 FaceTime Using database path: <private>  
standard 09:47:12.217211+0100 FaceTime Temporary data store not used,  
nothing to move  
standard 09:47:12.217247+0100 FaceTime Initialized permanent data store:  
YES  
standard 09:47:12.217771+0100 FaceTime No calls to coalesce  
standard 09:47:12.217811+0100 FaceTime <== <private> returns 0 calls  
standard 09:47:12.217875+0100 FaceTime Handling persistent store added  
notification, store count: 1  
standard 09:47:12.217897+0100 FaceTime Setting limiting call kinds: <private>  
standard 09:47:12.217972+0100 FaceTime ==> <private>(<private>)  
standard 09:47:12.217986+0100 FaceTime Fetching from DB and updating  
cache. And coalescing: No, With callType limit: kCallTypeAll  
standard 09:47:12.218436+0100 FaceTime <== <private> returns 0 calls  
standard 09:47:12.218511+0100 FaceTime <== <private>(<private>) 0 calls  
standard 09:47:12.218661+0100 FaceTime Setting limiting call kinds: <private>  
standard 09:47:12.218710+0100 FaceTime ==> <private>(<private>)  
standard 09:47:12.218727+0100 FaceTime Fetching from DB and updating  
cache. And coalescing: No, With callType limit: kCallTypeAll  
standard 09:47:12.219331+0100 FaceTime <== <private> returns 0 calls  
standard 09:47:12.219453+0100 FaceTime <== <private>(<private>) 0 calls  
standard 09:47:12.219490+0100 FaceTime Setting limiting call kinds: <private>  
standard 09:47:12.220774+0100 FaceTime Updating UI  
standard 09:47:12.223047+0100 FaceTime Starting up RegionController

standard 09:47:12.223073+0100 FaceTime Regions not loaded, waiting...  
standard 09:47:12.223526+0100 FaceTime Setting timeout for 599.999996  
seconds from now (Message: <private>)  
standard 09:47:12.223630+0100 FaceTime Query parameters: (null)  
standard 09:47:12.223686+0100 FaceTime Building URL request with URL:  
<private>  
standard 09:47:12.223701+0100 FaceTime Headers  
standard 09:47:12.223712+0100 FaceTime User Agent:  
com.apple.facetime-region-query  
standard 09:47:12.223723+0100 FaceTime Headers  
standard 09:47:12.223733+0100 FaceTime User Agent:  
com.apple.facetime-region-query  
standard 09:47:12.223892+0100 FaceTime Agent: <private>  
standard 09:47:12.223906+0100 FaceTime Agent: <private>  
standard 09:47:12.237262+0100 FaceTime Preventing contact list display while  
waiting for first preview frame  
standard 09:47:12.237689+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.237896+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.237963+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.238023+0100 FaceTime Showing window  
standard 09:47:12.238445+0100 FaceTime Preventing contact list display while  
waiting for first preview frame  
standard 09:47:12.238586+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.238771+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.238827+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.240482+0100 FaceTime Preventing contact list display while  
waiting for first preview frame  
standard 09:47:12.240535+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.240734+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.240791+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.241067+0100 FaceTime Preventing contact list display while  
waiting for first preview frame  
standard 09:47:12.241113+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.241276+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.241323+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.242897+0100 FaceTime \_isCameraValid - camera: <private>  
isSuspended: 0  
standard 09:47:12.242960+0100 FaceTime SACShieldWindowShowing:434:

enter  
standard 09:47:12.243143+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.243195+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.243235+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.243396+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.243443+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.243562+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.243716+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.243766+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.243782+0100 FaceTime Update camera state -> Unpausing  
preview  
standard 09:47:12.243808+0100 FaceTime Starting preview with  
self.currentInputDevice: <private>  
standard 09:47:12.243822+0100 FaceTime AVConferencePreview [NOTICE] -  
[AVConferencePreview startPreviewUnpausing:]:538 AVConferencePreview  
startPreviewUnpausing 0, self 0x600002b58750  
standard 09:47:12.243844+0100 FaceTime AVConferencePreview [NOTICE] -  
[AVConferencePreview startPreviewUnpausing:]:563 @:@ AVConferencePreview-  
startPreviewUnpausing (0x600002b58750) unpauses=0  
standard 09:47:12.243994+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.244153+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.244200+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.244487+0100 FaceTime Calculating local landscape/portrait  
aspect ratios (and caching) (landscape: <private>, portrait: <private>)  
standard 09:47:12.244503+0100 FaceTime Notifying TUCallCenter of our local  
aspect ratio (landscape: <private>, portrait: <private>)  
standard 09:47:12.244585+0100 FaceTime Updating setup view, showing sign  
in  
standard 09:47:12.244671+0100 FaceTime Preventing contact list display while  
waiting for first preview frame  
standard 09:47:12.244714+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:12.244874+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:12.244925+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:12.244966+0100 FaceTime Showing window  
standard 09:47:12.245551+0100 FaceTime Calculating local landscape/portrait  
aspect ratios (and caching) (landscape: <private>, portrait: <private>)

standard 09:47:12.245564+0100 FaceTime Notifying TUCallCenter of our local aspect ratio (landscape: <private>, portrait: <private>)

standard 09:47:12.245605+0100 FaceTime Daemon connection changed

standard 09:47:12.245660+0100 FaceTime Client requesting to flush the query cache for service: com.apple.madrid

standard 09:47:12.245671+0100 FaceTime \_flushQueryCacheForService: (service: com.apple.madrid)

standard 09:47:12.245696+0100 FaceTime Client requesting to flush the query cache for service: com.apple.ess

standard 09:47:12.245724+0100 FaceTime \_flushQueryCacheForService: (service: com.apple.ess)

standard 09:47:12.282711+0100 FaceTime SACShieldWindowShowing:434:  
enter

standard 09:47:12.282921+0100 loginwindow -[SessionAgentCom SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime

standard 09:47:12.282979+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0

standard 09:47:12.283282+0100 FaceTime Received current state with calls for asynchronousServer: <private>

standard 09:47:12.283298+0100 FaceTime Handling current calls changed: <private>

standard 09:47:12.283339+0100 FaceTime Registering <private> for lockdown changes

standard 09:47:12.283456+0100 FaceTime Preventing contact list display while waiting for first preview frame

standard 09:47:12.283508+0100 FaceTime SACShieldWindowShowing:434:  
enter

standard 09:47:12.283673+0100 loginwindow -[SessionAgentCom SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime

standard 09:47:12.283724+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0

standard 09:47:12.283828+0100 FaceTime Cameras or microphones changed: (null)

fehler 09:47:12.289076+0100 FaceTime [ERROR] -[AVAudioDevice createNameForScope:]:144 AudioObjectGetPropertyDataSize kAudioDevicePropertyDataSource failed with error=who? [2003332927] deviceId=42 sources=0

fehler 09:47:12.289222+0100 FaceTime [ERROR] -[AVAudioDevice createNameForScope:]:144 AudioObjectGetPropertyDataSize kAudioDevicePropertyDataSource failed with error=who? [2003332927] deviceId=46 sources=0

fehler 09:47:12.295331+0100 FaceTime [ERROR] -[AVAudioDevice createNameForScope:]:144 AudioObjectGetPropertyDataSize kAudioDevicePropertyDataSource failed with error=who? [2003332927] deviceId=42 sources=0

fehler 09:47:12.295474+0100 FaceTime [ERROR] -[AVAudioDevice createNameForScope:]:144 AudioObjectGetPropertyDataSize kAudioDevicePropertyDataSource failed with error=who? [2003332927] deviceId=46 sources=0

standard 09:47:12.296094+0100 FaceTime Current Camera: <private>



standard 09:47:12.296129+0100 FaceTime All Cameras: <private>  
standard 09:47:12.296144+0100 FaceTime Current Audio Input: <private>  
standard 09:47:12.296156+0100 FaceTime All Audio Input: <private>  
standard 09:47:12.296164+0100 FaceTime Current Audio Output: (null)  
standard 09:47:12.296174+0100 FaceTime All Audio Output: <private>  
standard 09:47:12.296276+0100 FaceTime Adding video menu item  
(microphone): [<private>] <private> -> <private>  
standard 09:47:12.296293+0100 FaceTime Adding video menu item  
(microphone): [<private>] <private> -> <private>  
standard 09:47:12.296307+0100 FaceTime Adding video menu item  
(microphone): [<private>] <private> -> <private>  
standard 09:47:12.296319+0100 FaceTime Adding video menu item  
(microphone): [<private>] <private> -> <private>  
standard 09:47:12.296396+0100 FaceTime Adding video menu item (audio  
output): [<private>] <private> -> <private>  
standard 09:47:12.296439+0100 FaceTime Adding video menu item (audio  
output): [<private>] <private> -> <private>  
standard 09:47:12.296487+0100 FaceTime Adding video menu item (audio  
output): [<private>] <private> -> <private>  
standard 09:47:12.296509+0100 FaceTime Adding video menu item (audio  
output): [<private>] <private> -> <private>  
standard 09:47:12.296525+0100 FaceTime Adding video menu item (audio  
output): [<private>] <private> -> <private>  
standard 09:47:12.296561+0100 FaceTime Adding video menu item (audio  
output): [<private>] <private> -> <private>  
standard 09:47:12.296592+0100 FaceTime Adding video menu item (audio  
output): [<private>] <private> -> <private>  
standard 09:47:12.298552+0100 FaceTime \*\*\*\*\* Couldn't gather Anisette  
headers for <private> \*\*\*\*\*  
standard 09:47:12.298568+0100 FaceTime \*\*\*\*\* Couldn't gather Anisette  
headers <private> \*\*\*\*\*  
standard 09:47:12.298950+0100 FaceTime Created URL Request: <private>  
from URL: <private>  
standard 09:47:12.298964+0100 FaceTime Delivering message to URL:  
<private>  
standard 09:47:12.298994+0100 FaceTime Message body: <private>  
standard 09:47:12.299005+0100 FaceTime Force cellular: NO  
standard 09:47:12.299102+0100 FaceTime Created connection to  
com.apple.imfoundation.IMRemoteURLConnectionAgent service: 0x600002c75440  
standard 09:47:12.299115+0100 FaceTime Connecting to URLLoading agent  
standard 09:47:12.299182+0100 FaceTime Sending URL request: <private>  
(Data usage identifier: (null)) (0x600003a086e0)  
fehler 09:47:12.413985+0100 FaceTime Resolution requested with no phone  
numbers.  
standard 09:47:12.414181+0100 FaceTime is handling  
<com.apple.telephonyutilities.TUMetadataCacheDidFinishUpdatingNotification>  
standard 09:47:12.875961+0100 FaceTime AVConferencePreview [NOTICE] -  
[AVConferencePreview didStartPreview]\_block\_invoke:71 @:@  
AVConferencePreview-didStartPreview (0x600002b58750)  
standard 09:47:12.876132+0100 FaceTime

```
standard 09:47:12.876382+0100 FaceTimeNotificationCenterService
    AVConferencePreview [NOTICE] -[AVConferencePreview init]:478
AVConferencePreview: done initialization of singleton 0x600003180090
standard 09:47:12.876405+0100 FaceTimeNotificationCenterService
    AVConferencePreview [NOTICE] -[AVConferencePreview init]:480 @:@
AVConferencePreview-init (0x600003180090)
standard 09:47:12.876949+0100 FaceTimeNotificationCenterService
    Bringing up cameraController
standard 09:47:12.877233+0100 FaceTimeNotificationCenterService
    Calling NSViewServiceApplicationMain
standard 09:47:12.877306+0100 FaceTime AVConferencePreview [NOTICE] -
[AVConferencePreview didStartPreview]_block_invoke:71 @:@
AVConferencePreview-didStartPreview (0x600002b58750)
standard 09:47:12.877335+0100 FaceTime
standard 09:47:12.877327+0100 FaceTimeNotificationCenterService
    AVConferencePreview [NOTICE] -[AVConferencePreview
didStartPreview]_block_invoke:71 @:@ AVConferencePreview-didStartPreview
(0x600003180090)
standard 09:47:12.882740+0100 FaceTimeNotificationCenterService
    FRONTLOGGING: version 1
standard 09:47:12.882752+0100 FaceTimeNotificationCenterService
    Registering, pid=2753
standard 09:47:12.883511+0100 FaceTimeNotificationCenterService
    CHECKIN: pid=2753
standard 09:47:12.888312+0100 FaceTimeNotificationCenterService
    CHECKEDIN: pid=2753 asn=0x0-0x51051 foreground=0
standard 09:47:12.888175+0100 launchservicesd CHECKIN:0x0-0x51051
2753 com.apple.FaceTime.FaceTimeNotificationCenterService
standard 09:47:12.889012+0100 loginwindow -[ApplicationManager
checkInAppContext:eventData:] | ApplicationManager: Checked in app :
FaceTimeNotificationCenterService
standard 09:47:12.888693+0100 runningboardd Resolved XPC Service
com.apple.FaceTime.FaceTimeNotificationCenterService
(FaceTimeNotificationCenterService.xpc) with host pid 2750, variant 1, scope 1, pid
2753, and euid 501
standard 09:47:12.888731+0100 runningboardd Resolved pid 2753 to
[xpcservice<com.apple.FaceTime.FaceTimeNotificationCenterService(501)>:2753]
standard 09:47:12.889651+0100 runningboardd
[xpcservice<com.apple.FaceTime.FaceTimeNotificationCenterService(501)>:2753]
This process will not be managed.
standard 09:47:12.889669+0100 runningboardd Now tracking process:
[xpcservice<com.apple.FaceTime.FaceTimeNotificationCenterService(501)>:2753]
standard 09:47:12.889961+0100 runningboardd Acquiring assertion targeting
xpcservice<com.apple.FaceTime.FaceTimeNotificationCenterService(501)> from
originator [daemon<com.apple.coreservices.launchservicesd>:127] with description
<RBSAssertionDescriptor; viewBridge:2753; ID: 248-127-198; target: 2753>
attributes = {
    <RBSDomainAttribute: 0x7ff69c71ce00; domain: com.apple.launchservicesd;
name: RoleUserInteractiveNonFocal; sourceEnvironment: 0x0>;
}
```

standard 09:47:12.890038+0100 runningboardd Assertion 248-127-198  
(target:xpcservice<com.apple.FaceTime.FaceTimeNotificationCenterService(501)>)  
will be created as active  
standard 09:47:12.890593+0100 runningboardd  
[xpcservice<com.apple.FaceTime.FaceTimeNotificationCenterService(501)>:2753]  
Ignoring jetsam update because this process is not memory-managed  
standard 09:47:12.890726+0100 runningboardd Finished acquiring assertion  
248-127-198  
(target:xpcservice<com.apple.FaceTime.FaceTimeNotificationCenterService(501)>)  
standard 09:47:12.890784+0100 runningboardd  
[xpcservice<com.apple.FaceTime.FaceTimeNotificationCenterService(501)>:2753]  
Ignoring resume because this process is not lifecycle managed  
standard 09:47:12.890873+0100 runningboardd  
[xpcservice<com.apple.FaceTime.FaceTimeNotificationCenterService(501)>:2753]  
Set darwin role to: UserInteractiveNonFocal  
standard 09:47:12.890975+0100 runningboardd  
[xpcservice<com.apple.FaceTime.FaceTimeNotificationCenterService(501)>:2753]  
Ignoring GPU update because this process is not GPU managed  
standard 09:47:12.894129+0100 tccd -[TCCDAccessIdentity staticCode]: static  
code for: identifier com.apple.FaceTime, type: 0: 0x7fa50001bc80 at /System/  
Applications/FaceTime.app  
standard 09:47:12.902194+0100 tccd -[TCCDAccessIdentity staticCode]: static  
code for: identifier com.apple.FaceTime, type: 0: 0x7fa50001a190 at /System/  
Applications/FaceTime.app  
standard 09:47:12.906769+0100 FaceTimeNotificationCenterService  
Registered, pid=2753 ASN=0x0,0x51051  
standard 09:47:12.906857+0100 FaceTimeNotificationCenterService  
Registered, pid=2753 cgConnectionID=7c307  
standard 09:47:12.908106+0100 FaceTimeNotificationCenterService  
Current system appearance, (HLTB: 2), (SLS: 1)  
standard 09:47:12.910208+0100 FaceTimeNotificationCenterService  
Post-registration system appearance: (HLTB: 2)  
standard 09:47:12.916676+0100 distnoted register name:  
com.apple.xctest.FakeForceTouchDevice object:  
com.apple.FaceTime.FaceTimeNotificationCenterService token: f4272 pid: 2753  
standard 09:47:12.919994+0100 FaceTimeNotificationCenterService  
Registering for test daemon availability notify post.  
standard 09:47:12.920089+0100 FaceTimeNotificationCenterService  
notify\_get\_state check indicated test daemon not ready.  
standard 09:47:12.922359+0100 FaceTimeNotificationCenterService  
SignalReady: pid=2753 asn=0x0-0x51051  
standard 09:47:12.922808+0100 FaceTimeNotificationCenterService  
SIGNAL: pid=2753 asn=0x0x-0x331857  
standard 09:47:12.939366+0100 tccd -[TCCDAccessIdentity staticCode]: static  
code for: identifier com.apple.FaceTime, type: 0: 0x7fa500015290 at /System/  
Applications/FaceTime.app  
standard 09:47:12.941664+0100 FaceTimeNotificationCenterService  
Received current state with calls for asynchronousServer: <private>  
standard 09:47:12.941687+0100 FaceTimeNotificationCenterService

standard 09:47:12.941873+0100 FaceTime Connected to service  
standard 09:47:12.941890+0100 FaceTime Setting up connection  
standard 09:47:12.990232+0100 FaceTime Loaded completed for request:  
<private> (Data usage identifier: (null)) (0x600003a086e0)  
standard 09:47:12.990485+0100 FaceTime Response: <private>  
standard 09:47:12.990504+0100 FaceTime Status Code: 200  
standard 09:47:12.990516+0100 FaceTime Result Data Length: 47606  
standard 09:47:12.990528+0100 FaceTime Error: (null)  
standard 09:47:12.990567+0100 FaceTime Finished URL request: <private>  
standard 09:47:12.990595+0100 FaceTime Response: <private>  
standard 09:47:12.990607+0100 FaceTime Replied Code: 200  
standard 09:47:12.990617+0100 FaceTime Result Data Length: 47606  
standard 09:47:12.990627+0100 FaceTime Error: (null)  
standard 09:47:12.990664+0100 FaceTime headers: <private>  
standard 09:47:12.990675+0100 FaceTime status code: 200  
standard 09:47:12.991522+0100 FaceTime sent dictionary: <private>  
standard 09:47:12.991539+0100 FaceTime result: <private>  
standard 09:47:12.991552+0100 FaceTime status code: 0  
standard 09:47:12.991569+0100 FaceTime Succeeded loading region  
information  
standard 09:47:12.991584+0100 FaceTime Region info: <private>  
standard 09:47:12.991605+0100 FaceTime Loaded region: <private>  
standard 09:47:12.991616+0100 FaceTime Region info: <private>  
standard 09:47:12.991631+0100 FaceTime Loaded region: <private>  
standard 09:47:12.991641+0100 FaceTime Region info: <private>  
standard 09:47:12.991681+0100 FaceTime Loaded region: <private>  
standard 09:47:12.991714+0100 FaceTime Region info: <private>  
standard 09:47:12.991730+0100 FaceTime Loaded region: <private>  
standard 09:47:12.991750+0100 FaceTime Region info: <private>  
standard 09:47:12.991786+0100 FaceTime Loaded region: <private>  
standard 09:47:12.991825+0100 FaceTime Region info: <private>  
standard 09:47:12.991878+0100 FaceTime Loaded region: <private>  
standard 09:47:12.991906+0100 FaceTime Region info: <private>  
standard 09:47:12.991929+0100 FaceTime Loaded region: <private>  
standard 09:47:12.991949+0100 FaceTime Region info: <private>  
standard 09:47:12.991980+0100 FaceTime Loaded region: <private>  
standard 09:47:12.992005+0100 FaceTime Region info: <private>  
standard 09:47:12.992041+0100 FaceTime Loaded region: <private>  
standard 09:47:12.992055+0100 FaceTime Region info: <private>  
standard 09:47:12.992069+0100 FaceTime Loaded region: <private>  
standard 09:47:12.992093+0100 FaceTime Region info: <private>  
standard 09:47:12.992136+0100 FaceTime Loaded region: <private>  
standard 09:47:12.992172+0100 FaceTime Region info: <private>  
standard 09:47:12.992187+0100 FaceTime Loaded region: <private>  
standard 09:47:12.992208+0100 FaceTime Region info: <private>  
standard 09:47:12.992221+0100 FaceTime Loaded region: <private>  
standard 09:47:12.992238+0100 FaceTime Region info: <private>  
standard 09:47:12.992268+0100 FaceTime Loaded region: <private>  
standard 09:47:12.992281+0100 FaceTime Region info: <private>  
standard 09:47:12.992299+0100 FaceTime Loaded region: <private>

















standard	09:47:13.999726+0100	FaceTime	Region info: <private>
standard	09:47:13.999742+0100	FaceTime	Loaded region: <private>
standard	09:47:13.999761+0100	FaceTime	Region info: <private>
standard	09:47:13.999780+0100	FaceTime	Loaded region: <private>
standard	09:47:13.999799+0100	FaceTime	Region info: <private>
standard	09:47:13.999830+0100	FaceTime	Loaded region: <private>
standard	09:47:13.999841+0100	FaceTime	Region info: <private>
standard	09:47:13.999854+0100	FaceTime	Loaded region: <private>
standard	09:47:13.999875+0100	FaceTime	Region info: <private>
standard	09:47:13.999901+0100	FaceTime	Loaded region: <private>
standard	09:47:13.999912+0100	FaceTime	Region info: <private>
standard	09:47:13.999933+0100	FaceTime	Loaded region: <private>
standard	09:47:13.999953+0100	FaceTime	Region info: <private>
standard	09:47:13.999984+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000011+0100	FaceTime	Region info: <private>
standard	09:47:13.000025+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000044+0100	FaceTime	Region info: <private>
standard	09:47:13.000063+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000088+0100	FaceTime	Region info: <private>
standard	09:47:13.000101+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000124+0100	FaceTime	Region info: <private>
standard	09:47:13.000142+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000160+0100	FaceTime	Region info: <private>
standard	09:47:13.000212+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000235+0100	FaceTime	Region info: <private>
standard	09:47:13.000267+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000279+0100	FaceTime	Region info: <private>
standard	09:47:13.000302+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000319+0100	FaceTime	Region info: <private>
standard	09:47:13.000339+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000360+0100	FaceTime	Region info: <private>
standard	09:47:13.000380+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000400+0100	FaceTime	Region info: <private>
standard	09:47:13.000420+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000452+0100	FaceTime	Region info: <private>
standard	09:47:13.000471+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000482+0100	FaceTime	Region info: <private>
standard	09:47:13.000495+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000523+0100	FaceTime	Region info: <private>
standard	09:47:13.000535+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000556+0100	FaceTime	Region info: <private>
standard	09:47:13.000579+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000597+0100	FaceTime	Region info: <private>
standard	09:47:13.000627+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000642+0100	FaceTime	Region info: <private>
standard	09:47:13.000654+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000678+0100	FaceTime	Region info: <private>
standard	09:47:13.000695+0100	FaceTime	Loaded region: <private>
standard	09:47:13.000727+0100	FaceTime	Regions finished loading !
standard	09:47:13.000746+0100	FaceTime	Regions loaded: <private>

standard 09:47:13.000758+0100 FaceTime Profile validation status changed  
notification: (null)  
standard 09:47:13.000767+0100 FaceTime Notification for account (null) (null)  
standard 09:47:13.000809+0100 FaceTime This is not for our account. Ignoring  
the status change.  
standard 09:47:13.000838+0100 FaceTime Regions loaded  
standard 09:47:13.004399+0100 FaceTime Cancelling URL request: <private>  
(0x600003a086e0)  
standard 09:47:13.154011+0100 FaceTime cameraUID: <private>  
standard 09:47:13.154021+0100 FaceTimeNotificationCenterService  
cameraUID: <private>  
standard 09:47:13.154074+0100 FaceTime videoAttributes: <private>  
standard 09:47:13.154073+0100 FaceTimeNotificationCenterService  
videoAttributes: <private>  
standard 09:47:13.155924+0100 FaceTime Determined that we should show  
password field for username: <private>  
standard 09:47:13.160346+0100 FaceTime Being marked as a local video layer  
(<private>)  
standard 09:47:13.161751+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.161972+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.162028+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:13.162091+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.162260+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.162308+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:13.162381+0100 FaceTime \_isCameraValid - camera: <private>  
isSuspended: 0  
standard 09:47:13.162467+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.162672+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.162725+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:13.162776+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.162949+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.163001+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:13.163177+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.163362+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.163429+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0

standard 09:47:13.163556+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.163733+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.163789+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:13.548809+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.549071+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.549129+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:13.549406+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.549586+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.549643+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:13.550208+0100 FaceTime Updating setup view, showing sign  
in  
standard 09:47:13.550246+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.550420+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.550470+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:13.550513+0100 FaceTime Showing window  
standard 09:47:13.551162+0100 FaceTime Calculating local landscape/portrait  
aspect ratios (and caching) (landscape: <private>, portrait: <private>)  
standard 09:47:13.551178+0100 FaceTime Notifying TUCallCenter of our local  
aspect ratio (landscape: <private>, portrait: <private>)  
standard 09:47:13.551228+0100 FaceTime \_isCameraValid - camera: <private>  
isSuspended: 0  
standard 09:47:13.551314+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.551487+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.551542+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:13.551584+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.551743+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.551793+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:13.551939+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:13.552109+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:13.552160+0100 FaceTime SACShieldWindowShowing:443:

```

exit: isShieldWindowShowing = 0
standard 09:47:13.552272+0100 FaceTime SACShieldWindowShowing:434:
enter
standard 09:47:13.552424+0100 loginwindow -[SessionAgentCom
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime
standard 09:47:13.552474+0100 FaceTime SACShieldWindowShowing:443:
exit: isShieldWindowShowing = 0
standard 09:47:14.003299+0100 FaceTime nw_path_evaluator_start
[6B72D574-54A8-4D75-8470-DE5D882DC264 <NULL> generic, indefinite]
    path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
standard 09:47:14.003427+0100 FaceTime Time since last load: 505.221530
standard 09:47:14.003441+0100 FaceTime Cache Time: 3600.000000
fehler 09:47:14.005048+0100 FaceTime directory services are not configured
standard 09:47:14.163296+0100 FaceTime nw_path_evaluator_start
[6B72D574-54A8-4D75-8470-DE5D882DC264 <NULL> generic, indefinite]
    path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
standard 09:47:14.163417+0100 FaceTime Time since last load: 2602.050171
standard 09:47:14.163431+0100 FaceTime Cache Time: 4356.000000
standard 09:47:16.977665+0100 loginwindow -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | checkAgainstApp is : FaceTime
standard 09:47:16.977679+0100 loginwindow -[PersistentAppsSupport
appShouldBeRelaunched:] | entered. checking app: FaceTime
standard 09:47:16.977701+0100 loginwindow -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | Adding to relaunchArray:
FaceTime
standard 09:47:16.982542+0100 loginwindow -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | Contents:(
    {
        BackgroundState = 2;
        BundleID = "com.apple.facetime";
        Hide = 0;
        Path = "/System/Applications/FaceTime.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.console";
        Hide = 0;
        Path = "/System/Applications/Utilities/Console.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.textedit";
        Hide = 0;
        Path = "/System/Applications/TextEdit.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.finder";
        Hide = 0;
        Path = "/System/Library/CoreServices/Finder.app";
    }

```

```

    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.systempreferences";
        Hide = 0;
        Path = "/System/Applications/System Preferences.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.safari";
        Hide = 0;
        Path = "/Applications/Safari.app";
    },
    {
        BackgroundState = 3;
        BundleID = "com.spotify.client";
        Hide = 0;
        Path = "/Applications/Spotify.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.blitz.app";
        Hide = 0;
        Path = "/Applications/Blitz.app";
    },
    {
        BackgroundState = 3;
        BundleID = "com.vladbadea.plisteditor";
        Hide = 0;
        Path = "/Applications/PLIST Editor.app";
    },
    {
        BackgroundState = 2;
        BundleID = "kextupdater.slsoft.de";
        Hide = 0;
        Path = "/Applications/Kext Updater.app";
    },
    {
        BackgroundState = 0;
        BundleID = "com.apple.terminal";
        Hide = 0;
        Path = "/System/Applications/Utilities/Terminal.app";
    }
}
)

```

```

standard 09:47:17.011459+0100 FaceTime Purging idStatusCache
standard 09:47:19.490545+0100 FaceTime Request with <private>
standard 09:47:19.491923+0100 FaceTime No persona ID on account
proceeding without setting context.
problem 09:47:19.526622+0100 FaceTime Interactive authentication requested
by UI context, please investigate why silent auth could not be used

```



standard 09:47:21.118953+0100 FaceTime Calling delegate...  
standard 09:47:21.118973+0100 FaceTime Delegate says to continue? YES  
standard 09:47:21.945476+0100 FaceTime LSEExceptions shared instance  
invalidated for timeout.  
standard 09:47:22.119391+0100 FaceTime Remote authentication service came  
back with: <private>  
standard 09:47:22.119434+0100 FaceTime Obtained username and password  
from authentication handler. Registering.  
standard 09:47:22.119585+0100 FaceTime Account status updated (<private>).  
Registration status: 0  
standard 09:47:22.119601+0100 FaceTime Setting SOAccountRegistrationState  
to 2 for <private>. Not posting notification.  
standard 09:47:22.119626+0100 FaceTime authenticate without auth token  
standard 09:47:22.119668+0100 FaceTime Setting login (<private>)  
standard 09:47:22.121444+0100 FaceTime Setting temporary password  
(<private>)  
standard 09:47:22.121464+0100 FaceTime Client request to set temporary  
password for account: <private>  
standard 09:47:22.121546+0100 FaceTime Setting password for profileID: (null)  
username: <private> service: <private>  
standard 09:47:22.123910+0100 FaceTime Account: <private>  
standard 09:47:22.123931+0100 FaceTime username: <private>  
standard 09:47:22.123945+0100 FaceTime profile ID: <private>  
standard 09:47:22.139238+0100 FaceTime Updated credential: <private>  
standard 09:47:22.210694+0100 FaceTime "Completed account save: YES -  
(null)."  
standard 09:47:22.210738+0100 FaceTime Save completed (YES) with error:  
(null)  
standard 09:47:22.210760+0100 FaceTime Successfully updated temporary  
password for account (<private>:IDS): YES  
standard 09:47:22.211994+0100 FaceTime deleting old iMessage account  
(<private>)  
standard 09:47:22.277484+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:22.304833+0100 identityservicesd Requesting auth token for  
profileID: <private> username: <private> service: FaceTime failIfNotSilent: NO  
standard 09:47:22.353985+0100 FaceTime Account status updated (<private>).  
Registration status: 2  
standard 09:47:22.354000+0100 FaceTime Setting SOAccountRegistrationState  
to 4 for <private>. Posting notification.  
standard 09:47:22.354017+0100 FaceTime Starting authentication timer  
(<private>)  
standard 09:47:22.354101+0100 FaceTime Registration state changed  
standard 09:47:22.354113+0100 FaceTime UpdateUI to reflect Signing In phase  
standard 09:47:22.354130+0100 FaceTime Account registration state changed  
standard 09:47:22.354139+0100 FaceTime Registration status changed: 2  
standard 09:47:22.354219+0100 FaceTime Updating setup view, showing sign  
in  
standard 09:47:22.354301+0100 FaceTime SACShieldWindowShowing:434:  
enter

standard 09:47:22.354732+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:22.354680+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:22.354790+0100 FaceTime Showing window  
standard 09:47:22.787919+0100 identityservicesd => Adding registration  
for service: FaceTime ID: <private> to keychain dictionary  
standard 09:47:22.788516+0100 identityservicesd Saving 26071 bytes  
under service: com.apple.facetime account: <private> accessGroup: (null)  
standard 09:47:22.826920+0100 identityservicesd Stored password data for  
service: com.apple.facetime account: <private>  
standard 09:47:22.911139+0100 FaceTimeNotificationCenterService  
LSEExceptions shared instance invalidated for timeout.  
standard 09:47:25.074974+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:25.121129+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:25.149332+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:25.171093+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:28.463655+0100 identityservicesd Service:  
com.apple.private.alloy.facetime.multi  
standard 09:47:28.506124+0100 identityservicesd Query parameters: (null)  
standard 09:47:28.506191+0100 identityservicesd Headers  
standard 09:47:28.506205+0100 identityservicesd User Agent:  
com.apple.invitation-registration  
standard 09:47:28.506237+0100 identityservicesd Agent: <private>  
standard 09:47:28.507677+0100 identityservicesd Created URL Request:  
<private> from URL: <private>  
standard 09:47:29.060183+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:29.081873+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:29.106780+0100 identityservicesd Query parameters: (null)  
standard 09:47:29.106842+0100 identityservicesd Headers  
standard 09:47:29.106854+0100 identityservicesd User Agent:  
com.apple.invitation-registration  
standard 09:47:29.106888+0100 identityservicesd Agent: <private>  
standard 09:47:29.154758+0100 identityservicesd !setGroupState(36)  
service-id=com.apple.private.alloy.facetime.multi  
standard 09:47:29.196228+0100 identityservicesd Query parameters: (null)  
standard 09:47:29.196373+0100 identityservicesd Headers  
standard 09:47:29.196418+0100 identityservicesd User Agent:  
com.apple.invitation-registration  
standard 09:47:29.196471+0100 identityservicesd Agent: <private>  
standard 09:47:29.197489+0100 identityservicesd Created URL Request:  
<private> from URL: <private>  
standard 09:47:29.212240+0100 identityservicesd Created URL Request:  
<private> from URL: <private>

standard 09:47:29.316582+0100 identityservicesd Query parameters: (null)  
 standard 09:47:29.316668+0100 identityservicesd Headers  
 standard 09:47:29.316684+0100 identityservicesd User Agent:  
 com.apple.invitation-registration  
 standard 09:47:29.316796+0100 FaceTime Account profile changed to regionID:  
 <private> basePhoneNumber: <private>  
 standard 09:47:29.316831+0100 FaceTime Profile validation status changed  
 notification: <private>  
 standard 09:47:29.316720+0100 identityservicesd Agent: <private>  
 standard 09:47:29.316843+0100 FaceTime Notification for account <private>  
 <private>  
 standard 09:47:29.316857+0100 FaceTime RegionID: <private> and  
 basePhoneNumber: <private> on account <private>  
 standard 09:47:29.316867+0100 FaceTime Posting UI needs update notification  
 standard 09:47:29.318506+0100 identityservicesd Created URL Request:  
 <private> from URL: <private>  
 standard 09:47:29.450225+0100 identityservicesd Query parameters: (null)  
 standard 09:47:29.450330+0100 identityservicesd Headers  
 standard 09:47:29.450378+0100 identityservicesd User Agent:  
 com.apple.invitation-registration  
 standard 09:47:29.450484+0100 identityservicesd Agent: <private>  
 standard 09:47:29.452442+0100 identityservicesd Created URL Request:  
 <private> from URL: <private>  
 standard 09:47:29.581959+0100 identityservicesd => Adding registration  
 for service: FaceTime ID: <private> to keychain dictionary  
 standard 09:47:29.582928+0100 identityservicesd Saving 26084 bytes  
 under service: com.apple.facetime account: <private> accessGroup: (null)  
 standard 09:47:29.632643+0100 identityservicesd Stored password data for  
 service: com.apple.facetime account: <private>  
 standard 09:47:29.859101+0100 identityservicesd Fetching auth token for  
 profileID: <private> username: <private> service: FaceTime  
 standard 09:47:29.887044+0100 identityservicesd ... finding emails to  
 register for manual handle selection account: <private>:FaceTime  
 standard 09:47:29.887082+0100 identityservicesd => Final emails to  
 register: <private> for service: FaceTime account: <private>  
 standard 09:47:30.946942+0100 FaceTime Account status updated (<private>).  
 Registration status: 3  
 standard 09:47:30.947216+0100 FaceTime Clearing authentication timer  
 (<private>)  
 standard 09:47:30.947726+0100 FaceTime Setting SOAccountRegistrationState  
 to 6 for <private>. Posting notification.  
 standard 09:47:30.947793+0100 FaceTime Registration state changed  
 standard 09:47:30.947818+0100 FaceTime UpdateUI to reflect Signing In phase  
 standard 09:47:30.947911+0100 FaceTime Account registration state changed  
 standard 09:47:30.947978+0100 FaceTime Adding alias <private> (<private>)  
 standard 09:47:30.948054+0100 FaceTime Client request to add alias: <private>  
 account: <private>  
 standard 09:47:30.948122+0100 FaceTime Client request to add aliases:  
 <private> account: <private>  
 standard 09:47:30.948261+0100 FaceTime Client request to validate alias:

<private> account: <private>  
standard 09:47:30.948303+0100 FaceTime Client request to validate aliases:  
<private> account: <private>  
standard 09:47:30.948402+0100 FaceTime Adding alias <private> (<private>)  
standard 09:47:30.948466+0100 FaceTime Client request to add alias: <private>  
account: <private>  
standard 09:47:30.948518+0100 FaceTime Client request to add aliases:  
<private> account: <private>  
standard 09:47:30.948800+0100 FaceTime Client request to validate alias:  
<private> account: <private>  
standard 09:47:30.948815+0100 FaceTime Client request to validate aliases:  
<private> account: <private>  
standard 09:47:30.949019+0100 FaceTime Adding alias <private> (<private>)  
standard 09:47:30.949104+0100 FaceTime Client request to add alias: <private>  
account: <private>  
standard 09:47:30.949167+0100 FaceTime Client request to add aliases:  
<private> account: <private>  
standard 09:47:30.949479+0100 FaceTime Client request to validate alias:  
<private> account: <private>  
standard 09:47:30.949521+0100 FaceTime Client request to validate aliases:  
<private> account: <private>  
standard 09:47:30.949668+0100 FaceTime Updating UI  
standard 09:47:30.950083+0100 FaceTime Registration status changed: 3  
standard 09:47:30.950288+0100 FaceTime Client request to add alias: <private>  
account: <private>  
standard 09:47:30.950383+0100 FaceTime Client request to add aliases:  
<private> account: <private>  
standard 09:47:30.950560+0100 FaceTime Client request to validate alias:  
<private> account: <private>  
standard 09:47:30.950624+0100 FaceTime Client request to validate aliases:  
<private> account: <private>  
standard 09:47:30.950850+0100 FaceTime Client request to add alias: <private>  
account: <private>  
standard 09:47:30.950911+0100 FaceTime Client request to add aliases:  
<private> account: <private>  
standard 09:47:30.950937+0100 FaceTime Client request to validate alias:  
<private> account: <private>  
standard 09:47:30.950967+0100 FaceTime Client request to validate aliases:  
<private> account: <private>  
standard 09:47:30.951056+0100 FaceTime Client request to add alias: <private>  
account: <private>  
standard 09:47:30.951101+0100 FaceTime Client request to add aliases:  
<private> account: <private>  
standard 09:47:30.951154+0100 FaceTime Client request to validate alias:  
<private> account: <private>  
standard 09:47:30.951189+0100 FaceTime Client request to validate aliases:  
<private> account: <private>  
standard 09:47:30.951723+0100 FaceTime Updating UI  
standard 09:47:30.951957+0100 FaceTime Registering account (<private>)  
standard 09:47:30.951997+0100 FaceTime Setting SOAccountRegistrationState

to 7 for <private>. Posting notification.  
standard 09:47:30.952178+0100 FaceTime Setting SOAccountRegistrationState  
to 8 for <private>. Posting notification.  
standard 09:47:30.952248+0100 FaceTime Handling  
\_accountEnabledStateChanged 4: 4  
standard 09:47:30.952303+0100 FaceTime Bringing up initial controller  
standard 09:47:30.952363+0100 FaceTime Updating setup view, showing sign  
in  
standard 09:47:30.952445+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:30.952821+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:30.952872+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:30.952929+0100 FaceTime Showing window  
standard 09:47:30.953067+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:30.953866+0100 FaceTime Calculating local landscape/portrait  
aspect ratios (and caching) (landscape: <private>, portrait: <private>)  
standard 09:47:30.953882+0100 FaceTime Notifying TUCallCenter of our local  
aspect ratio (landscape: <private>, portrait: <private>)  
standard 09:47:30.953927+0100 FaceTime Updating UI  
standard 09:47:30.954024+0100 FaceTime Registering account (<private>)  
standard 09:47:30.954037+0100 FaceTime Setting SOAccountRegistrationState  
to 7 for <private>. Posting notification.  
standard 09:47:30.954092+0100 FaceTime Setting SOAccountRegistrationState  
to 8 for <private>. Posting notification.  
standard 09:47:30.954122+0100 FaceTime Updating UI  
standard 09:47:30.954652+0100 FaceTime => Returning Caller ID: <private>  
(Set: (null) Aliases: <private>)  
standard 09:47:30.954691+0100 FaceTime Updating UI  
standard 09:47:30.954855+0100 FaceTime Registering account (<private>)  
standard 09:47:30.954869+0100 FaceTime Setting SOAccountRegistrationState  
to 7 for <private>. Posting notification.  
standard 09:47:30.954920+0100 FaceTime Setting SOAccountRegistrationState  
to 8 for <private>. Posting notification.  
standard 09:47:30.954962+0100 FaceTime Registration state changed  
standard 09:47:30.954973+0100 FaceTime UpdateUI to reflect Signing In phase  
standard 09:47:30.955004+0100 FaceTime Account registration state changed  
standard 09:47:30.955032+0100 FaceTime Account is registered.  
standard 09:47:30.955059+0100 FaceTime Registration status changed: 3  
standard 09:47:30.955081+0100 FaceTime Updating setup view, showing sign  
in  
standard 09:47:30.955173+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:30.955560+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:30.955610+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:30.955656+0100 FaceTime Showing window

standard 09:47:30.956518+0100 FaceTime Calculating local landscape/portrait aspect ratios (and caching) (landscape: <private>, portrait: <private>)

standard 09:47:30.956532+0100 FaceTime Notifying TUCallCenter of our local aspect ratio (landscape: <private>, portrait: <private>)

standard 09:47:30.982018+0100 identityservicesd Fetching auth token for profileID: <private> username: <private> service: FaceTime

standard 09:47:31.008702+0100 identityservicesd ... finding emails to register for manual handle selection account: <private>:FaceTime

standard 09:47:31.008763+0100 identityservicesd => Final emails to register: <private> for service: FaceTime account: <private>

standard 09:47:31.008874+0100 identityservicesd Fetching auth token for profileID: <private> username: <private> service: FaceTime

standard 09:47:31.035280+0100 FaceTime Account status updated (<private>).  
Registration status: 4

standard 09:47:31.035294+0100 FaceTime Clearing authentication timer (<private>)

standard 09:47:31.035491+0100 FaceTime Registering account (<private>)

standard 09:47:31.035506+0100 FaceTime Setting SOAccountRegistrationState to 7 for <private>. Posting notification.

standard 09:47:31.035567+0100 FaceTime Setting SOAccountRegistrationState to 8 for <private>. Posting notification.

standard 09:47:31.035881+0100 FaceTime Registration state changed

standard 09:47:31.035928+0100 FaceTime UpdateUI to reflect Signing In phase

standard 09:47:31.035995+0100 FaceTime Account registration state changed

standard 09:47:31.036063+0100 FaceTime Account is registered.

standard 09:47:31.036133+0100 FaceTime Registration status changed: 4

standard 09:47:31.036727+0100 loginwindow -[SessionAgentCom SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime

standard 09:47:31.036226+0100 FaceTime Updating setup view, showing sign in

standard 09:47:31.036350+0100 FaceTime SACShieldWindowShowing:434: enter

standard 09:47:31.036777+0100 FaceTime SACShieldWindowShowing:443: exit: isShieldWindowShowing = 0

standard 09:47:31.036833+0100 FaceTime Showing window

standard 09:47:31.038440+0100 FaceTime Calculating local landscape/portrait aspect ratios (and caching) (landscape: <private>, portrait: <private>)

standard 09:47:31.038455+0100 FaceTime Notifying TUCallCenter of our local aspect ratio (landscape: <private>, portrait: <private>)

standard 09:47:31.063049+0100 FaceTime Updating UI

standard 09:47:31.063162+0100 FaceTime Registering account (<private>)

standard 09:47:31.063175+0100 FaceTime Setting SOAccountRegistrationState to 7 for <private>. Posting notification.

standard 09:47:31.063240+0100 FaceTime Setting SOAccountRegistrationState to 8 for <private>. Posting notification.

standard 09:47:31.063297+0100 FaceTime Registration state changed

standard 09:47:31.063330+0100 FaceTime UpdateUI to reflect Signing In phase

standard 09:47:31.063391+0100 FaceTime Account registration state changed

standard 09:47:31.063426+0100 FaceTime Account is registered.

standard 09:47:31.063453+0100 FaceTime Registration status changed: 4

standard 09:47:31.063508+0100 FaceTime Updating setup view, showing sign in

standard 09:47:31.063591+0100 FaceTime SACShieldWindowShowing:434: enter

standard 09:47:31.063961+0100 loginwindow -[SessionAgentCom SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime

standard 09:47:31.064016+0100 FaceTime SACShieldWindowShowing:443: exit: isShieldWindowShowing = 0

standard 09:47:31.064145+0100 FaceTime Showing window

standard 09:47:31.065766+0100 FaceTime Calculating local landscape/portrait aspect ratios (and caching) (landscape: <private>, portrait: <private>)

standard 09:47:31.065815+0100 FaceTime Notifying TUCallCenter of our local aspect ratio (landscape: <private>, portrait: <private>)

standard 09:47:31.185286+0100 identityservicesd Fetching auth token for profileID: <private> username: <private> service: FaceTime

standard 09:47:31.208261+0100 identityservicesd Fetching auth token for profileID: <private> username: <private> service: FaceTime

standard 09:47:31.402589+0100 FaceTime => Returning Caller ID: <private> (Set: (null) Aliases: <private>)

standard 09:47:31.402652+0100 FaceTime Updating UI

standard 09:47:31.402789+0100 FaceTime Registering account (<private>)

standard 09:47:31.402795+0100 identityservicesd Fetching auth token for profileID: <private> username: <private> service: FaceTime

standard 09:47:31.402826+0100 FaceTime Setting SOAccountRegistrationState to 7 for <private>. Posting notification.

standard 09:47:31.403000+0100 FaceTime Setting SOAccountRegistrationState to 8 for <private>. Posting notification.

standard 09:47:31.403280+0100 FaceTime => Returning Caller ID: <private> (Set: (null) Aliases: <private>)

standard 09:47:31.403369+0100 FaceTime Updating UI

standard 09:47:31.403740+0100 FaceTime Registering account (<private>)

standard 09:47:31.403801+0100 FaceTime Setting SOAccountRegistrationState to 7 for <private>. Posting notification.

standard 09:47:31.404078+0100 FaceTime Setting SOAccountRegistrationState to 8 for <private>. Posting notification.

standard 09:47:31.404153+0100 FaceTime Registration state changed

standard 09:47:31.404202+0100 FaceTime UpdateUI to reflect Signing In phase

standard 09:47:31.404264+0100 FaceTime Account registration state changed

standard 09:47:31.406326+0100 FaceTime Calculating local landscape/portrait aspect ratios (and caching) (landscape: <private>, portrait: <private>)

standard 09:47:31.406368+0100 FaceTime Notifying TUCallCenter of our local aspect ratio (landscape: <private>, portrait: <private>)

standard 09:47:31.427196+0100 identityservicesd Fetching auth token for profileID: <private> username: <private> service: FaceTime

standard 09:47:31.454844+0100 identityservicesd ... finding emails to register for manual handle selection account: <private>:FaceTime

standard 09:47:31.454879+0100 identityservicesd => Final emails to register: <private> for service: FaceTime account: <private>

standard 09:47:31.454967+0100 identityservicesd Fetching auth token for profileID: <private> username: <private> service: FaceTime

standard 09:47:31.513045+0100 FaceTime Updating UI  
standard 09:47:31.513164+0100 FaceTime Registering account (<private>)  
standard 09:47:31.513178+0100 FaceTime Setting SOAccountRegistrationState  
to 7 for <private>. Posting notification.  
standard 09:47:31.513243+0100 FaceTime Setting SOAccountRegistrationState  
to 8 for <private>. Posting notification.  
standard 09:47:31.513279+0100 FaceTime Updating UI  
standard 09:47:31.513437+0100 FaceTime Registering account (<private>)  
standard 09:47:31.513452+0100 FaceTime Setting SOAccountRegistrationState  
to 7 for <private>. Posting notification.  
standard 09:47:31.513629+0100 FaceTime Setting SOAccountRegistrationState  
to 8 for <private>. Posting notification.  
standard 09:47:31.513689+0100 FaceTime Registration state changed  
standard 09:47:31.513709+0100 FaceTime UpdateUI to reflect Signing In phase  
standard 09:47:31.513736+0100 FaceTime Account registration state changed  
standard 09:47:31.513781+0100 FaceTime Account is registered.  
standard 09:47:31.513854+0100 FaceTime Registration status changed: 4  
standard 09:47:31.514434+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:31.513953+0100 FaceTime Updating setup view, showing sign  
in  
standard 09:47:31.514066+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:31.514483+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:31.514538+0100 FaceTime Showing window  
standard 09:47:31.515752+0100 FaceTime Calculating local landscape/portrait  
aspect ratios (and caching) (landscape: <private>, portrait: <private>)  
standard 09:47:31.515768+0100 FaceTime Notifying TUCallCenter of our local  
aspect ratio (landscape: <private>, portrait: <private>)  
standard 09:47:31.651408+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:31.681364+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:31.714863+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:31.714904+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:31.714972+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:31.897910+0100 FaceTime => Returning Caller ID: <private>  
(Set: (null) Aliases: <private>)  
standard 09:47:31.897977+0100 FaceTime Updating UI  
standard 09:47:31.898077+0100 FaceTime Registering account (<private>)  
standard 09:47:31.898129+0100 FaceTime Setting SOAccountRegistrationState  
to 7 for <private>. Posting notification.  
standard 09:47:31.898296+0100 FaceTime Setting SOAccountRegistrationState  
to 8 for <private>. Posting notification.  
standard 09:47:31.898490+0100 FaceTime => Returning Caller ID: <private>  
(Set: (null) Aliases: <private>)



standard 09:47:31.898545+0100 FaceTime Updating UI  
standard 09:47:31.898864+0100 FaceTime Registering account (<private>)  
standard 09:47:31.898951+0100 FaceTime Setting SOAccountRegistrationState  
to 7 for <private>. Posting notification.  
standard 09:47:31.899218+0100 FaceTime Setting SOAccountRegistrationState  
to 8 for <private>. Posting notification.  
standard 09:47:31.899497+0100 FaceTime => Returning Caller ID: <private>  
(Set: (null) Aliases: <private>)  
standard 09:47:31.899607+0100 FaceTime Updating UI  
standard 09:47:31.899976+0100 FaceTime Registering account (<private>)  
standard 09:47:31.900052+0100 FaceTime Setting SOAccountRegistrationState  
to 7 for <private>. Posting notification.  
standard 09:47:31.925234+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.006921+0100 FaceTime Updating UI  
standard 09:47:32.007036+0100 FaceTime Registering account (<private>)  
standard 09:47:32.007051+0100 FaceTime Setting SOAccountRegistrationState  
to 7 for <private>. Posting notification.  
standard 09:47:32.007112+0100 FaceTime Setting SOAccountRegistrationState  
to 8 for <private>. Posting notification.  
standard 09:47:32.007148+0100 FaceTime Updating UI  
standard 09:47:32.007378+0100 FaceTime Registering account (<private>)  
standard 09:47:32.007427+0100 FaceTime Setting SOAccountRegistrationState  
to 7 for <private>. Posting notification.  
standard 09:47:32.007608+0100 FaceTime Setting SOAccountRegistrationState  
to 8 for <private>. Posting notification.  
standard 09:47:32.007678+0100 FaceTime Updating UI  
standard 09:47:32.096925+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.116985+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.282505+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.303190+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.323931+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:32.323971+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:32.324043+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.473965+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.496443+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.672811+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.697719+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.721437+0100 identityservicesd ... finding emails to

register for manual handle selection account: <private>:FaceTime  
standard 09:47:32.721482+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:32.721570+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.904287+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:32.928374+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:32.928411+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:32.928479+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.090658+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.110850+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.134356+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:33.134394+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:33.134464+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.295284+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.340913+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:33.340961+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:33.498048+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.519629+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.540961+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:33.541004+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:33.541146+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.701276+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.722686+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.744014+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:33.744052+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:33.744119+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.894844+0100 identityservicesd Fetching auth token for

profileID: <private> username: <private> service: FaceTime  
standard 09:47:33.915755+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.084424+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.105000+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.124897+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:34.124933+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:34.124996+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.285438+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.308383+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.559267+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.591329+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.631665+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:34.631813+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:34.632121+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.813524+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.835766+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:34.858932+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:34.858999+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:34.859200+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.079883+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.107724+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.131525+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:35.131609+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:35.131731+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.308342+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.359692+0100 identityservicesd ... finding emails to

register for manual handle selection account: <private>:FaceTime  
standard 09:47:35.359776+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:35.359918+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.533262+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.554500+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.584470+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:35.584511+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:35.584619+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.813122+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.835836+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:35.863065+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:36.047746+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:36.075313+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:36.102869+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:36.102914+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:36.103014+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:36.283879+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:36.307769+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:36.329817+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:36.329854+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:36.329938+0100 identityservicesd Fetching auth token for  
profileID: <private> username: <private> service: FaceTime  
standard 09:47:39.481043+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:39.481115+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:39.485831+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:39.485872+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:39.488595+0100 identityservicesd ... finding emails to

register for manual handle selection account: <private>:FaceTime  
standard 09:47:39.488648+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:39.488929+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:39.488982+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:39.493038+0100 identityservicesd ... finding emails to  
register for manual handle selection account: <private>:FaceTime  
standard 09:47:39.493149+0100 identityservicesd => Final emails to  
register: <private> for service: FaceTime account: <private>  
standard 09:47:39.493266+0100 identityservicesd Adding user dictionary:  
<private> for service: FaceTime  
standard 09:47:39.502994+0100 identityservicesd Registering service  
com.apple.private.alloy.facetime.multi: <private>  
standard 09:47:39.503273+0100 identityservicesd Query parameters: (null)  
standard 09:47:39.503334+0100 identityservicesd Headers  
standard 09:47:39.503348+0100 identityservicesd User Agent:  
com.apple.invitation-registration  
standard 09:47:39.503382+0100 identityservicesd Agent: <private>  
standard 09:47:39.504115+0100 identityservicesd Created URL Request:  
<private> from URL: <private>  
standard 09:47:39.611854+0100 identityservicesd Query parameters: (null)  
standard 09:47:39.611922+0100 identityservicesd Headers  
standard 09:47:39.611937+0100 identityservicesd User Agent:  
com.apple.invitation-registration  
standard 09:47:39.611984+0100 identityservicesd Agent: <private>  
standard 09:47:39.613837+0100 identityservicesd Created URL Request:  
<private> from URL: <private>  
standard 09:47:39.850794+0100  
com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:  
FaceTime\_\_WSWindow\_\_WSWindowDrag \*\*\*\* frame data \*\*\*\*  
standard 09:47:39.850842+0100  
com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:  
FaceTime\_\_WSWindow\_\_WSWindowDrag \_\_frames/s (IntervalRate)\_\_ 100.6  
standard 09:47:39.850886+0100  
com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:  
FaceTime\_\_WSWindow\_\_WSWindowDrag \_\_frames/s  
(IntervalRateIgnoringDelay)\_\_ 100.8  
standard 09:47:39.850903+0100  
com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:  
FaceTime\_\_WSWindow\_\_WSWindowDrag \_\_ms (OperationDuration)\_\_ 755.7  
standard 09:47:39.850920+0100  
com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:  
FaceTime\_\_WSWindow\_\_WSWindowDrag \_\_ms/frame (AverageDuration)\_\_ 9.9  
standard 09:47:39.850949+0100  
com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:  
FaceTime\_\_WSWindow\_\_WSWindowDrag \_\_ms/frame (StandardDeviation)\_\_ 6.6  
standard 09:47:39.850966+0100  
com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:

FaceTime\_\_WSWindow\_\_WSWindowDrag\_\_(NormalizedStandardDeviation)\_\_ 0.7  
 standard 09:47:39.850980+0100  
 com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:  
 FaceTime\_\_WSWindow\_\_WSWindowDrag\_\_ms (DelayFromOperationStart)\_\_ 1.7  
 standard 09:47:39.850997+0100  
 com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:  
 FaceTime\_\_WSWindow\_\_WSWindowDrag\_\_frames (IntervalCount)\_\_ 76.0  
 standard 09:47:39.851011+0100  
 com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:  
 FaceTime\_\_WSWindow\_\_WSWindowDrag \*\*\*\* Slow WS Update data \*\*\*\*  
 standard 09:47:39.851052+0100  
 com.apple.PerformanceAnalysis.animationperfd\_\_PerfLogging\_\_:  
 FaceTime\_\_WSWindow\_\_WSWindowDrag\_\_updates (Slow WS Update count)\_\_ 4  
 standard 09:47:40.243624+0100 identityservicesd Query parameters: (null)  
 standard 09:47:40.243722+0100 identityservicesd Headers  
 standard 09:47:40.243736+0100 identityservicesd User Agent:  
 com.apple.invitation-registration  
 standard 09:47:40.243774+0100 identityservicesd Agent: <private>  
 standard 09:47:40.261619+0100 identityservicesd Created URL Request:  
 <private> from URL: <private>  
 standard 09:47:40.982470+0100 FaceTime Incoming account disabled:  
 <private>  
 standard 09:47:40.988095+0100 FaceTime Account status updated (<private>).  
 Registration status: -1  
 fehler 09:47:40.988176+0100 FaceTime Account registration failed  
 (<private>). Failure reason: 20  
 standard 09:47:40.988188+0100 FaceTime Clearing authentication timer  
 (<private>)  
 standard 09:47:40.988612+0100 FaceTime Setting SOAccountRegistrationState  
 to 1 for <private>. Posting notification.  
 standard 09:47:40.988631+0100 FaceTime Registration state changed  
 standard 09:47:40.988642+0100 FaceTime UpdateUI to reflect registration  
 failure state  
 standard 09:47:40.988703+0100 FaceTime Deleting account  
 standard 09:47:40.988756+0100 FaceTime Dismissing failure/callprompt UI  
 standard 09:47:40.988837+0100 FaceTime \_isCameraValid - camera: <private>  
 isSuspended: 0  
 standard 09:47:40.988955+0100 FaceTime SACShieldWindowShowing:434:  
 enter  
 standard 09:47:40.989334+0100 loginwindow -[SessionAgentCom  
 SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
 standard 09:47:40.989387+0100 FaceTime SACShieldWindowShowing:443:  
 exit: isShieldWindowShowing = 0  
 standard 09:47:40.989430+0100 FaceTime SACShieldWindowShowing:434:  
 enter  
 standard 09:47:40.989749+0100 loginwindow -[SessionAgentCom  
 SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
 standard 09:47:40.989799+0100 FaceTime SACShieldWindowShowing:443:  
 exit: isShieldWindowShowing = 0  
 standard 09:47:40.990000+0100 FaceTime SACShieldWindowShowing:434:

enter  
standard 09:47:40.990328+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:40.990374+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:40.990490+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:40.990627+0100 FaceTime Incoming account disabled:  
<private>  
standard 09:47:40.990847+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:40.990802+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:40.991158+0100 FaceTime \_isCameraValid - camera: <private>  
isSuspended: 0  
standard 09:47:40.991245+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:40.991626+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:40.991578+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:40.991669+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:40.992043+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:40.991997+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:40.992223+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:40.992599+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:40.992549+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:40.992712+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:40.993089+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:40.993041+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:40.993412+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:40.993796+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:40.993746+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:40.993900+0100 FaceTime Make all alerts with post call UI  
dismiss  
standard 09:47:40.993953+0100 FaceTime Called -  
[SOAccountRegistrationController deleteAccount]  
standard 09:47:40.993968+0100 FaceTime Logging out account (<private>)

standard 09:47:40.993983+0100 FaceTime Unregistering account (<private>)  
standard 09:47:40.994203+0100 FaceTimeNotificationCenterService  
Making all alerts dismiss post call UI (if showing post call UI)  
standard 09:47:40.994043+0100 FaceTime Removing aliases (<private>)  
standard 09:47:40.994138+0100 FaceTime Client request to remove aliases:  
<private> account: <private>  
standard 09:47:40.994200+0100 FaceTime Final set of aliases after removes  
<private>  
standard 09:47:40.994427+0100 FaceTime Setting login to nil (<private>)  
standard 09:47:40.994900+0100 imagent [Warning] IMDAccountController:  
Could not find an account for serviceString: FaceTime, accountsForService: (  
" <IMDIDSAccount:0x7ff220e201c0, ID:FAF42B0B-78CF-4A6C-  
BA0B-2B6019D63C71, idsAccount:IDSAccount: 0x7ff223035300 [Service:  
com.apple.ess User: hiestermann.ron@icloud.com ID: FAF42B0B-78CF-4A6C-  
BA0B-2B6019D63C71 Type: Apple ID Active: NO Registration Status: Failed] >"  
) , accounts: (  
" <IMDIDSAccount:0x7ff22310e390, ID:CAFED700-E12B-43CC-8539-  
AEC3230E6967, idsAccount:IDSAccount: 0x7ff223002c40 [Service:  
com.apple.madrid User: hiestermann.ron@icloud.com ID: CAFED700-  
E12B-43CC-8539-AEC3230E6967 Type: Apple ID Active: NO Registration Status:  
Failed] >" ,  
" <IMDIDSAccount:0x7ff220e201c0, ID:FAF42B0B-78CF-4A6C-  
BA0B-2B6019D63C71, idsAccount:IDSAccount: 0x7ff223035300 [Service:  
com.apple.ess User: hiestermann.ron@icloud.com ID: FAF42B0B-78CF-4A6C-  
BA0B-2B6019D63C71 Type: Apple ID Active: NO Registration Status: Failed] >" ,  
" <IMDIDSAccount:0x7ff22310e950, ID:AEF3570A-031C-4DCA-<...>  
standard 09:47:40.994956+0100 FaceTime Updating token for account (null):  
(null) (Environment: prod)  
standard 09:47:40.995152+0100 FaceTime Setting auth token for profileID: (null)  
username: <private> service: <private> ((null))  
standard 09:47:40.995563+0100 FaceTime Searching for profileID (null)  
standard 09:47:40.994405+0100 identityservicesd !setGroupState(43)  
service-id=com.apple.private.alloy.facetime.multi  
standard 09:47:40.995579+0100 FaceTime Didn't find a DSID match!  
standard 09:47:40.995593+0100 FaceTime Didn't find profileID (null); attempting  
to use username <private>  
standard 09:47:40.995510+0100 imagent [Warning] IMDAccountController:  
Could not find an account for serviceString: FaceTime, accountsForService: (  
" <IMDIDSAccount:0x7ff220e201c0, ID:FAF42B0B-78CF-4A6C-  
BA0B-2B6019D63C71, idsAccount:IDSAccount: 0x7ff223035300 [Service:  
com.apple.ess User: hiestermann.ron@icloud.com ID: FAF42B0B-78CF-4A6C-  
BA0B-2B6019D63C71 Type: Apple ID Active: NO Registration Status: Failed] >"  
) , accounts: (  
" <IMDIDSAccount:0x7ff22310e390, ID:CAFED700-E12B-43CC-8539-  
AEC3230E6967, idsAccount:IDSAccount: 0x7ff223002c40 [Service:  
com.apple.madrid User: hiestermann.ron@icloud.com ID: CAFED700-  
E12B-43CC-8539-AEC3230E6967 Type: Apple ID Active: NO Registration Status:  
Failed] >" ,  
" <IMDIDSAccount:0x7ff220e201c0, ID:FAF42B0B-78CF-4A6C-  
BA0B-2B6019D63C71, idsAccount:IDSAccount: 0x7ff223035300 [Service:



com.apple.ess User: hiestermann.ron@icloud.com ID: FAF42B0B-78CF-4A6C-BA0B-2B6019D63C71 Type: Apple ID Active: NO Registration Status: Failed] >",  
" <IMDIDSAccount:0x7ff22310e950, ID:AEF3570A-031C-4DCA-<...>  
standard 09:47:40.996367+0100 FaceTime Account: <private>  
standard 09:47:40.996387+0100 FaceTime username: <private>  
standard 09:47:40.996401+0100 FaceTime profile ID: <private>  
standard 09:47:41.004698+0100 identityservicesd Query parameters: (null)  
standard 09:47:41.004888+0100 identityservicesd Headers  
standard 09:47:41.004946+0100 identityservicesd User Agent:  
com.apple.invitation-registration  
standard 09:47:41.005085+0100 identityservicesd Agent: <private>  
standard 09:47:41.026952+0100 FaceTime token: <private>  
standard 09:47:41.026978+0100 FaceTime vetted email handles: <private>  
standard 09:47:41.026998+0100 FaceTime Searching for profileID <private>  
standard 09:47:41.027091+0100 identityservicesd Created URL Request:  
<private> from URL: <private>  
standard 09:47:41.027827+0100 FaceTime Account: <private>  
standard 09:47:41.027848+0100 FaceTime username: <private>  
standard 09:47:41.027864+0100 FaceTime profile ID: <private>  
standard 09:47:41.054478+0100 FaceTime token: <private>  
standard 09:47:41.054503+0100 FaceTime vetted email handles: <private>  
standard 09:47:41.054521+0100 FaceTime Using account: <private>  
standard 09:47:41.071185+0100 FaceTime Updating credential <private>  
standard 09:47:41.071208+0100 FaceTime Saving account: <private>  
standard 09:47:41.071223+0100 FaceTime Authenticated: NO  
standard 09:47:41.071255+0100 FaceTime "Starting save for account  
<private>."  
standard 09:47:41.422951+0100 callservicesd FaceTime iCloud account is  
(null) (isActive=0, profileID=(null)) and relay iCloud account is <private> (isActive=1,  
profileID=<private>)  
standard 09:47:41.423266+0100 FaceTime TUCallCapabilitiesXPCCClient -  
capabilityStateUpdated  
standard 09:47:41.423293+0100 FaceTimeNotificationCenterService  
TUCallCapabilitiesXPCCClient - capabilityStateUpdated  
standard 09:47:41.440716+0100 identityservicesd Created  
APSOngoingMessage body: YES  
standard 09:47:41.440762+0100 identityservicesd Message body: <private>  
[guid: <private>]  
standard 09:47:41.440807+0100 identityservicesd => Setting send timeout  
time: 10.000000  
standard 09:47:41.440824+0100 identityservicesd Mapping messageID:  
<private> message: <private> APSMessage: <private> timeout: 12.000000  
timeoutSelector: <private>  
standard 09:47:41.440854+0100 identityservicesd Noting message sent:  
<private> (Request ID: <private> Remaining: 1 Attempt: 0)  
standard 09:47:41.440907+0100 identityservicesd Enabling required topics:  
<private>  
standard 09:47:41.440969+0100 identityservicesd Sent outgoing message:  
<private> to command: (Request ID: <private> Connection: <private>)  
standard 09:47:41.509222+0100 identityservicesd Saving 26092 bytes

under service: com.apple.facetime account: <private> accessGroup: (null)  
 standard 09:47:41.555634+0100 identityservicesd Stored password data for  
 service: com.apple.facetime account: <private>  
 standard 09:47:41.556060+0100 identityservicesd Server ACK'd outgoing  
 message: <private> (Request ID: <private>)  
 standard 09:47:41.556076+0100 identityservicesd message: <private>  
 wants response: YES  
 standard 09:47:41.556096+0100 identityservicesd Noting message ack'd:  
 <private> (Request ID: <private> 1 remaining)  
 standard 09:47:41.556139+0100 identityservicesd Enabling required topics:  
 <private>  
 standard 09:47:41.717063+0100 identityservicesd Found internal status  
 code of: 0  
 standard 09:47:41.717086+0100 identityservicesd Informing delegate about  
 message <private> with resultCode 0  
 standard 09:47:41.983273+0100 tccd -[TCCDAccessIdentity staticCode]: static  
 code for: identifier com.apple.FaceTime, type: 0: 0x7fa4fec252d0 at /System/  
 Applications/FaceTime.app  
 standard 09:47:42.018429+0100 identityservicesd Requesting async send:  
 <private>  
 standard 09:47:42.018759+0100 identityservicesd Created  
 APSOutgoingMessage body: YES  
 standard 09:47:42.018990+0100 identityservicesd Message body: <private>  
 [guid: <private>]  
 standard 09:47:42.019135+0100 identityservicesd => Setting ack timeout  
 time, this will use APS retries  
 standard 09:47:42.019260+0100 identityservicesd Server Bag has no value  
 for interval , using the default: 60.000000 interval  
 standard 09:47:42.019329+0100 identityservicesd Message has used 0  
 retries, Retry timeout time with multiplier will be 60.000000  
 standard 09:47:42.019399+0100 identityservicesd Mapping messageID:  
 <private> message: <private> APSMessage: <private> timeout: 60.000000  
 timeoutSelector: <private>  
 standard 09:47:42.019499+0100 identityservicesd Noting message sent:  
 <private> (Request ID: <private> Remaining: 1 Attempt: 0)  
 standard 09:47:42.019521+0100 identityservicesd Enabling required topics:  
 <private>  
 standard 09:47:42.019732+0100 identityservicesd Sent outgoing message:  
 <private> to command: (Request ID: <private> Connection: <private>)  
 standard 09:47:42.080214+0100 identityservicesd Requesting async send:  
 <private>  
 standard 09:47:42.080396+0100 identityservicesd Created  
 APSOutgoingMessage body: YES  
 standard 09:47:42.080442+0100 identityservicesd Message body: <private>  
 [guid: <private>]  
 standard 09:47:42.080529+0100 identityservicesd => Setting ack timeout  
 time, this will use APS retries  
 standard 09:47:42.080579+0100 identityservicesd Server Bag has no value  
 for interval , using the default: 60.000000 interval  
 standard 09:47:42.080595+0100 identityservicesd Message has used 0

retries, Retry timeout time with multiplier will be 60.000000  
 standard 09:47:42.080614+0100 identityservicesd Mapping messageID:  
 <private> message: <private> APSMessage: <private> timeout: 60.000000  
 timeoutSelector: <private>  
 standard 09:47:42.080642+0100 identityservicesd Noting message sent:  
 <private> (Request ID: <private> Remaining: 2 Attempt: 0)  
 standard 09:47:42.080677+0100 identityservicesd Enabling required topics:  
 <private>  
 standard 09:47:42.080786+0100 identityservicesd Sent outgoing message:  
 <private> to command: (Request ID: <private> Connection: <private>)  
 standard 09:47:42.137484+0100 identityservicesd Requesting async send:  
 <private>  
 standard 09:47:42.137749+0100 identityservicesd Created  
 APSOutgoingMessage body: YES  
 standard 09:47:42.137842+0100 identityservicesd Message body: <private>  
 [guid: <private>]  
 standard 09:47:42.137947+0100 identityservicesd => Setting ack timeout  
 time, this will use APS retries  
 standard 09:47:42.138006+0100 identityservicesd Server Bag has no value  
 for interval , using the default: 60.000000 interval  
 standard 09:47:42.138072+0100 identityservicesd Message has used 0  
 retries, Retry timeout time with multiplier will be 60.000000  
 standard 09:47:42.138102+0100 identityservicesd Mapping messageID:  
 <private> message: <private> APSMessage: <private> timeout: 60.000000  
 timeoutSelector: <private>  
 standard 09:47:42.138134+0100 identityservicesd Noting message sent:  
 <private> (Request ID: <private> Remaining: 3 Attempt: 0)  
 standard 09:47:42.138155+0100 identityservicesd Enabling required topics:  
 <private>  
 standard 09:47:42.138313+0100 identityservicesd Sent outgoing message:  
 <private> to command: (Request ID: <private> Connection: <private>)  
 standard 09:47:42.143858+0100 identityservicesd Noting message success:  
 <private> (Request ID: <private> 1 remaining)  
 standard 09:47:42.143883+0100 identityservicesd \_clearMapForMessageID:  
 <private>  
 standard 09:47:42.143990+0100 identityservicesd Enabling required topics:  
 <private>  
 standard 09:47:42.144793+0100 identityservicesd Server ACK'd outgoing  
 message: <private> (Request ID: <private>)  
 standard 09:47:42.145114+0100 identityservicesd message: <private>  
 wants response: YES  
 standard 09:47:42.146878+0100 identityservicesd Noting message ack'd:  
 <private> (Request ID: <private> 3 remaining)  
 standard 09:47:42.147469+0100 identityservicesd Enabling required topics:  
 <private>  
 standard 09:47:42.149038+0100 identityservicesd Server ACK'd outgoing  
 message: <private> (Request ID: <private>)  
 standard 09:47:42.149055+0100 identityservicesd message: <private>  
 wants response: YES  
 standard 09:47:42.151432+0100 identityservicesd Noting message ack'd:

<private> (Request ID: <private> 3 remaining)		
standard 09:47:42.151715+0100	identityservicesd	Enabling required topics:
<private>		
standard 09:47:42.172796+0100	identityservicesd	Server ACK'd outgoing
message: <private> (Request ID: <private>)		
standard 09:47:42.172815+0100	identityservicesd	message: <private>
wants response: YES		
standard 09:47:42.173177+0100	identityservicesd	Noting message ack'd:
<private> (Request ID: <private> 3 remaining)		
standard 09:47:42.173260+0100	identityservicesd	Enabling required topics:
<private>		
standard 09:47:42.220524+0100	identityservicesd	This Message Wants
Multiple responses		
standard 09:47:42.220563+0100	identityservicesd	This Message responds
to receiving updates for multipleMessages		
standard 09:47:42.221102+0100	identityservicesd	Last message Has Been
acknowledged		
standard 09:47:42.221126+0100	identityservicesd	Informing delegate about
message <private> with resultCode 0		
standard 09:47:42.221159+0100	identityservicesd	Noting message success:
<private> (Request ID: <private> 3 remaining)		
standard 09:47:42.221173+0100	identityservicesd	_clearMapForMessageID:
<private>		
standard 09:47:42.221256+0100	identityservicesd	Enabling required topics:
<private>		
standard 09:47:43.249666+0100	identityservicesd	This Message Wants
Multiple responses		
standard 09:47:43.249681+0100	identityservicesd	This Message responds
to receiving updates for multipleMessages		
standard 09:47:43.250137+0100	identityservicesd	Last message Has Been
acknowledged		
standard 09:47:43.250160+0100	identityservicesd	Informing delegate about
message <private> with resultCode 0		
standard 09:47:43.250195+0100	identityservicesd	Noting message success:
<private> (Request ID: <private> 2 remaining)		
standard 09:47:43.250232+0100	identityservicesd	_clearMapForMessageID:
<private>		
standard 09:47:43.250401+0100	identityservicesd	Enabling required topics:
<private>		
standard 09:47:43.330027+0100	FaceTime SACShieldWindowShowing:434:	
enter		
standard 09:47:43.330398+0100	loginwindow	-[SessionAgentCom
SACShieldWindowShowing:]   Enter,	sent by pid: 2750, name: FaceTime	
standard 09:47:43.330444+0100	FaceTime SACShieldWindowShowing:443:	
exit: isShieldWindowShowing = 0		
standard 09:47:43.331398+0100	FaceTime Account registration state changed	
standard 09:47:43.331417+0100	FaceTime Registration status changed: 0	
standard 09:47:43.331428+0100	FaceTime Updating setup view, showing sign	
in		
standard 09:47:43.331459+0100	FaceTime SACShieldWindowShowing:434:	

```

enter
standard 09:47:43.331818+0100 loginwindow  -[SessionAgentCom
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime
standard 09:47:43.331873+0100 FaceTime SACShieldWindowShowing:443:
exit: isShieldWindowShowing = 0
standard 09:47:43.331926+0100 FaceTime Showing window
standard 09:47:43.332499+0100 FaceTime Calculating local landscape/portrait
aspect ratios (and caching) (landscape: <private>, portrait: <private>)
standard 09:47:43.332516+0100 FaceTime Notifying TUCallCenter of our local
aspect ratio (landscape: <private>, portrait: <private>)
standard 09:47:43.332735+0100 FaceTime Registration state changed
standard 09:47:43.332752+0100 FaceTime Account registration state changed
standard 09:47:43.332762+0100 FaceTime Registration status changed: 0
standard 09:47:43.332773+0100 FaceTime Updating setup view, showing sign
in
standard 09:47:43.332799+0100 FaceTime SACShieldWindowShowing:434:
enter
standard 09:47:43.333125+0100 loginwindow  -[SessionAgentCom
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime
standard 09:47:43.333175+0100 FaceTime SACShieldWindowShowing:443:
exit: isShieldWindowShowing = 0
standard 09:47:43.333220+0100 FaceTime Showing window
standard 09:47:43.333801+0100 FaceTime Calculating local landscape/portrait
aspect ratios (and caching) (landscape: <private>, portrait: <private>)
standard 09:47:43.333815+0100 FaceTime Notifying TUCallCenter of our local
aspect ratio (landscape: <private>, portrait: <private>)
standard 09:47:43.342948+0100 FaceTime Notifier called, but no clamshell state
was able to be obtained
standard 09:47:43.342979+0100 FaceTime Notifier called, but no clamshell state
was able to be obtained
standard 09:47:43.343005+0100 FaceTime Notifier called, but no clamshell state
was able to be obtained
standard 09:47:43.343029+0100 FaceTime Notifier called, but no clamshell state
was able to be obtained
standard 09:47:43.343054+0100 FaceTime Notifier called, but no clamshell state
was able to be obtained
standard 09:47:43.343077+0100 FaceTime Notifier called, but no clamshell state
was able to be obtained
standard 09:47:44.060614+0100 identityservicesd      This Message Wants
Multiple responses
standard 09:47:44.060659+0100 identityservicesd      This Message responds
to receiving updates for multipleMessages
standard 09:47:44.061038+0100 identityservicesd      Last message Has Been
acknowledged
standard 09:47:44.061062+0100 identityservicesd      Informing delegate about
message <private> with resultCode 0
standard 09:47:44.061115+0100 identityservicesd      Noting message success:
<private> (Request ID: <private> 1 remaining)
standard 09:47:44.061131+0100 identityservicesd      _clearMapForMessageID:
<private>

```

standard 09:47:44.061295+0100 identityservicesd Enabling required topics:  
<private>  
standard 09:47:44.061846+0100 FaceTime Notifier called, but no clamshell state  
was able to be obtained  
standard 09:47:44.062304+0100 FaceTime Notifier called, but no clamshell state  
was able to be obtained  
standard 09:47:45.158524+0100 FaceTime Notifier called, but no clamshell state  
was able to be obtained  
standard 09:47:45.728595+0100 runningboardd Invalidating assertion  
248-127-197 (target:executable<FaceTime(501)>) from originator 127  
standard 09:47:45.732672+0100 FaceTime SACShieldWindowShowing:434:  
enter  
standard 09:47:45.733084+0100 loginwindow -[SessionAgentCom  
SACShieldWindowShowing:] | Enter, sent by pid: 2750, name: FaceTime  
standard 09:47:45.733138+0100 FaceTime SACShieldWindowShowing:443:  
exit: isShieldWindowShowing = 0  
standard 09:47:45.837516+0100 runningboardd  
[executable<FaceTime(501)>:2750] Ignoring jetsam update because this process is  
not memory-managed  
standard 09:47:45.837542+0100 runningboardd  
[executable<FaceTime(501)>:2750] Set darwin role to: UserInteractiveNonFocal  
standard 09:47:45.837557+0100 runningboardd  
[executable<FaceTime(501)>:2750] Ignoring GPU update because this process is  
not GPU managed  
standard 09:47:46.158746+0100 FaceTime Notifier called, but no clamshell state  
was able to be obtained