Erledigt Das endlose Rad beim booten

Beitrag von „iwhat“ vom 19. Mai 2014, 20:06

Drüber installiert hatte ich direkt nach Grafikkarteneinbau und das Problem war danach nicht behoben. Verstehe nicht wieso es mit -v geht und ohne nicht. Sollte doch das selbe sein oder?

Edit: Falls es hilft.. das kommt im Moment als absturzmeldung nach einem Neustart.

Code

1. Anonymous UUID: 96CD2A7E-BDAD-059E-7E0A-4BE3B5CC4CEC
2. Mon May 19 20:04:23 2014panic(cpu 2 caller 0xffffff80002dc7e9): "Double fault at 0xffffff80002d6674, registers:\n" "CR0: 0x000000008001003b, CR2: 0xffffff811823fff8, CR3: 0x0000000001470001, CR4: 0x00000000001606e0\n" "RAX: 0xffffff801a459800, RBX: 0x0000000000000001, RCX: 0xffffff7f8157aee4, RDX: 0xffffff8019656270\n" "RSP: 0xffffff8118240000, RBP: 0xffffff8118240000, RSI: 0x0000000000000001, RDI: 0x0000000000000001\n" "R8: 0x0000000000001327, R9: 0x0000000000000001, R10: 0xffffff8004ccf7a1, R11: 0xffffff81182439c0\n" "R12: 0x0000000000000001, R13: 0xffffff80197f93e0, R14: 0x0000000000000001, R15: 0xffffff801c040c00\n" "RFL: 0x0000000000010297, RIP: 0xffffff80002d6674, CS: 0x0000000000000008, SS: 0x0000000000000010\n" "Error code: 0x0000000000000000\n"@/SourceCache/xnu/xnu-2422.100.13/osfmk/i386/trap_native.c:168Backtrace (CPU 2), Frame : Return Address0xffffff81095f5e80 : 0xffffff8000222fa9 0xffffff81095f5f00 : 0xffffff80002dc7e9 0xffffff81095f6060 : 0xffffff80002f3d1f 0xffffff8118240000 : 0xffffff7f8157af1f 0xffffff8118240040 : 0xffffff7f8157afdb 0xffffff8118240080 : 0xffffff7f8157afdb 0xffffff81182400c0 : 0xffffff7f8157afdb 0xffffff8118240100 : 0xffffff7f8157afdb 0xffffff8118240140 : 0xffffff7f8157afdb 0xffffff8118240180 : 0xffffff7f8157afdb 0xffffff81182401c0 : 0xffffff7f8157afdb 0xffffff8118240200 : 0xffffff7f8157afdb 0xffffff8118240240 : 0xffffff7f8157afdb 0xffffff8118240280 : 0xffffff7f8157afdb 0xffffff81182402c0 : 0xffffff7f8157afdb 0xffffff8118240300 : 0xffffff7f8157afdb 0xffffff8118240340 : 0xffffff7f8157afdb 0xffffff8118240380 : 0xffffff7f8157afdb 0xffffff81182403c0 : 0xffffff7f8157afdb 0xffffff8118240400 : 0xffffff7f8157afdb 0xffffff8118240440 : 0xffffff7f8157afdb 0xffffff8118240480 : 0xffffff7f8157afdb 0xffffff81182404c0 : 0xffffff7f8157afdb 0xffffff8118240500 : 0xffffff7f8157afdb 0xffffff8118240540 : 0xffffff7f8157afdb 0xffffff8118240580 : 0xffffff7f8157afdb 0xffffff81182405c0 : 0xffffff7f8157afdb 0xffffff8118240600 : 0xffffff7f8157afdb 0xffffff8118240640 : 0xffffff7f8157afdb 0xffffff8118240680 : 0xffffff7f8157afdb 0xffffff81182406c0 : 0xffffff7f8157afdb 0xffffff8118240700 : 0xffffff7f8157afdb 0xffffff8118240740 : 0xffffff7f8157afdb 0xffffff8118240780 : 0xffffff7f8157afdb 0xffffff81182407c0 : 0xffffff7f8157afdb 0xffffff8118240800 : 0xffffff7f8157afdb

0xffffff8118240840 : 0xffffff7f8157afdb 0xffffff8118240880 : 0xffffff7f8157afdb
0xffffff81182408c0 : 0xffffff7f8157afdb 0xffffff8118240900 : 0xffffff7f8157afdb
0xffffff8118240940 : 0xffffff7f8157afdb 0xffffff8118240980 : 0xffffff7f8157afdb
0xffffff81182409c0 : 0xffffff7f8157afdb 0xffffff8118240a00 : 0xffffff7f8157afdb
0xffffff8118240a40 : 0xffffff7f8157afdb 0xffffff8118240a80 : 0xffffff7f8157afdb
0xffffff8118240ac0 : 0xffffff7f8157afdb 0xffffff8118240b00 : 0xffffff7f8157afdb
0xffffff8118240b40 : 0xffffff7f8157afdb 0xffffff8118240b80 : 0xffffff7f8157afdb
0xffffff8118240bc0 : 0xffffff7f8157afdb 0xffffff8118240c00 : 0xffffff7f8157afdb
0xffffff8118240c40 : 0xffffff7f8157afdb 0xffffff8118240c80 : 0xffffff7f8157afdb
0xffffff8118240cc0 : 0xffffff7f8157afdb 0xffffff8118240d00 : 0xffffff7f8157afdb
0xffffff8118240d40 : 0xffffff7f8157afdb 0xffffff8118240d80 : 0xffffff7f8157afdb
0xffffff8118240dc0 : 0xffffff7f8157afdb 0xffffff8118240e00 : 0xffffff7f8157afdb
0xffffff8118240e40 : 0xffffff7f8157afdb 0xffffff8118240e80 : 0xffffff7f8157afdb
0xffffff8118240ec0 : 0xffffff7f8157afdb 0xffffff8118240f00 : 0xffffff7f8157afdb
0xffffff8118240f40 : 0xffffff7f8157afdb 0xffffff8118240f80 : 0xffffff7f8157afdb
0xffffff8118240fc0 : 0xffffff7f8157afdb 0xffffff8118241000 : 0xffffff7f8157afdb
0xffffff8118241040 : 0xffffff7f8157afdb 0xffffff8118241080 : 0xffffff7f8157afdb
0xffffff81182410c0 : 0xffffff7f8157afdb 0xffffff8118241100 : 0xffffff7f8157afdb
0xffffff8118241140 : 0xffffff7f8157afdb 0xffffff8118241180 : 0xffffff7f8157afdb
0xffffff81182411c0 : 0xffffff7f8157afdb 0xffffff8118241200 : 0xffffff7f8157afdb
0xffffff8118241240 : 0xffffff7f8157afdb 0xffffff8118241280 : 0xffffff7f8157afdb
0xffffff81182412c0 : 0xffffff7f8157afdb 0xffffff8118241300 : 0xffffff7f8157afdb
Backtrace continues... Kernel Extensions in backtrace: com.apple.driver.AppleSMC(3.1.8)[6FA91D9F-0745-3E0C-884B-CB1489A21F25]@0xffffff7f81577000->0xffffff7f8158bfff dependency: com.apple.iokit.IOACPIFamily(1.4)[045D5D6F-AD1E-36DB-A249-A346E2B48E54]@0xffffff7f81550000

3. BSD process name corresponding to current thread: launchdBoot args: slide=0 nvda_drv=1 darkwake=8
4. Mac OS version:13D65
5. Kernel version:Darwin Kernel Version 13.2.0: Thu Apr 17 23:03:13 PDT 2014; root:xnu-2422.100.13~1/RELEASE_X86_64Kernel UUID: ADD73AE6-88B0-32FB-A8BB-4F7C8BE4092ESystem model name: MacPro3,1 (Mac-F42C88C8)
6. System uptime in nanoseconds: 89930553953last loaded kext at 8063611626: com.apple.driver.AudioAUUC 1.60 (addr 0xffffff7f81ab2000, size 32768)last unloaded kext at 112066047: org.netkas.FakeSMC 1.0.0d1 (addr 0xffffff7f82309000, size 40960)loaded kexts:com.nvidia.CUDA 1.1.0com.tuxera.filesystems.tufsfs.fusefs_txantfs 2013.3.14com.intel.driver.EnergyDriver 2.0com.nvidia.web.NVDAGK100HalWeb 8.2.7com.nvidia.web.GeForceWeb 8.2.7com.nvidia.web.NVDAResmanWeb 8.2.7com.nvidia.NVDAStartup 8.2.7org.hwsensors.driver.GPUSensors 1123org.hwsensors.driver.LPCSensors 1123org.hwsensors.driver.ACPISensors 1123org.hwsensors.driver.CPUSensors 1123org.netkas.driver.FakeSMC 1123com.apple.driver.AudioAUUC 1.60com.apple.driver.AppleGraphicsDevicePolicy 3.5.26com.apple.filesystems.autofs 3.0com.apple.iokit.IOBluetoothSerialManager 4.2.4f1com.apple.driver.AppleBluetoothMultitouch

80.14com.apple.driver.AppleTyMCEDriver
1.0.2d2com.apple.driver.AppleHDAHardwareConfigDriver
2.6.1f2com.apple.driver.AppleHDA 2.6.1f2com.apple.iokit.IOUserEthernet
1.0.0d1com.apple.Dont_Steal_Mac_OS_X 7.0.0com.apple.driver.AppleHWAccess
1com.apple.driver.AppleIntelMCEReporter 104com.apple.driver.AppleLPC
1.7.0com.apple.driver.AppleUpstreamUserClient
3.5.13com.apple.driver.AppleMCCSControl
1.1.12com.apple.driver.ACPI_SMC_PlatformPlugin
1.0.0com.apple.driver.AppleIntelFramebufferAzul
8.2.6com.apple.iokit.SCSITaskUserClient 3.6.6com.apple.driver.XsanFilter
404com.apple.iokit.IOAHCIBlockStorage 2.5.1com.apple.driver.AppleFileSystemDriver
3.0.1com.apple.AppleFSCompression.AppleFSCompressionTypeDataless
1.0.0d1com.apple.AppleFSCompression.AppleFSCompressionTypeZlib
1.0.0d1com.apple.BootCache 35com.apple.driver.AppleUSBHub
666.4.0com.apple.driver.AppleAHCIPort 3.0.0com.apple.driver.AppleUSBEHCI
660.4.0com.apple.driver.AppleUSBXHCI 677.4.0com.apple.driver.AppleACPIButtons
2.0com.apple.driver.AppleACPIEC 2.0com.apple.driver.AppleRTC
2.0com.apple.driver.AppleHPET 1.8com.apple.driver.AppleSMBIOS
2.1com.apple.driver.AppleAPIC 1.7com.apple.nke.applicationfirewall
153com.apple.security.quarantine 3com.apple.driver.AppleGraphicsControl
3.5.26com.apple.driver.AppleBluetoothHIDKeyboard
170.15com.apple.driver.AppleHIDKeyboard 170.15com.apple.kext.triggers
1.0com.apple.iokit.IOSerialFamily 10.0.7com.apple.driver.IOBluetoothHIDDriver
4.2.4f1com.apple.driver.AppleMultitouchDriver 245.13com.apple.driver.DspFuncLib
2.6.1f2com.apple.vecLib.kext 1.0.0com.apple.iokit.IOAudioFamily
1.9.7fc2com.apple.kext.OSvKernDSPLib 1.14com.apple.iokit.IOSurface
91.1com.apple.iokit.IOBluetoothFamily 4.2.4f1com.apple.driver.AppleSMBusController
1.0.11d1com.apple.iokit.IOBluetoothHostControllerUSBTransport
4.2.4f1com.apple.iokit.IOAcceleratorFamily 98.20com.apple.driver.AppleHDAController
2.6.1f2com.apple.iokit.IOHDAFamily 2.6.1f2com.apple.driver.AppleSMBusPCI
1.0.12d1com.apple.driver.AppleSMC 3.1.8com.apple.driver.IOPlatformPluginLegacy
1.0.0com.apple.driver.IOPlatformPluginFamily
5.7.0d11com.apple.AppleGraphicsDeviceControl
3.5.26com.apple.iokit.IOAcceleratorFamily2 98.20com.apple.iokit.IONDRVSupport
2.4.1com.apple.iokit.IOGraphicsFamily 2.4.1com.apple.iokit.IOUSBHIDDriver
660.4.0com.apple.iokit.IOSCSIBlockCommandsDevice
3.6.6com.apple.iokit.IOUSBMassStorageClass
3.6.0com.apple.iokit.IOSCSIArchitectureModelFamily
3.6.6com.apple.driver.AppleUSBComposite 656.4.1com.apple.iokit.IOUSBUserClient
660.4.2com.apple.iokit.IONetworkingFamily 3.2com.apple.driver.AppleEFINVRAM
2.0com.apple.iokit.IOAHCIFamily 2.6.5com.apple.iokit.IOUSBFamily
677.4.0com.apple.driver.AppleEFIRuntime 2.0com.apple.iokit.IOHIDFamily
2.0.0com.apple.iokit.IOSMBusFamily 1.1com.apple.security.sandbox
278.11com.apple.kext.AppleMatch 1.0.0d1com.apple.security.TMSafetyNet
7com.apple.driver.AppleKeyStore 2com.apple.driver.DiskImages

371.1com.apple.iokit.IOStorageFamily 1.9com.apple.iokit.IOReportFamily 23com.apple.driver.AppleFDEKeyStore 28.30com.apple.driver.AppleACPIPlatform 2.0com.apple.iokit.IOPCIFamily 2.9com.apple.iokit.IOACPIFamily 1.4com.apple.kec.corecrypto 1.0com.apple.kec.pthread 1Model: MacPro3,1, BootROM MP31.006C.B05, 4 processors, Intel Core i5, 4.5 GHz, 8 GB, SMC 1.30f3Graphics: NVIDIA GeForce GTX 780 Ti, NVIDIA GeForce GTX 780 Ti, PCIe, 3071 MBMemory Module: BANK 1/ChannelA-DIMM1, 4 GB, DDR3, 2400 MHz, G Skill Intl, F3-2400C10-4GTXMemory Module: BANK 3/ChannelB-DIMM1, 4 GB, DDR3, 2400 MHz, G Skill Intl, F3-2400C10-4GTXBluetooth: Version 4.2.4f1 13674, 3 services, 22 devices, 1 incoming serial portsNetwork Service: Ethernet, Ethernet, en0PCI Card: NVIDIA GeForce GTX 780 Ti, Display Controller, J6B1Serial ATA Device: Hitachi HTS545016B9A300, 160,04 GBSerial ATA Device: Samsung SSD 840 PRO Series, 512,11 GBUSB Device: HubUSB Device: HubUSB Device: Composite DeviceUSB Device: Composite DeviceUSB Device: aquaeroUSB Device: JM20336 SATA, USB ComboUSB Device: BCM2046B1Thunderbolt Bus: