

Erledigt

Mit neuem ram und cpu stürzt der rechner ab

Beitrag von „Daniel20VT“ vom 3. September 2014, 02:52

so alle Treiber drauf world of warcraft leuft auch besser

aber dann auf Schreibtisch wieder black screen wollte nen im verbose booten ging aber garnicht da kam nur nen schwarzes Bild

hab aber wieder nen Bericht von osx wegen nem Neustadt bekommen

hier

Anonymous UUID: 679213E3-4C99-B390-C40D-7603E231ACA8

Tue Sep 2 17:42:22 2014

panic(cpu 0 caller 0xfffff80002dc24e): Kernel trap at 0xfffff80003cc326, type 13=general protection, registers:

CR0: 0x0000000080010033, CR2: 0x00007f91f4004000, CR3: 0x0000000031471026, CR4: 0x000000000000606e0

RAX: 0x0000800000000010, RBX: 0xfffff81f0d321a0, RCX: 0xfffff802aae2780, RDX: 0xfffff80253e6db0

RSP: 0xfffff81f0a33d00, RBP: 0xfffff81f0a33d10, RSI: 0x0000000000000000, RDI: 0x0000800000000000

R8: 0x0000000000000000, R9: 0xfffff8000801910, R10: 0x000000000000003ff, R11: 0xffffffffffffffff

R12: 0xfffff802fdc5c30, R13: 0x0000000000000000, R14: 0xfffff802597a000, R15: 0xfffff802597a960

RFL: 0x0000000000010206, RIP: 0xfffff80003cc326, CS: 0x0000000000000008, SS:

0x0000000000000010

Fault CR2: 0x00007f91f4004000, Error code: 0x0000000000000000, Fault CPU: 0x0

Backtrace (CPU 0), Frame : Return Address

0xfffff81c569ec50 : 0xfffff8000222f79

0xfffff81c569ecd0 : 0xfffff80002dc24e

0xfffff81c569eea0 : 0xfffff80002f3746

0xfffff81c569eec0 : 0xfffff80003cc326

0xfffff81f0a33d10 : 0xfffff80003e4ed0

0xfffff81f0a33d70 : 0xfffff80003e4a8f

0xfffff81f0a33f50 : 0xfffff8000640a33

0xfffff81f0a33fb0 : 0xfffff80002f3f46

BSD process name corresponding to current thread: umount

Boot args: slide=0

Mac OS version:

13E28

Kernel version:

Darwin Kernel Version 13.3.0: Tue Jun 3 21:27:35 PDT 2014; root:xnu-2422.110.17~1/RELEASE_X86_64

Kernel UUID: BBFADD17-672B-35A2-9B7F-E4B12213E4B8

System model name: MacPro3,1 (Mac-F42C88C8)

System uptime in nanoseconds: 1695021244489

last loaded kext at 1380693192410: com.apple.driver.AppleIntelMCEReporter 104 (addr 0xfffff7f822bf000, size 49152)

last unloaded kext at 1525098195960: com.apple.driver.AppleIntelMCEReporter 104 (addr 0xfffff7f822bf000, size 32768)

loaded kexts:

org.hwsensors.driver.LPCSensors 1307

com.i.nsanelymac.ALXEthernet 1.0.2

org.hwsensors.driver.GPUSensors 1307

net.osx86.kexts.GenericUSBXHCI 1.2.7

org.hwsensors.driver.ACPI Sensors 1307

org.hwsensors.driver.CPUSensors 1307

org.netkas.driver.FakeSMC 1307

com.apple.driver.AudioAUUC 1.60
com.apple.driver.AppleHWSensor 1.9.5d0
com.apple.iokit.IOBluetoothSerialManager 4.2.6f1
com.apple.filesystems.autofs 3.0
com.apple.driver.AppleHDA 2.6.1f2
com.apple.driver.AppleUpstreamUserClient 3.5.13
com.apple.iokit.IOUserEthernet 1.0.0d1
com.apple.driver.AppleMCCSControl 1.2.5
com.apple.GeForce 8.2.6
com.apple.driver.AppleLPC 1.7.0
com.apple.driver.ACPI_SMC_PlatformPlugin 1.0.0
com.apple.Dont_Steal_Mac_OS_X 7.0.0
com.apple.driver.AppleHWAccess 1
com.apple.driver.AppleSMCPDRC 1.0.0
com.apple.driver.Apple16X50ACPI 3.1
com.apple.driver.AppleIntelFramebufferCapri 8.2.8
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1
com.apple.AppleFSCompression.AppleFSCompressionTypeLZVN 1.0.0d1
com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0d1
com.apple.BootCache 35
com.apple.driver.AppleUSBHub 683.4.0
com.apple.driver.XsanFilter 404
com.apple.iokit.IOAHCIBlockStorage 2.6.0
com.apple.driver.AppleUSBEGHCI 660.4.0
com.apple.driver.AppleAHCIPort 3.0.5
com.apple.driver.AppleIntelCPUPowerManagementClient 217.92.1
com.apple.driver.AppleRTC 2.0
com.apple.driver.AppleACPIButtons 2.0
com.apple.driver.AppleHPET 1.8
com.apple.driver.AppleSMBIOS 2.1
com.apple.driver.AppleAPIC 1.7
com.apple.nke.applicationfirewall 153
com.apple.security.quarantine 3
com.apple.driver.AppleIntelCPUPowerManagement 217.92.1
com.apple.kext.triggers 1.0
com.apple.iokit.IOSCSIArchitectureModelFamily 3.6.6
com.apple.driver.DspFuncLib 2.6.1f2
com.apple.vecLib.kext 1.0.0
com.apple.iokit.IOAudioFamily 1.9.7fc2
com.apple.kext.OSvKernDSPLib 1.14
com.apple.driver.AppleSMBusController 1.0.12d1
com.apple.iokit.IOSMBusFamily 1.1
com.apple.iokit.IOSurface 91.1

com.apple.iokit.IOAcceleratorFamily 98.22
com.apple.nvidia.driver.NVDAGF100Hal 8.2.6
com.apple.nvidia.driver.NVDAResman 8.2.6
com.apple.iokit.IOBluetoothFamily 4.2.6f1
com.apple.iokit.IOBluetoothHostControllerUSBTransport 4.2.6f1
com.apple.driver.IOPlatformPluginLegacy 1.0.0
com.apple.driver.IOPlatformPluginFamily 5.7.1d6
com.apple.iokit.IONDRVSupport 2.4.1
com.apple.driver.AppleHDAController 2.6.1f2
com.apple.iokit.IOHDAFamily 2.6.1f2
com.apple.driver.AppleSMC 3.1.8
com.apple.driver.Apple16X50Serial 3.1
com.apple.iokit.IOSerialFamily 10.0.7
com.apple.iokit.IOAcceleratorFamily2 98.22
com.apple.AppleGraphicsDeviceControl 3.6.22
com.apple.iokit.IOGraphicsFamily 2.4.1
com.apple.iokit.IOUSBHIDDriver 660.4.0
com.apple.driver.AppleUSBComposite 656.4.1
com.apple.iokit.IOUSBUserClient 660.4.2
com.apple.iokit.IONetworkingFamily 3.2
com.apple.iokit.IOAHCIFamily 2.6.5
com.apple.iokit.IOUSBFamily 683.4.0
com.apple.driver.AppleEFINVRAM 2.0
com.apple.driver.AppleEFIRuntime 2.0
com.apple.iokit.IOHIDFamily 2.0.0
com.apple.security.sandbox 278.11.1
com.apple.kext.AppleMatch 1.0.0d1
com.apple.security.TMSafetyNet 7
com.apple.driver.AppleKeyStore 2
com.apple.driver.DiskImages 371.1
com.apple.iokit.IOStorageFamily 1.9
com.apple.iokit.IOReportFamily 23
com.apple.driver.AppleFDEKeyStore 28.30
com.apple.driver.AppleACPIPlatform 2.0
com.apple.iokit.IOPCIFamily 2.9
com.apple.iokit.IOACPIFamily 1.4
com.apple.kec.corecrypto 1.0
com.apple.kec.pthread 1
Model: MacPro3,1, BootROM MP31.006C.B05, 4 processors, Intel Core i5, 3.3 GHz, 16 GB, SMC 1.30f3
Graphics: Gainward GeForce GTX 580, Gainward GeForce GTX 580, PCIe, 1536 MB
Memory Module: BANK 0/ChannelA-DIMM0, 4 GB, DDR3, 1600 MHz, Geil, CL11-11-11D3-1600
Memory Module: BANK 1/ChannelA-DIMM1, 4 GB, DDR3, 1600 MHz, Geil, CL11-11-11D3-1600

Memory Module: BANK 2/ChannelB-DIMM0, 4 GB, DDR3, 1600 MHz, Geil, CL11-11-11D3-1600
Memory Module: BANK 3/ChannelB-DIMM1, 4 GB, DDR3, 1600 MHz, Geil, CL11-11-11D3-1600
Bluetooth: Version 4.2.6f1 14216, 3 services, 22 devices, 1 incoming serial ports
Network Service: Ethernet, Ethernet, en0
PCI Card: Gainward GeForce GTX 580, Display Controller, J6B1
Serial ATA Device: SanDisk SDSSDP128G, 128,04 GB
Serial ATA Device: SAMSUNG HD153WI, 1,5 TB
USB Device: Hub
USB Device: USB Receiver
USB Device: RAPOO 2.4G Wireless Device
USB Device: Hub
USB Device: Bluetooth V2.0 Dongle
Thunderbolt Bus: