

**Erledigt**

## **Aus V10.6.3 eine SL-DVD erstellen**

**Beitrag von „DD50“ vom 19. Juni 2011, 16:05**

Hi,

ich dussel hatte die VM falsch gestartet. Nun konnte ich brennen. Leider rennt die DVD nicht. Ich habe sie über den Festplattenmanager gebrannt.

Zu meinem 1. Beitrag. Ist da was falsch? Hab ich mich falsch ausgedrückt. Ist mein prob verständlich? Vielleicht noch das als nachtrag damit ich es vielleicht besser veranschaulichen kann. Dort kann man sehen das nach dem runterkonvertieren auf 4,7g die Partitionstabelle irgendwie "komig" ist.

Sorry für den spam, aber die ausgaben sind halt so lang

Info der Orginal DVD

Code

1. Format Description: UDIF, nur lesen, komprimiert (zlib)
2. Class Name: CUDIFDiskImage
3. Checksum Type: CRC32
4. Size Information:
5. Compressed Ratio: 0.85197523054920221
6. Total Empty Bytes: 83891712
7. Sector Count: 15822656

8. Total Bytes: 8101199872
9. CUDIFEncoding-bytes-wasted: 0
10. Total Non-Empty Bytes: 8017308160
11. CUDIFEncoding-bytes-in-use: 6830548239
12. Compressed Bytes: 6830548239
13. CUDIFEncoding-bytes-total: 6830548239
14. Checksum Value: \$A4703EB0
15. Segments:
16. 0:
17. Partition Information:
18. 3:
19. Name: (Apple\_Free : 4)
20. Partition Number: 3
21. Checksum Type: CRC32
22. Checksum Value: \$00000000
23. 1:
24. Name: Apple (Apple\_partition\_map : 2)
25. Partition Number: 1
26. Checksum Type: CRC32
27. Checksum Value: \$F7310FEB
28. -1:
29. Name: Driver Descriptor Map (DDM : 0)
30. Partition Number: -1
31. Checksum Type: CRC32
32. Checksum Value: \$2D95DE19
33. 2:
34. Name: Macintosh (Apple\_Driver\_ATAPI : 3)
35. Partition Number: 2
36. Checksum Type: CRC32
37. Checksum Value: \$5A933BE4
38. 0:
39. Name: BOOTCAMP (Apple\_ISO : 1)
40. Partition Number: 0
41. Checksum Type: CRC32
42. Checksum Value: \$6C1CE17E
43. 4:
44. Name: Mac\_OS\_X (Apple\_HFS : 5)
45. Partition Number: 4
46. Checksum Type: CRC32
47. Checksum Value: \$D7EE0815
48. Format: UDZO
49. Backing Store Information:
50. URL: file://localhost/Users/johndoe/Desktop/h-mosl1063.dmg

51. Name: h-mosl1063.dmg  
52. Class Name: CUDIFEncoding  
53. Backing Store Information:  
54. Name: Orginal.dmg  
55. Class Name: CBSDBackingStore  
56. partitions:  
57. partition-scheme: Apple/ISO9660  
58. block-size: 8  
59. appendable: false  
60. hybrid-data:  
61. partition-scheme: ISO9660  
62. block-size: 2048  
63. appendable: false  
64. partitions:  
65. 0:  
66. partition-name: BOOTCAMP  
67. partition-start: 0  
68. partition-synthesized: true  
69. partition-length: 1616228  
70. partition-hint: Apple\_ISO  
71. partition-fileystems:  
72. ISO9660: Boot Camp  
73. 1:  
74. partition-name:  
75. partition-start: 1616228  
76. partition-synthesized: true  
77. partition-length: 14206428  
78. partition-hint: Apple\_Free  
79. burnable: true  
80. partitions:  
81. 0:  
82. partition-name: Driver Descriptor Map  
83. partition-start: 0  
84. partition-synthesized: true  
85. partition-length: 1  
86. partition-hint: DDM  
87. partition-data: 0x455208000...usw...  
88. 1:  
89. partition-name: BOOTCAMP  
90. partition-start: 1  
91. partition-synthesized: true  
92. partition-length: 3  
93. partition-hint: Apple\_ISO

- 94. 2:
- 95. partition-name: Apple
- 96. partition-start: 4
- 97. partition-number: 1
- 98. partition-length: 60
- 99. partition-hint: Apple\_partition\_map
- 100. 3:
- 101. partition-name: Macintosh
- 102. partition-start: 64
- 103. partition-number: 2
- 104. partition-length: 1616164
- 105. partition-hint: Apple\_Driver\_ATAPI
- 106. 4:
- 107. partition-name:
- 108. partition-start: 1616228
- 109. partition-synthesized: true
- 110. partition-length: 4
- 111. partition-hint: Apple\_Free
- 112. 5:
- 113. partition-name: Mac\_OS\_X
- 114. partition-start: 1616232
- 115. partition-number: 3
- 116. partition-length: 14206424
- 117. partition-hint: Apple\_HFS
- 118. partition-fileystems:
- 119. HFS+:
- 120. burnable: true
- 121. udif-ordered-chunks: true
- 122. Properties:
- 123. Encrypted: false
- 124. Kernel Compatible: true
- 125. Checksummed: true
- 126. Software License Agreement: false
- 127. Partitioned: false
- 128. Compressed: true

Alles anzeigen

Nach dem entfernen der überflüssigen sachen.

## Code

1. Class Name: CUDIFDiskImage
2. Checksum Type: CRC32
3. Size Information:
4. Compressed Ratio: 0.79131947892131571
5. Total Empty Bytes: 2753975808
6. Sector Count: 15822656
7. Total Bytes: 8101199872
8. CUDIFEncoding-bytes-wasted: 0
9. Total Non-Empty Bytes: 5347224064
10. CUDIFEncoding-bytes-in-use: 4231362717
11. Compressed Bytes: 4231362717
12. CUDIFEncoding-bytes-total: 4231362717
13. Checksum Value: \$D8CA4A0D
14. Segments:
15. 0:
16. Partition Information:
17. 3:
18. Name: (Apple\_Free : 4)
19. Partition Number: 3
20. Checksum Type: CRC32
21. Checksum Value: \$00000000
22. 1:
23. Name: Apple (Apple\_partition\_map : 2)
24. Partition Number: 1
25. Checksum Type: CRC32
26. Checksum Value: \$F7310FEB
27. -1:
28. Name: Driver Descriptor Map (DDM : 0)
29. Partition Number: -1
30. Checksum Type: CRC32
31. Checksum Value: \$2D95DE19
32. 2:
33. Name: Macintosh (Apple\_Driver\_ATAPI : 3)
34. Partition Number: 2
35. Checksum Type: CRC32
36. Checksum Value: \$5A933BE4
37. 0:
38. Name: BOOTCAMP (Apple\_ISO : 1)
39. Partition Number: 0

40. Checksum Type: CRC32
41. Checksum Value: \$6C1CE17E
42. 4:
43. Name: Mac\_OS\_X (Apple\_HFS : 5)
44. Partition Number: 4
45. Checksum Type: CRC32
46. Checksum Value: \$5F797605
47. Format: UDZO
48. Backing Store Information:
49. Name: MacInstSL.dmg
50. Class Name: CUDIFEncoding
51. Backing Store Information:
52. Name: MacInstSL.dmg
53. Class Name: CBSDBackingStore
54. partitions:
55. partition-scheme: Apple/ISO9660
56. block-size: 8
57. appendable: false
58. hybrid-data:
59. partition-scheme: ISO9660
60. block-size: 2048
61. appendable: false
62. partitions:
63. 0:
64. partition-name: BOOTCAMP
65. partition-start: 0
66. partition-synthesized: true
67. partition-length: 1616228
68. partition-hint: Apple\_ISO
69. partition-fileystems:
70. ISO9660: Boot Camp
71. 1:
72. partition-name:
73. partition-start: 1616228
74. partition-synthesized: true
75. partition-length: 14206428
76. partition-hint: Apple\_Free
77. burnable: true
78. partitions:
79. 0:
80. partition-name: Driver Descriptor Map
81. partition-start: 0
82. partition-synthesized: true

83. partition-length: 1  
84. partition-hint: DDM  
85. partition-data: 0x45520...usw...  
86. 1:  
87. partition-name: BOOTCAMP  
88. partition-start: 1  
89. partition-synthesized: true  
90. partition-length: 3  
91. partition-hint: Apple\_ISO  
92. 2:  
93. partition-name: Apple  
94. partition-start: 4  
95. partition-number: 1  
96. partition-length: 60  
97. partition-hint: Apple\_partition\_map  
98. 3:  
99. partition-name: Macintosh  
100. partition-start: 64  
101. partition-number: 2  
102. partition-length: 1616164  
103. partition-hint: Apple\_Driver\_ATAPI  
104. 4:  
105. partition-name:  
106. partition-start: 1616228  
107. partition-synthesized: true  
108. partition-length: 4  
109. partition-hint: Apple\_Free  
110. 5:  
111. partition-name: Mac\_OS\_X  
112. partition-start: 1616232  
113. partition-number: 3  
114. partition-length: 14206424  
115. partition-hint: Apple\_HFS  
116. partition-file systems:  
117. HFS+:  
118. burnable: true  
119. udif-ordered-chunks: true  
120. Properties:  
121. Encrypted: false  
122. Kernel Compatible: true  
123. Checksummed: true  
124. Software License Agreement: false  
125. Partitioned: false

126. Compressed: true

Alles anzeigen

Nach dem Konvertieren auf 4,7g.

Code

1. Backing Store Information:
2. Name: 4gigtest.dmg
3. Class Name: CBSDBackingStore
4. Class Name: CRawDiskImage
5. Checksum Type: Ohne
6. Size Information:
7. Total Bytes: 4699983872
8. Compressed Ratio: 1
9. Sector Count: 9179656
10. Total Non-Empty Bytes: 4699983872
11. Compressed Bytes: 4699983872
12. Total Empty Bytes: 0
13. Format: UDRW
14. Format Description: Lesen/Schreiben, reine Daten
15. Checksum Value:
16. Properties:
17. Encrypted: false
18. Kernel Compatible: true
19. Checksummed: false
20. Software License Agreement: false
21. Partitioned: true
22. Compressed: no
23. Segments:
24. 0:
25. partitions:
26. partition-scheme: Apple
27. block-size: 8
28. appendable: true
29. partitions:
30. 0:
31. partition-name: Driver Descriptor Map



32. partition-start: 0  
33. partition-synthesized: true  
34. partition-length: 1  
35. partition-hint: DDM  
36. partition-data: 0x45520800...usw...  
37. 1:  
38. partition-name: Apple  
39. partition-start: 1  
40. partition-number: 1  
41. partition-length: 63  
42. partition-hint: Apple\_partition\_map  
43. 2:  
44. partition-name: Macintosh  
45. partition-start: 64  
46. partition-number: 2  
47. partition-length: 56  
48. partition-hint: Apple\_Driver43  
49. 3:  
50. partition-name: Macintosh  
51. partition-start: 120  
52. partition-number: 3  
53. partition-length: 140  
54. partition-hint: Apple\_Driver43\_CD  
55. 4:  
56. partition-name:  
57. partition-start: 260  
58. partition-synthesized: true  
59. partition-length: 4  
60. partition-hint: Apple\_Free  
61. 5:  
62. partition-name: Macintosh  
63. partition-start: 264  
64. partition-number: 5  
65. partition-length: 56  
66. partition-hint: Apple\_Driver\_ATAPI  
67. 6:  
68. partition-name: Macintosh  
69. partition-start: 320  
70. partition-number: 6  
71. partition-length: 140  
72. partition-hint: Apple\_Driver\_ATAPI  
73. 7:  
74. partition-name:

- 75. partition-start: 460
- 76. partition-synthesized: true
- 77. partition-length: 4
- 78. partition-hint: Apple\_Free
- 79. 8:
- 80. partition-name: Patch Partition
- 81. partition-start: 464
- 82. partition-number: 7
- 83. partition-length: 512
- 84. partition-hint: Apple\_Patches
- 85. 9:
- 86. partition-name: disk image
- 87. partition-start: 976
- 88. partition-number: 9
- 89. partition-length: 9178680
- 90. partition-hint: Apple\_HFS
- 91. partition-filesystems:
- 92. HFS+:
- 93. burnable: true

Alles anzeigen