

**Erledigt**

# Hakintosh spinnt wenn Netzwerkkabel angesteckt ist ...

Beitrag von „DarkProject“ vom 4. Dezember 2014, 16:06

So Problem mit Kopiertem Bericht ...

Foto hab ich zwar leider nicht aber der Fehler ist folgender:  
Kommt immer wenn ich den Rechner herunterfahre sonst geht alles bis auf I Message .  
Der Computer musste aufgrund eines Problems neugestartet werden .

Der Bericht dazu kopiert:

Thu Dec 4 16:01:53 2014

\*\*\* Panic Report \*\*\*

panic(cpu 0 caller 0xfffff800041e80a): Kernel trap at 0xfffff7f810913fb, type 14=page fault, registers:

CR0: 0x000000008001003b, CR2: 0x0000000000000000, CR3: 0x0000000210158001, CR4: 0x000000000001626e0

RAX: 0x0000000000000000, RBX: 0xfffff80d64fa000, RCX: 0x0000000000000000, RDX: 0x7fffffffffffffff

RSP: 0xfffff810f613880, RBP: 0xfffff810f613880, RSI: 0x0000000000000048, RDI: 0xfffff80d64fa000

R8: 0xfffff810f6135a8, R9: 0x0000000000000000, R10: 0xfffff810f6135a0, R11: 0xfffff7f810e69c8

R12: 0xfffff80d64fa000, R13: 0xfffff810f613b10, R14: 0xfffff810f613b10, R15: 0x0000000000000000

RFL: 0x0000000000010207, RIP: 0xfffff7f810913fb, CS: 0x0000000000000008, SS: 0x0000000000000010

Fault CR2: 0x0000000000000000, Error code: 0x0000000000000000, Fault CPU: 0x0

Backtrace (CPU 0), Frame : Return Address

0xffffffff810f613530 : 0xffffffff800033a811  
0xffffffff810f6135b0 : 0xffffffff800041e80a  
0xffffffff810f613770 : 0xffffffff800043a443  
0xffffffff810f613790 : 0xffffffff7f810913fb  
0xffffffff810f613880 : 0xffffffff7f81091438  
0xffffffff810f6138a0 : 0xffffffff7f810a559a  
0xffffffff810f613a70 : 0xffffffff7f80ebb78b  
0xffffffff810f613b00 : 0xffffffff7f80ea78d6  
0xffffffff810f613b70 : 0xffffffff7f80e67a76  
0xffffffff810f613bb0 : 0xffffffff80008b16d5  
0xffffffff810f613c10 : 0xffffffff8000928239  
0xffffffff810f613c70 : 0xffffffff80008bb329  
0xffffffff810f613cb0 : 0xffffffff8000917906  
0xffffffff810f613d90 : 0xffffffff80008ef26c  
0xffffffff810f613dd0 : 0xffffffff8000422b82  
0xffffffff810f613de0 : 0xffffffff80003471c5  
0xffffffff810f613df0 : 0xffffffff80007d891f  
0xffffffff810f613ec0 : 0xffffffff80007e9799  
0xffffffff810f613f50 : 0xffffffff800084dcb2  
0xffffffff810f613fb0 : 0xffffffff800043ac46

Kernel Extensions in backtrace:

com.apple.iokit.IOGraphicsFamily(2.4.1)[6D99A3BE-D531-3780-880B-13F2FC894A4A]@0xffffffff7f80e5c000->0xffffffff7f80ea2fff

dependency: com.apple.iokit.IOPCIFamily(2.9)[766FC23F-452C-3B74-951C-598BB17BCF06]@0xffffffff7f80b24000

com.apple.iokit.IONDRVSupport(2.4.1)[F4738C55-B507-3627-A9CA-3D29A5230A03]@0xffffffff7f80ea3000->0xffffffff7f80eb2fff

dependency: com.apple.iokit.IOGraphicsFamily(2.4.1)[6D99A3BE-D531-3780-880B-13F2FC894A4A]@0xffffffff7f80e5c000

dependency: com.apple.iokit.IOPCIFamily(2.9)[766FC23F-452C-3B74-951C-598BB17BCF06]@0xffffffff7f80b24000

com.apple.nvidia.driver.NVDAResman(10.0)[53CC0E05-7382-336C-8239-AE884D6CA71A]@0xffffffff7f80eb9000->0xffffffff7f81139fff

dependency: com.apple.iokit.IOPCIFamily(2.9)[766FC23F-452C-3B74-951C-598BB17BCF06]@0xffffffff7f80b24000

dependency: com.apple.iokit.IONDRVSupport(2.4.1)[F4738C55-B507-3627-A9CA-3D29A5230A03]@0xffffffff7f80ea3000

dependency: com.apple.iokit.IOGraphicsFamily(2.4.1)[6D99A3BE-D531-3780-880B-13F2FC894A4A]@0xffffffff7f80e5c000

dependency: com.apple.AppleGraphicsDeviceControl(3.7.21)[4700601D-3FEB-3B86-B2BA-8D71AF84D1C4]@0xffffffff7f80eb3000

BSD process name corresponding to current thread: launchd  
Boot args: slide=0

Mac OS version:  
14B25

Kernel version:  
Darwin Kernel Version 14.0.0: Fri Sep 19 00:26:44 PDT 2014; root:xnu-2782.1.97~2/RELEASE\_X86\_64  
Kernel UUID: 89E10306-BC78-3A3B-955C-7C4922577E61  
\_\_HIB text base: 0xffffffff8000100000  
System model name: MacPro3,1 (Mac-F42C88C8)

System uptime in nanoseconds: 2349785273457  
last loaded kext at 2042279588422: com.apple.iokit.IOCSIBlockCommandsDevice 3.7.0 (addr 0xffffffff7f825c9000, size 81920)  
last unloaded kext at 2179437593280: com.apple.driver.AppleUSBCDC 4.2.2b5 (addr 0xffffffff7f82531000, size 16384)  
loaded kexts:  
org.hwsensors.driver.GPUSensors 1290  
org.hwsensors.driver.LPCSensors 1290  
org.voodoo.driver.VoodooHDA 2.8.6  
com.lnx2mac.driver.RealtekRTL81xx 0.0.90  
org.hwsensors.driver.CPUSensors 1290  
org.netkas.driver.FakeSMC 1290  
org.tgwbd.driver.NullCPUPowerManagement 1.0.0d2  
es.osx86.driver.EvOreboot 1.0.3  
com.apple.filesystems.smbfs 3.0.0  
com.apple.filesystems.autofs 3.0  
com.apple.iokit.IOBluetoothSerialManager 4.3.1f2  
com.apple.driver.AppleHDA 267.0  
com.apple.driver.AppleOSXWatchdog 1  
com.apple.driver.AppleUpstreamUserClient 3.6.1  
com.apple.driver.AppleMCCSControl 1.2.10  
com.apple.iokit.IOUserEthernet 1.0.1  
com.apple.GeForce 10.0.0  
com.apple.Dont\_Steal\_Mac\_OS\_X 7.0.0  
com.apple.driver.AppleIntelFramebufferCapri 10.0.0

com.apple.driver.AudioAUUC 1.70  
com.apple.driver.Apple16X50ACPI 3.2  
com.apple.driver.AppleHWAAccess 1  
com.apple.driver.AppleHV 1  
com.apple.driver.ACPI\_SMC\_PlatformPlugin 1.0.0  
com.apple.driver.AppleLPC 1.7.3  
com.apple.iokit.SCSITaskUserClient 3.7.0  
com.apple.driver.XsanFilter 404  
com.apple.iokit.IOAHCIBlockStorage 2.6.5  
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1  
com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0d1  
com.apple.BootCache 35  
com.apple.driver.AppleUSBHub 705.4.1  
com.apple.driver.AppleAHCIPort 3.0.7  
com.apple.driver.AppleUSBEHCI 705.4.14  
com.apple.driver.AppleUSBXHCI 705.4.14  
com.apple.driver.AppleRTC 2.0  
com.apple.driver.AppleACPIButtons 3.1  
com.apple.driver.AppleHPET 1.8  
com.apple.driver.AppleSMBIOS 2.1  
com.apple.driver.AppleAPIC 1.7  
com.apple.nke.applicationfirewall 161  
com.apple.security.quarantine 3  
com.apple.security.TMSafetyNet 8  
com.apple.driver.AppleIntelCPUPowerManagement 218.0.0  
com.apple.iokit.IOCSIBlockCommandsDevice 3.7.0  
com.apple.iokit.IOUSBMassStorageClass 3.7.0  
com.apple.kext.triggers 1.0  
com.apple.driver.DspFuncLib 267.0  
com.apple.kext.OSvKernDSPLib 1.15  
com.apple.driver.AppleSMBusController 1.0.13d1  
com.apple.iokit.IOSMBusFamily 1.1  
com.apple.iokit.IOSurface 97  
com.apple.nvidia.driver.NVDAGK100Hal 10.0.0  
com.apple.nvidia.driver.NVDAResman 10.0.0  
com.apple.iokit.IOUSBUserClient 705.4.0  
com.apple.iokit.IOAcceleratorFamily2 156.4  
com.apple.AppleGraphicsDeviceControl 3.7.21  
com.apple.iokit.IOBluetoothHostControllerUSBTransport 4.3.1f2  
com.apple.iokit.IOBluetoothFamily 4.3.1f2  
com.apple.driver.Apple16X50Serial 3.2  
com.apple.iokit.IOSerialFamily 11  
com.apple.driver.AppleHDAController 267.0

com.apple.iokit.IOHDAFamily 267.0  
com.apple.driver.AppleSMC 3.1.9  
com.apple.driver.IOPlatformPluginLegacy 1.0.0  
com.apple.driver.IOPlatformPluginFamily 5.8.0d49  
com.apple.iokit.IONDRVSupport 2.4.1  
com.apple.iokit.IOGraphicsFamily 2.4.1  
com.apple.driver.AppleUSBHIDKeyboard 175.5  
com.apple.driver.AppleHIDKeyboard 175.5  
com.apple.iokit.IOUSBHIDDriver 705.4.0  
com.apple.driver.AppleUSBMergeNub 705.4.0  
com.apple.driver.AppleUSBComposite 705.4.9  
com.apple.iokit.IOSCSIMultimediaCommandsDevice 3.7.0  
com.apple.iokit.IOBDStorageFamily 1.7  
com.apple.iokit.IODVDStorageFamily 1.7.1  
com.apple.iokit.IOCDStorageFamily 1.7.1  
com.apple.iokit.IOAHCIStorageFamily 2.6.1  
com.apple.iokit.IOSCSIArchitectureModelFamily 3.7.0  
com.apple.iokit.IOAHCIFamily 2.7.0  
com.apple.iokit.IOAudioFamily 200.6  
com.apple.vecLib.kext 1.2.0  
com.apple.iokit.IONetworkingFamily 3.2  
com.apple.iokit.IOUSBFamily 705.4.14  
com.apple.driver.AppleEFINVRAM 2.0  
com.apple.driver.AppleEFIRuntime 2.0  
com.apple.iokit.IOHIDFamily 2.0.0  
com.apple.security.sandbox 300.0  
com.apple.kext.AppleMatch 1.0.0d1  
com.apple.driver.AppleKeyStore 2  
com.apple.driver.AppleMobileFileIntegrity 1.0.5  
com.apple.driver.AppleCredentialManager 1.0  
com.apple.driver.DiskImages 389.1  
com.apple.iokit.IOStorageFamily 2.0  
com.apple.iokit.IOReportFamily 31  
com.apple.driver.AppleFDEKeyStore 28.30  
com.apple.driver.AppleACPIPlatform 3.1  
com.apple.iokit.IOPCIFamily 2.9  
com.apple.iokit.IOACPIFamily 1.4  
com.apple.kec.corecrypto 1.0  
com.apple.kec.Libm 1  
com.apple.kec.pthread 1  
Model: MacPro3,1, BootROM MP31.006C.B05, 2 processors, Intel Core i3, 3.3 GHz, 8 GB, SMC 1.30f3  
Graphics: NVIDIA GeForce GTX 650, NVIDIA GeForce GTX 650, PCIe, 1024 MB

Memory Module: BANK 0/DIMM0, 4 GB, DDR3, 1600 MHz, G Skill Intl, F3-1600C11-4GNT  
Memory Module: BANK 0/DIMM2, 4 GB, DDR3, 1600 MHz, G Skill Intl, F3-1600C11-4GNT  
Bluetooth: Version 4.3.1f2 15015, 3 services, 26 devices, 1 incoming serial ports  
Network Service: Ethernet, Ethernet, en1  
PCI Card: NVIDIA GeForce GTX 650, Display Controller, J6B1  
Serial ATA Device: SanDisk SDSSDP064G, 64,02 GB  
Serial ATA Device: ST2000DM001-9YN164, 2 TB  
Serial ATA Device: HL-DT-ST DVDROM GH24NS95  
Serial ATA Device: WDC WD5000AAKS-00A7B2, 500,11 GB  
USB Device: Hub  
USB Device: USB Receiver  
USB Device: Bluetooth USB Host Controller  
USB Device: Keyboard Hub  
USB Device: Apple Keyboard  
USB Device: Hub  
Thunderbolt Bus: