

Erledigt

Fehler nach jedem Reboot

Beitrag von „krischan1980“ vom 19. Februar 2015, 22:26

Es hängt nur die SSD dran sonst nichts

Habe jetzt mal die 2GB Ram Module ausgebaut, und die 2 \$GB drin gelassen, jetzt sehen die Details wie folgt aus:

Anonymous UUID: 08BC9156-E7D5-382E-15ED-44F11DEE09D1

Thu Feb 19 22:20:47 2015

*** Panic Report ***

panic(cpu 0 caller 0xfffff800041a46e): Kernel trap at 0xfffff7f810954ab, type 14=page fault, registers:

CR0: 0x000000008001003b, CR2: 0x0000000000000000, CR3: 0x0000000000d45001, CR4: 0x00000000001627e0

RAX: 0x0000000000000000, RBX: 0xfffff80d71c3000, RCX: 0x0000000000000000, RDX: 0x7fffffffffffffff

RSP: 0xfffff810ffdb880, RBP: 0xfffff810ffdb880, RSI: 0x0000000000000048, RDI: 0xfffff80d71c3000

R8: 0xfffff810ffdb5a8, R9: 0x0000000000000000, R10: 0xfffff810ffdb5a0, R11: 0xfffff7f810ea9c8

R12: 0xfffff80d71c3000, R13: 0xfffff810ffdbb10, R14: 0xfffff810ffdbb10, R15: 0x0000000000000000

RFL: 0x0000000000010207, RIP: 0xfffff7f810954ab, CS: 0x0000000000000008, SS: 0x0000000000000010

Fault CR2: 0x0000000000000000, Error code: 0x0000000000000000, Fault CPU: 0x0

Backtrace (CPU 0), Frame : Return Address

0xfffff810ffdb530 : 0xfffff800032fe41

0xfffff810ffdb5b0 : 0xfffff800041a46e

0xfffff810ffdb770 : 0xfffff8000436683

0xffffffff810ffdb790 : 0xffffffff7f810954ab
0xffffffff810ffdb880 : 0xffffffff7f810954e8
0xffffffff810ffdb8a0 : 0xffffffff7f810a95f6
0xffffffff810ffdba70 : 0xffffffff7f80ebf83b
0xffffffff810ffdbb00 : 0xffffffff7f80eab8c6
0xffffffff810ffdbb70 : 0xffffffff7f80e6b6e8
0xffffffff810ffdbbb0 : 0xffffffff80008af335
0xffffffff810ffdbc10 : 0xffffffff8000926f29
0xffffffff810ffdbc70 : 0xffffffff80008b90e9
0xffffffff810ffdbcb0 : 0xffffffff80009163d6
0xffffffff810ffdbd90 : 0xffffffff80008edbf0
0xffffffff810ffdbdd0 : 0xffffffff800041e932
0xffffffff810ffdbde0 : 0xffffffff800033c8f5
0xffffffff810ffdbdf0 : 0xffffffff80007d5adf
0xffffffff810ffdbec0 : 0xffffffff80007e6ab9
0xffffffff810ffdbf50 : 0xffffffff800084b386
0xffffffff810ffdbfb0 : 0xffffffff8000436e86

Kernel Extensions in backtrace:

com.apple.iokit.IOGraphicsFamily(2.4.1)[619F6C9F-0461-3BA1-A75F-53BB0F87ACD3]@0xffffffff7f80e60000->0xffffffff7f80ea6fff

dependency: com.apple.iokit.IOPCIFamily(2.9)[56AD16B5-4F29-3F74-93E7-D492B3966DE2]@0xffffffff7f80b24000

com.apple.iokit.IONDRVSupport(2.4.1)[E5A48E71-70F5-3B01-81D3-C2B037BBE80A]@0xffffffff7f80ea7000->0xffffffff7f80eb6fff

dependency: com.apple.iokit.IOGraphicsFamily(2.4.1)[619F6C9F-0461-3BA1-A75F-53BB0F87ACD3]@0xffffffff7f80e60000

dependency: com.apple.iokit.IOPCIFamily(2.9)[56AD16B5-4F29-3F74-93E7-D492B3966DE2]@0xffffffff7f80b24000

com.apple.nvidia.driver.NVDAResman(10.0.2)[EFB702DE-5458-35DF-84DA-E0FFC4DCA500]@0xffffffff7f80ebd000->0xffffffff7f8113dfff

dependency: com.apple.iokit.IOPCIFamily(2.9)[56AD16B5-4F29-3F74-93E7-D492B3966DE2]@0xffffffff7f80b24000

dependency: com.apple.iokit.IONDRVSupport(2.4.1)[E5A48E71-70F5-3B01-81D3-C2B037BBE80A]@0xffffffff7f80ea7000

dependency: com.apple.iokit.IOGraphicsFamily(2.4.1)[619F6C9F-0461-3BA1-A75F-53BB0F87ACD3]@0xffffffff7f80e60000

dependency: com.apple.AppleGraphicsDeviceControl(3.8.6)[957EB27F-7D07-3C40-91F5-9B54652F06EE]@0xffffffff7f80eb7000

BSD process name corresponding to current thread: launchd

Boot args: slide=0 kext-dev-mode=1

Mac OS version:
14C109

Kernel version:
Darwin Kernel Version 14.1.0: Mon Dec 22 23:10:38 PST 2014; root:xnu-2782.10.72~2/RELEASE_X86_64
Kernel UUID: DCF5C2D5-16AE-37F5-B2BE-ED127048DFF5
__HIB text base: 0xffffffff8000100000
System model name: iMac14,2 (Mac-27ADBB7B4CEE8E61)

System uptime in nanoseconds: 72915106050
last loaded kext at 9532545199: com.apple.driver.AudioAUUC 1.70 (addr 0xffffffff7f81d75000, size 32768)
loaded kexts:
com.insan*lymac.RealtekRTL8111 1.2.2
org.netkas.FakeSMC 3.3.1
com.apple.driver.AudioAUUC 1.70
com.apple.driver.AppleGraphicsDevicePolicy 3.7.7
com.apple.driver.AppleTyMCEDriver 1.0.2d2
com.apple.filesystems.autofs 3.0
com.apple.iokit.IOBluetoothSerialManager 4.3.2f6
com.apple.driver.AppleHDAHardwareConfigDriver 2.5.3fc1
com.apple.driver.AppleHDA 2.5.3fc1
com.apple.iokit.IOUserEthernet 1.0.1
com.apple.driver.AppleUpstreamUserClient 3.6.1
com.apple.driver.AppleMCCSControl 1.2.11
com.apple.GeForce 10.0.2
com.apple.driver.AppleOSXWatchdog 1
com.apple.driver.Apple16X50ACPI 3.2
com.apple.Dont_Steal_Mac_OS_X 7.0.0
com.apple.driver.AppleHWAccess 1
com.apple.driver.AppleHV 1
com.apple.driver.AppleLPC 1.7.3
com.apple.driver.ACPI_SMC_PlatformPlugin 1.0.0
com.apple.nvidia.NVDAShutdown 10.0.2
com.apple.driver.AppleFileSystemDriver 3.0.1
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1
com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0d1
com.apple.BootCache 35

com.apple.driver.XsanFilter 404
com.apple.iokit.IOAHCIBlockStorage 2.7.0
com.apple.driver.AppleUSBHub 705.4.2
com.apple.driver.AppleAHCIPort 3.1.0
com.apple.driver.AppleUSBEHCI 705.4.14
com.apple.driver.AppleUSBXHCI 710.4.11
com.apple.driver.AppleHPET 1.8
com.apple.driver.AppleACPIButtons 3.1
com.apple.driver.AppleRTC 2.0
com.apple.driver.AppleACPIEC 3.1
com.apple.driver.AppleSMBIOS 2.1
com.apple.driver.AppleAPIC 1.7
com.apple.nke.applicationfirewall 161
com.apple.security.quarantine 3
com.apple.security.TMSafetyNet 8
com.apple.driver.AppleGraphicsControl 3.8.6
com.apple.kext.triggers 1.0
com.apple.driver.DspFuncLib 2.5.3fc1
com.apple.kext.OSvKernDSPLib 1.15
com.apple.iokit.IOAudioFamily 203.3
com.apple.vecLib.kext 1.2.0
com.apple.iokit.IOSurface 97
com.apple.driver.AppleSMBusController 1.0.13d1
com.apple.iokit.IOAcceleratorFamily2 156.6
com.apple.iokit.IOBluetoothFamily 4.3.2f6
com.apple.iokit.IOUSBUserClient 705.4.0
com.apple.driver.Apple16X50Serial 3.2
com.apple.iokit.IOSerialFamily 11
com.apple.nvidia.driver.NVDAGK100Hal 10.0.2
com.apple.nvidia.driver.NVDAResman 10.0.2
com.apple.AppleGraphicsDeviceControl 3.8.6
com.apple.iokit.IONDRVSupport 2.4.1
com.apple.driver.AppleHDAController 2.5.3fc1
com.apple.iokit.IOGraphicsFamily 2.4.1
com.apple.iokit.IOHDAFamily 2.5.3fc1
com.apple.driver.AppleSMC 3.1.9
com.apple.driver.IOPlatformPluginLegacy 1.0.0
com.apple.driver.IOPlatformPluginFamily 5.8.1d38
com.apple.driver.AppleSMBusPCI 1.0.12d1
com.apple.iokit.IOSCSIArchitectureModelFamily 3.7.3
com.apple.iokit.IOUSBHIDDriver 705.4.0
com.apple.driver.AppleUSBComposite 705.4.9
com.apple.iokit.IONetworkingFamily 3.2

com.apple.driver.AppleEFINVRAM 2.0
com.apple.iokit.IOAHCIFamily 2.7.5
com.apple.iokit.IOUSBFamily 710.4.14
com.apple.iokit.IOHIDFamily 2.0.0
com.apple.driver.AppleEFIRuntime 2.0
com.apple.iokit.IOSMBusFamily 1.1
com.apple.security.sandbox 300.0
com.apple.kext.AppleMatch 1.0.0d1
com.apple.driver.AppleKeyStore 2
com.apple.driver.AppleMobileFileIntegrity 1.0.5
com.apple.driver.AppleCredentialManager 1.0
com.apple.driver.DiskImages 396
com.apple.iokit.IOStorageFamily 2.0
com.apple.iokit.IOReportFamily 31
com.apple.driver.AppleFDEKeyStore 28.30
com.apple.driver.AppleACPIPlatform 3.1
com.apple.iokit.IOPCIFamily 2.9
com.apple.iokit.IOACPIFamily 1.4
com.apple.kec.corecrypto 1.0
com.apple.kec.Libm 1
com.apple.kec.pthread 1

Model: iMac14,2, BootROM IM142.0118.B00, 4 processors, Intel Core i5, 3.2 GHz, 8 GB, SMC 1.30f3

Graphics: NVIDIA Chip Model, NVIDIA Chip Model, PCIe, 2048 MB

Memory Module: BANK 0/ChannelA-DIMM0, 4 GB, DDR3, 1333 MHz, Kingston, 9905471-021.A00LF

Memory Module: BANK 2/ChannelB-DIMM0, 4 GB, DDR3, 1333 MHz, Kingston, 9905471-021.A00LF

Network Service: Ethernet, Ethernet, en0

PCI Card: NVIDIA Chip Model, Display Controller, J6B1

Serial ATA Device: Samsung SSD 840 EVO 500GB, 500,11 GB

USB Device: Hub

USB Device: Hub

USB Device: Razer Diamondback Optical Mouse

USB Device: USB Multimedia Keyboard

Thunderbolt Bus: