

Erledigt

## Panik nach Sicherheitsupdate

Beitrag von „NoiseFreak“ vom 22. November 2015, 21:44

Hat leider auch nichts gebracht

Code

1. Anonymous UUID: A5527360-2FF5-A313-7AB6-2A54795A788D
- 2.
- 3.
4. Sun Nov 22 21:41:15 2015
- 5.
- 6.
7. \*\*\* Panic Report \*\*\*
8. panic(cpu 4 caller 0xfffff8000416df2): Kernel trap at 0xfffff7f829292e1, type 13=general protection, registers:
9. CR0: 0x000000008001003b, CR2: 0xfffff81e3f71000, CR3: 0x000000000976a000, CR4: 0x00000000001627e0
10. RAX: 0xfffff7f8292dac0, RBX: 0xfffff8000b12e01, RCX: 0x0000000000000300, RDX: 0xfffff802383e808
11. RSP: 0xfffff81ef99adf0, RBP: 0xfffff81ef99adf0, RSI: 0x0000000000360038, RDI: 0xfffff8027278200
12. R8: 0x0000000000000004, R9: 0xfffff81a362c000, R10: 0x00000000000000ca, R11: 0x0000000000000000
13. R12: 0xfffff8027278200, R13: 0xfffff8000b12f48, R14: 0xfffff80259b8800, R15: 0xfffff8027278200
14. RFL: 0x0000000000010282, RIP: 0xfffff7f829292e1, CS: 0x0000000000000008, SS: 0x0000000000000010
15. Fault CR2: 0xfffff81e3f71000, Error code: 0x0000000000000000, Fault CPU: 0x4
- 16.
- 17.
18. Backtrace (CPU 4), Frame : Return Address
19. 0xfffff81e3f7de10 : 0xfffff800032ad21
20. 0xfffff81e3f7de90 : 0xfffff8000416df2
21. 0xfffff81e3f7e050 : 0xfffff8000433ca3
22. 0xfffff81e3f7e070 : 0xfffff7f829292e1
23. 0xfffff81ef99adf0 : 0xfffff7f8292809b
24. 0xfffff81ef99be70 : 0xfffff80008b386d
25. 0xfffff81ef99beb0 : 0xfffff80008b335f

26. 0xffffffff81ef99bf30 : 0xffffffff80008ae0f3  
27. 0xffffffff81ef99bf70 : 0xffffffff80008b4003  
28. 0xffffffff81ef99bfb0 : 0xffffffff80004116e7  
29. Kernel Extensions in backtrace:  
30. com.apple.driver.AppleTyMCEDriver(1.0.2d2)[134729FC-FCE4-3914-A53E-92A34C982306]@0xffffffff7f82927000->0xffffffff7f8292ffff  
31. dependency: com.apple.iokit.IOACPIFamily(1.4)[70E2B65E-A91A-3522-A1A0-79FD63EABB4C]@0xffffffff7f81935000  
32. dependency: com.apple.iokit.IOPCIFamily(2.9)[05578B0B-C99C-3A87-9F3E-B4746D19CEF4]@0xffffffff7f80b24000  
33. dependency: com.apple.driver.IOPlatformPluginFamily(5.9.1d7)[593924B4-A956-3CA5-9610-448D50D96947]@0xffffffff7f8193e000  
34.  
35.  
36. BSD process name corresponding to current thread: kernel\_task  
37. Boot args: slide=0 dart=0 kext-dev-mode=1 nvda\_drv=1  
38.  
39.  
40. Mac OS version:  
41. 14F1021  
42.  
43.  
44. Kernel version:  
45. Darwin Kernel Version 14.5.0: Tue Sep 1 21:23:09 PDT 2015; root:xnu-2782.50.1~1/RELEASE\_X86\_64  
46. Kernel UUID: 06D286E3-A8A1-3BE7-A7EB-EAC6E0C69758  
47. \_\_HIB text base: 0xffffffff8000100000  
48. System model name: MacPro5,1 (Mac-F42C88C8)  
49.  
50.  
51. System uptime in nanoseconds: 8379614481  
52. last loaded kext at 8230511254: com.apple.driver.AudioAUUC 1.70 (addr 0xffffffff7f82868000, size 32768)  
53. loaded kexts:  
54. com.nvidia.CUDA 1.1.0  
55. com.kaspersky.kext.kimul.45 45  
56. com.github.osxfuse.filesystems.osxfusefs 2.7.5  
57. com.kaspersky.nke 2.2.0a2  
58. com.kaspersky.kext.klif 3.3.0a1  
59. com.nvidia.web.GeForceWeb 10.0.5  
60. com.nvidia.web.NVDAGM100HalWeb 10.0.5  
61. com.nvidia.web.NVDAResmanWeb 10.0.5  
62. com.intel.driver.EnergyDriver 2.0

63. com.nvidia.NVDAStartup 10.0.5
64. com.insanelymac.ALXEthernet 1.0.2
65. org.netkas.driver.FakeSMC 1290
66. com.apple.driver.AudioAUUC 1.70
67. com.apple.driver.AppleBluetoothMultitouch 85.3
68. com.apple.iokit.IOBluetoothUSBDFU 4.3.6f3
69. com.apple.iokit.BroadcomBluetoothHostControllerUSBTransport 4.3.6f3
70. com.apple.filesystems.autofs 3.0
71. com.apple.driver.AGPM 110.19.6
72. com.apple.driver.AppleHDAHardwareConfigDriver 272.18.3
73. com.apple.driver.AppleUSB CDC 4.3.3b1
74. com.apple.driver.AppleHDA 272.18.3
75. com.apple.driver.AppleTyMCEDriver 1.0.2d2
76. com.apple.iokit.IOBluetoothSerialManager 4.3.6f3
77. com.apple.driver.AppleUpstreamUserClient 3.6.1
78. com.apple.driver.AppleMCCSControl 1.2.12
79. com.apple.iokit.IOUserEthernet 1.0.1
80. com.apple.Dont\_Steal\_Mac\_OS\_X 7.0.0
81. com.apple.driver.AppleHWAccess 1
82. com.apple.driver.AppleHV 1
83. com.apple.driver.AppleOSXWatchdog 1
84. com.apple.driver.Apple16X50ACPI 3.2
85. com.apple.driver.ACPI\_SMC\_PlatformPlugin 1.0.0
86. com.apple.driver.AppleIntelSlowAdaptiveClocking 4.0.0
87. com.apple.driver.AppleFIVRDriver 4.1.0
88. com.apple.iokit.SCSITaskUserClient 3.7.5
89. com.apple.driver.XsanFilter 404
90. com.apple.iokit.IOAHCIBlockStorage 2.7.1
91. com.apple.iokit.IOAHCIPassThrough 1.0.3
92. com.apple.driver.AppleFileSystemDriver 3.0.1
93. com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1
94. com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0
95. com.apple.BootCache 36
96. com.apple.driver.AppleUSBHub 705.4.2
97. com.apple.driver.AirPort.Brcm4331 800.20.24
98. com.apple.driver.AirPort.Brcm4360 930.37.3
99. com.apple.driver.AppleAHCIPort 3.1.2
100. com.apple.driver.AppleUSB EHCI 705.4.14
101. com.apple.driver.AppleUSB XHCI 710.4.11
102. com.apple.driver.AppleRTC 2.0
103. com.apple.driver.AppleACPIButtons 3.1
104. com.apple.driver.AppleHPET 1.8

105. com.apple.driver.AppleSMBIOS 2.1
106. com.apple.driver.AppleAPIC 1.7
107. com.apple.nke.applicationfirewall 161
108. com.apple.security.quarantine 3
109. com.apple.security.TMSafetyNet 8
110. com.apple.driver.IOBluetoothHIDDriver 4.3.6f3
111. com.apple.driver.AppleMultitouchDriver 264.6
112. com.apple.iokit.IOBluetoothHostControllerUSBTransport 4.3.6f3
113. com.apple.kext.triggers 1.0
114. com.apple.iokit.IOCSIBlockCommandsDevice 3.7.5
115. com.apple.iokit.IOUSBUserClient 705.4.0
116. com.apple.driver.AppleUSBAudio 295.23
117. com.apple.iokit.IOUSBMassStorageClass 3.7.2
118. com.apple.iokit.IOUSBHIDDriver 705.4.0
119. com.apple.driver.DspFuncLib 272.18.3
120. com.apple.kext.OSvKernDSPLib 1.15
121. com.apple.driver.AppleUSBMergeNub 705.4.0
122. com.apple.driver.AppleUSBComposite 705.4.9
123. com.apple.driver.AppleSMBusController 1.0.13d1
124. com.apple.iokit.IOSMBusFamily 1.1
125. com.apple.iokit.IOSurface 97.4
126. com.apple.iokit.IOBluetoothFamily 4.3.6f3
127. com.apple.iokit.IOAcceleratorFamily2 156.16
128. com.apple.AppleGraphicsDeviceControl 3.10.25
129. com.apple.iokit.IONDRVSupport 2.4.1
130. com.apple.driver.AppleHDAController 272.18.3
131. com.apple.iokit.IOGraphicsFamily 2.4.1
132. com.apple.iokit.IOHDAFamily 272.18.3
133. com.apple.iokit.IOAudioFamily 203.3
134. com.apple.vecLib.kext 1.2.0
135. com.apple.driver.Apple16X50Serial 3.2
136. com.apple.iokit.IOSerialFamily 11
137. com.apple.driver.AppleSMC 3.1.9
138. com.apple.driver.IOPlatformPluginLegacy 1.0.0
139. com.apple.driver.IOPlatformPluginFamily 5.9.1d7
140. com.apple.driver.AppleSMBusPCI 1.0.12d1
141. com.apple.iokit.IOSlowAdaptiveClockingFamily 1.0.0
142. com.apple.iokit.IOSCSIMultimediaCommandsDevice 3.7.5
143. com.apple.iokit.IOBDStorageFamily 1.7
144. com.apple.iokit.IODVDStorageFamily 1.7.1
145. com.apple.iokit.IOCDStorageFamily 1.7.1
146. com.apple.iokit.IOAHCIStorageFamily 2.6.1

147. com.apple.iokit.IO SCSIArchitectureModelFamily 3.7.5
148. com.apple.iokit.IO80211Family 730.60
149. com.apple.driver.mDNSOffloadUserClient 1.0.1b8
150. com.apple.iokit.IONetworkingFamily 3.2
151. com.apple.iokit.IOAHCIFamily 2.7.5
152. com.apple.iokit.IOUSBFamily 720.4.4
153. com.apple.driver.AppleEFINVRAM 2.0
154. com.apple.driver.AppleEFIRuntime 2.0
155. com.apple.iokit.IOHIDFamily 2.0.0
156. com.apple.security.sandbox 300.0
157. com.apple.kext.AppleMatch 1.0.0d1
158. com.apple.driver.AppleKeyStore 2
159. com.apple.driver.AppleMobileFileIntegrity 1.0.5
160. com.apple.driver.AppleCredentialManager 1.0
161. com.apple.driver.DiskImages 398
162. com.apple.iokit.IOStorageFamily 2.0
163. com.apple.iokit.IOReportFamily 31
164. com.apple.driver.AppleFDEKeyStore 28.30
165. com.apple.driver.AppleACPIPlatform 3.1
166. com.apple.iokit.IOPCIFamily 2.9
167. com.apple.iokit.IOACPIFamily 1.4
168. com.apple.kec.corecrypto 1.0
169. com.apple.kec.Libm 1
170. com.apple.kec.pthread 1
171. Model: iMac14,2, BootROM IM142.0118.B00, 4 processors, Intel Core i7, 4.00 GHz, 16 GB, SMC 2.15f2
172. Graphics: NVIDIA GeForce GTX 970, NVIDIA GeForce GTX 970, PCIe, 4095 MB
173. Memory Module: BANK0/DIMM1, 8 GB, DDR3, 1600 MHz, Crucial Technology, BLS8G3D1609DS1S00.
174. Memory Module: BANK1/DIMM1, 8 GB, DDR3, 1600 MHz, Crucial Technology, BLS8G3D1609DS1S00.
175. AirPort: spairport\_wireless\_card\_type\_airport\_extreme (0x14E4, 0xF4), Broadcom BCM43xx 1.0 (5.106.98.100.24)
176. Bluetooth: Version 4.3.6f3 16238, 3 services, 27 devices, 1 incoming serial ports
177. Network Service: Ethernet, Ethernet, en0
178. Network Service: Wi-Fi, AirPort, en1
179. PCI Card: NVIDIA GeForce GTX 970, Display Controller, PCI Slot 0
180. Serial ATA Device: ST2000DM001-1ER164, 2 TB
181. Serial ATA Device: Samsung SSD 840 EVO 250GB, 250,06 GB
182. Serial ATA Device: HL-DT-ST DVD-RAM GH24NSC0, 4,95 GB
183. Serial ATA Device: Samsung SSD 850 EVO 250GB, 250,06 GB
184. USB Device: Hub

- 185. USB Device: Hub
- 186. USB Device: USB3.0 Hub
- 187. USB Device: Controller
- 188. USB Device: HID-compliant Mouse
- 189. USB Device: USB Receiver
- 190. USB Device: BRCM20702 Hub
- 191. USB Device: Bluetooth USB Host Controller
- 192. USB Device: MEDION HDDrive2GO
- 193. USB Device: USB2.0 Hub
- 194. USB Device: USB DISK 2.0
- 195. USB Device: USB DISK 2.0
- 196. USB Device: USB Sound Device
- 197. Thunderbolt Bus:

Alles anzeigen

vielleicht muss ich ja doch wieder die grafikkarte ausbauen, das [BIOS flashen](#) und einstellen booten Treiber laden [bios Flashen](#) und einstellen und die grafikkarte wieder einbauen -.-

allerdings funktioniert mein neuer Monitor nicht mit der on Board Grafik -.-