

Erledigt

R9 270 hakt

Beitrag von „ramsolus“ vom 31. Dezember 2015, 13:52

Ich habe es gelöst!

Habe die Kexts von der folgenden Seite installiert:

<http://www.vervelendemensen.nl...md-radeon-r9-270/?lang=de>

Zusätzlich die folgende config:

XML

```
1. <?xml version="1.0" encoding="UTF-8"?>
2. <!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN"
   "http://www.apple.com/DTDs/PropertyList-1.0.dtd">
3. <plist version="1.0">
4. <dict>
5. <key>ACPI</key>
6. <dict>
7. <key>DSDT</key>
8. <dict>
9. <key>Debug</key>
10. <false/>
11. <key>DropOEM_DSM</key>
12. <false/>
13. <key>Fixes</key>
14. <dict>
15. <key>FixDisplay_0100</key>
16. <true/>
17. <key>FixHPET_0010</key>
18. <true/>
19. <key>FixLAN_2000</key>
20. <true/>
21. <key>FixSATA_0400</key>
22. <true/>
23. <key>FixUSB_1000</key>
24. <true/>
25. </dict>
26. <key>Name</key>
27. <string>DSDT.aml</string>
```

28. <key>ReuseFFFF</key>
29. <false/>
30. </dict>
31. <key>SSDT</key>
32. <dict>
33. <key>DropOem</key>
34. <false/>
35. <key>Generate</key>
36. <false/>
37. </dict>
38. </dict>
39. <key>Boot</key>
40. <dict>
41. <key>Arguments</key>
42. <string>dart=0 kext-dev-mode=1 PCIRootUID=1</string>
43. <key>Debug</key>
44. <false/>
45. <key>DefaultVolume</key>
46. <string>SSD</string>
47. <key>Legacy</key>
48. <string>PBR</string>
49. <key>Secure</key>
50. <false/>
51. <key>Timeout</key>
52. <integer>0</integer>
53. <key>XMPDetection</key>
54. <string>Yes</string>
55. </dict>
56. <key>CPU</key>
57. <dict>
58. <key>Type</key>
59. <string>1281</string>
60. </dict>
61. <key>Devices</key>
62. <dict>
63. <key>FakeID</key>
64. <dict>
65. <key>ATI</key>
66. <string>0x0</string>
67. <key>IMEI</key>
68. <string>0x0</string>
69. <key>IntelGFX</key>

70. <string>0x0</string>
71. <key>LAN</key>
72. <string>0x0</string>
73. <key>NVidia</key>
74. <string>0x0</string>
75. <key>SATA</key>
76. <string>0x0</string>
77. <key>WIFI</key>
78. <string>0x0</string>
79. <key>XHCl</key>
80. <string>0x0</string>
81. </dict>
82. <key>USB</key>
83. <dict>
84. <key>FixOwnership</key>
85. <false/>
86. <key>Inject</key>
87. <true/>
88. </dict>
89. </dict>
90. <key>GUI</key>
91. <dict>
92. <key>Hide</key>
93. <array>
94. <string>\EFI\BOOT\BOOTX64.EFI</string>
95. <string>Windows</string>
96. </array>
97. <key>Language</key>
98. <string>de:0</string>
99. <key>Mouse</key>
100. <dict>
101. <key>DoubleClick</key>
102. <integer>500</integer>
103. <key>Enabled</key>
104. <false/>
105. <key>Mirror</key>
106. <false/>
107. <key>Speed</key>
108. <integer>8</integer>
109. </dict>
110. <key>Scan</key>
111. <true/>

112. <key>ScreenResolution</key>
113. <string>1920x1080</string>
114. </dict>
115. <key>Graphics</key>
116. <dict>
117. <key>DualLink</key>
118. <integer>0</integer>
119. <key>FBName</key>
120. <string>Futomaki</string>
121. <key>Inject</key>
122. <dict>
123. <key>ATI</key>
124. <true/>
125. <key>Intel</key>
126. <false/>
127. <key>NVidia</key>
128. <false/>
129. </dict>
130. </dict>
131. <key>KernelAndKextPatches</key>
132. <dict>
133. <key>ATISConnectorsController</key>
134. <string>7000</string>
135. <key>ATISConnectorsData</key>
136. <string>
0004000004030000000101011204040100040000040300000001020122050502040000001402000000
</string>
137. <key>ATISConnectorsPatch</key>
138. <string>
0002000004020000000100001000030604000000140200000001000011020505000800000002000000
</string>
139. <key>AppleRTC</key>
140. <true/>
141. <key>AsusAICPUPM</key>
142. <true/>
143. <key>KernelPm</key>
144. <true/>
145. <key>KextsToPatch</key>
146. <array>
147. <dict>
148. <key>Comment</key>
149. <string>External icons patch</string>

150. <key>Find</key>
151. <data>
152. RXh0ZXJuYWw=
153. </data>
154. <key>Name</key>
155. <string>AppleAHCIPort</string>
156. <key>Replace</key>
157. <data>
158. SW50ZXJuYWw=
159. </data>
160. </dict>
161. <dict>
162. <key>Comment</key>
163. <string>AMD R9 270 Patch</string>
164. <key>Find</key>
165. <string>0x68181002</string>
166. <key>InfoPlistPatch</key>
167. <true/>
168. <key>Name</key>
169. <string>AMDRadeonX4000</string>
170. <key>Replace</key>
171. <string>0x68111002</string>
172. </dict>
173. <dict>
174. <key>Comment</key>
175. <string>AMD R9 270 Patch</string>
176. <key>Find</key>
177. <string>0x68181002</string>
178. <key>InfoPlistPatch</key>
179. <true/>
180. <key>Name</key>
181. <string>AMD7000Controller</string>
182. <key>Replace</key>
183. <string>0x68111002</string>
184. </dict>
185. </array>
186. </dict>
187. <key>RtVariables</key>
188. <dict>
189. <key>MLB</key>
190. <string>CK812QU2XYL9080</string>
191. <key>ROM</key>

192. <string>UseMacAddr0</string>
193. </dict>
194. <key>SMBIOS</key>
195. <dict>
196. <key>BiosReleaseDate</key>
197. <string>02/29/08</string>
198. <key>BiosVendor</key>
199. <string>Apple Inc.</string>
200. <key>BiosVersion</key>
201. <string>MP31.88Z.006C.B05.0802291410</string>
202. <key>Board-ID</key>
203. <string>Mac-F42C88C8</string>
204. <key>BoardManufacturer</key>
205. <string>Apple Inc.</string>
206. <key>BoardType</key>
207. <integer>11</integer>
208. <key>ChassisAssetTag</key>
209. <string>Pro-Enclosure</string>
210. <key>ChassisManufacturer</key>
211. <string>Apple Inc.</string>
212. <key>ChassisType</key>
213. <string>06</string>
214. <key>Family</key>
215. <string>Mac Pro</string>
216. <key>Manufacturer</key>
217. <string>Apple Inc.</string>
218. <key>ProductName</key>
219. <string>MacPro3,1</string>
220. <key>SerialNumber</key>
221. <string>CK812QU2XYL</string>
222. <key>Trust</key>
223. <false/>
224. <key>Version</key>
225. <string>1.0</string>
226. </dict>
227. <key>SystemParameters</key>
228. <dict>
229. <key>InjectKexts</key>
230. <string>Yes</string>
231. <key>InjectSystemID</key>
232. <true/>
233. </dict>

234. </dict>

235. </plist>

Alles anzeigen

Danke an alle die versucht haben zu helfen 😊