

Erledigt

Probleme mit meiner GTX 680

Beitrag von „Hopek“ vom 13. Juli 2016, 10:03

```
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN"
"http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
<key>Defaults:1F8E0C02-58A9-4E34-AE22-2B63745FA101</key>
<dict>
<key>BootEntryTemplate</key>
<string>$label</string>
<key>DarwinCoreStorageTemplate</key>
<string>$label</string>
<key>DarwinDiskTemplate</key>
<string>$label</string>
<key>DarwinRecoveryDiskTemplate</key>
<string>$label ($platform.$major.$minor)</string>
<key>LinuxDiskOptionTemplate</key>
<string>initrd=$initramfs root=$root ro quiet</string>
<key>LinuxDiskTemplate</key>
<string>Linux $build</string>
<key>LinuxRescueDiskTemplate</key>
<string>Linux Rescue</string>
<key>LinuxRescueOptionTemplate</key>
<string>initrd=$initramfs root=$root ro quiet</string>
<key>AndroidDiskOptionTemplate</key>
<string>initrd=$initfs root=UUID=$uuid androidboot.hardware=android_x86 ro
SRC=$path</string>
<key>AndroidDiskTemplate</key>
<string>$label</string>
<key>SkipSmbusSpdScan</key>
<false/>
<key>DisableBootEntriesFilter</key>
<false/>
<key>DisableAtiInjection</key>
<true/>
<key>DisableIntelInjection</key>
<true/>
<key>DisableNvidiaInjection</key>
<true/>
```

```
<key>AtiFramebuffer</key>
<string></string>
<key>DisableVoodooHda</key>
<false/>
<key>EnableVoodooHdaInternalSpdif</key>
<false/>
<key>AAPL,ig-platform-id</key>
<integer>0</integer>
<key>AAPL,snb_platform_id</key>
<integer>0</integer>
<key>UserInterface</key>
<false/>
<key>TimeOut</key>
<integer>0</integer>
<key>AcpiLoaderMode</key>
<string>0x0</string>
</dict>
<key>Defaults:4D1FDA02-38C7-4A6A-9CC6-4BCCA8B30102</key>
<dict>
<key>BaseBoardAssetTag</key>
<string>Base Board Asset Tag#</string>
<key>BaseBoardSerial</key>
<string>C02QF11FGG7L</string>
<key>BiosDate</key>
<string>09/22/2015</string>
<key>BiosVersion</key>
<string>IM171.88Z.0105.B00.1509221819</string>
<key>ChassisAssetTag</key>
<string>Asset Tag#</string>
<key>EnclosureType</key>
<integer>7</integer>
<key>FirmwareFeatures</key>
<integer>2147488791</integer>
<key>FirmwareFeaturesMask</key>
<integer>201342967</integer>
<key>FirmwareRevision</key>
<integer>65546</integer>
<key>FirmwareVendor</key>
<string>Apple</string>
<key>HardwareAddress</key>
<string></string>
<key>HardwareSignature</key>
<string></string>
```

```
<key>Manufacturer</key>
<string>Apple Inc.</string>
<key>ProcessorSerial</key>
<string>C02QF11FGG7L</string>
<key>ProductFamily</key>
<string>iMac</string>
<key>ProductId</key>
<string>Mac-DB15BD556843C820</string>
<key>ProductName</key>
<string>iMac17,1</string>
<key>SystemSKU</key>
<string>System SKU#</string>
<key>SystemSerial</key>
<string>C02QF11FGG7L</string>
<key>SystemVersion</key>
<string>1.0</string>
</dict>
<key>Defaults:7C436110-AB2A-4BBB-A880-FE41995C9F82</key>
<dict>
<key>boot-args</key>
<string>darkwake=0 kext-dev-mode=1 nvda_drv=1</string>
<key>csr-active-config</key>
<integer>0</integer>
</dict>
<key>Timestamp</key>
<integer>0</integer>
<key>Version</key>
<string>1.0.1</string>
</dict>
</plist>
```

So wie ich das sehe steht hier alles so drin wie es soll oder?