

**Erledigt**

## Probleme nach 10.13 Installation--

**Beitrag von „mratw“ vom 13. Oktober 2017, 22:27**

```
[spoiler]2017-10-13 21:55:32.440277+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG)
invoked at kext loading/unloading
2017-10-13 21:55:32.446813+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last
kext is <private> and its name is com.apple.AGDCPluginDisplayMetrics
2017-10-13 21:55:32.448334+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked
at kext loading/unloading
2017-10-13 21:55:32.448428+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last
kext is <private> and its name is com.apple.driver.AppleGraphicsControl
2017-10-13 21:55:32.448584+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)
GetProperty discovered property merge request for aty_properties
2017-10-13 21:55:32.455158+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)
GetProperty discovered property merge request for aty_config
2017-10-13 21:55:32.455977+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked
at kext loading/unloading
2017-10-13 21:55:32.456099+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last
kext is <private> and its name is com.apple.driver.AppleGraphicsDevicePolicy
2017-10-13 21:55:32.457179+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked
at kext loading/unloading
2017-10-13 21:55:32.464221+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last
kext is <private> and its name is com.apple.driver.AppleUpstreamUserClient
2017-10-13 21:55:32.505954+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked
at kext loading/unloading
2017-10-13 21:55:32.507671+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last
kext is <private> and its name is com.apple.filesystems.ntfs
2017-10-13 21:55:33.181845+0200 localhost kernel[0]: (kernel) WhateverGreen: con @ (DBG)
0 is type 00000400 (DP ) flags 00000304 feat 0100 pri 0000 txmit 21 enc 03 hotplug 06 sense
04
2017-10-13 21:55:33.192367+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)
translateAtomConnectorInfoV1 got sense id 04
2017-10-13 21:55:33.201977+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)
translateAtomConnectorInfoV1 checking 2220 object id
2017-10-13 21:55:33.212092+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)
autocorrectConnector use -raddvi to enable dvi autocorrection
2017-10-13 21:55:33.222064+0200 localhost kernel[0]: (kernel) WhateverGreen: con @ (DBG)
0 is type 00000800 (HDMI) flags 00000204 feat 0100 pri 0000 txmit 11 enc 02 hotplug 01
sense 03
2017-10-13 21:55:33.232619+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)
```

translateAtomConnectorInfoV1 got sense id 03  
2017-10-13 21:55:33.241953+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
translateAtomConnectorInfoV1 checking 2120 object id  
2017-10-13 21:55:33.251379+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
autocorrectConnector use -raddvi to enable dvi autocorrection  
2017-10-13 21:55:33.260980+0200 localhost kernel[0]: (kernel) WhateverGreen: con @ (DBG)  
0 is type 00000004 (DVI ) flags 00000014 feat 0100 pri 0000 txmit 02 enc 04 hotplug 04 sense 02  
2017-10-13 21:55:33.272504+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
translateAtomConnectorInfoV1 got sense id 02  
2017-10-13 21:55:33.272664+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
translateAtomConnectorInfoV1 checking 2121 object id  
2017-10-13 21:55:33.272825+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
autocorrectConnector use -raddvi to enable dvi autocorrection  
2017-10-13 21:55:33.272987+0200 localhost kernel[0]: (kernel) WhateverGreen: con @ (DBG)  
0 is type 00000004 (DVI ) flags 00000004 feat 0100 pri 0000 txmit 00 enc 00 hotplug 03 sense 06  
2017-10-13 21:55:33.273145+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
translateAtomConnectorInfoV1 got sense id 06  
2017-10-13 21:55:33.273306+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
translateAtomConnectorInfoV1 checking 211E object id  
2017-10-13 21:55:33.273466+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
autocorrectConnector use -raddvi to enable dvi autocorrection  
2017-10-13 21:55:33.312693+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
getConnectorInfo leaving unchanged priority  
2017-10-13 21:55:33.332762+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
getConnectorsInfo resulting 4 connectors follow  
2017-10-13 21:55:33.333398+0200 localhost kernel[0]: (kernel) WhateverGreen: con @ (DBG)  
0 is type 00000400 (DP ) flags 00000304 feat 0100 pri 0000 txmit 21 enc 03 hotplug 06 sense 04  
2017-10-13 21:55:33.333557+0200 localhost kernel[0]: (kernel) WhateverGreen: con @ (DBG)  
1 is type 00000800 (HDMI) flags 00000204 feat 0100 pri 0000 txmit 11 enc 02 hotplug 01 sense 03  
2017-10-13 21:55:33.352938+0200 localhost kernel[0]: (kernel) WhateverGreen: con @ (DBG)  
2 is type 00000004 (DVI ) flags 00000014 feat 0100 pri 0000 txmit 02 enc 04 hotplug 04 sense 02  
2017-10-13 21:55:33.353095+0200 localhost kernel[0]: (kernel) WhateverGreen: con @ (DBG)  
3 is type 00000004 (DVI ) flags 00000004 feat 0100 pri 0000 txmit 00 enc 00 hotplug 03 sense 06  
2017-10-13 21:55:33.353258+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
SetProperty caught model 19 (AMD Radeon HD 7xxx)  
2017-10-13 21:55:33.353416+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG)  
getOSData vendor-id has 1002 value

2017-10-13 21:55:33.353622+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG) getOSData device-id has 679A value  
2017-10-13 21:55:33.426941+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG) getOSData revision-id has 0 value  
2017-10-13 21:55:33.427102+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG) getOSData subsystem-vendor-id has 1043 value  
2017-10-13 21:55:33.427267+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG) getOSData subsystem-id has 47E value  
2017-10-13 21:55:33.427432+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) SetProperty autodetect found for 1002:679A:0000 1043:047E  
2017-10-13 21:55:33.436993+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) SetProperty autodetect found AMD Radeon HD 7950  
2017-10-13 21:55:38.207865+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:55:38.207896+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.kext.AMDFramebuffer  
2017-10-13 21:55:38.208057+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) caught the right kext at <private>, invoking handler  
2017-10-13 21:55:38.208216+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG) aslr/load slide is 0xb200000  
2017-10-13 21:55:38.208375+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) current kext is com.apple.kext.AMDFramebuffer progressState 2946  
2017-10-13 21:55:38.223259+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) updateAccelConfig found gpu model Radeon HD 7950  
2017-10-13 21:55:38.225657+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:55:38.225794+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleTyMCEDriver  
2017-10-13 21:55:38.315878+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:55:38.324062+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.filesystems.exfat  
2017-10-13 21:55:38.505631+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:55:38.505636+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.kext.triggers  
2017-10-13 21:55:38.506211+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:55:38.506214+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.filesystems.autofs  
2017-10-13 21:55:45.122353+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:55:45.122358+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last

kext is <private> and its name is com.apple.driver.IOBluetoothHIDDriver  
2017-10-13 21:55:45.123004+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:55:45.123007+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleHSBluetoothDriver  
2017-10-13 21:55:45.609379+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:55:45.609384+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleInputDeviceSupport  
2017-10-13 21:55:45.610259+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:55:45.610263+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleMultitouchDriver  
2017-10-13 21:55:45.611131+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:55:45.611136+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleTopCaseHIDEventDriver  
2017-10-13 21:56:02.153784+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:56:02.153789+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.filesystems.msdosfs  
2017-10-13 21:57:23.715165+0200 localhost kernel[0]: (kernel) Lilu: config @ (DBG) boot arguments disabled 0, debug 1, slow 0, decompress 1  
2017-10-13 21:57:23.717494+0200 localhost kernel[0]: (kernel) Lilu: init @ (DBG) initialising policy  
2017-10-13 21:57:23.718933+0200 localhost kernel[0]: calling mpo\_policy\_init for Lilu  
2017-10-13 21:57:23.720292+0200 localhost kernel[0]: Security policy loaded: Lilu Kernel Extension 1.2.0 DEBUG build (Lilu)  
2017-10-13 21:57:23.741900+0200 localhost kernel[0]: kxld[as.vit9696.Shiki]: \_\_ZN7LiluAPI10shouldLoadEPKcmPS1\_mS2\_mS2\_m13KernelVersionS3\_Rb  
2017-10-13 21:57:23.802306+0200 localhost kernel[0]: (kernel) Lilu: api @ (DBG) got load request from WhateverGreen (110)  
2017-10-13 21:57:23.809500+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) not enabling CAIL\_DisableDrmdmaPowerGating  
2017-10-13 21:57:23.810916+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) not enabling CAIL\_DisableGfxCGPowerGating  
2017-10-13 21:57:23.812312+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) not enabling CAIL\_DisableUVDPowerGating  
2017-10-13 21:57:23.813670+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) not enabling CAIL\_DisableVCEPowerGating  
2017-10-13 21:57:23.815028+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) not enabling CAIL\_DisableDynamicGfxMGPowerGating  
2017-10-13 21:57:23.816557+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)

not enabling CAIL\_DisableGmcPowerGating  
2017-10-13 21:57:23.817916+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
not enabling CAIL\_DisableAcpPowerGating  
2017-10-13 21:57:23.819273+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
not enabling CAIL\_DisableSAMUPowerGating  
2017-10-13 21:57:23.820658+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
init 24-bits 0 logo 0 pg mask 0 dvi 0 progress 896  
2017-10-13 21:57:23.957132+0200 localhost kernel[0]: (kernel) Lilu: policy @ (DBG) init bsd  
2017-10-13 21:57:24.089032+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG)  
getOSData vendor-id has 1002 value  
2017-10-13 21:57:24.095404+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG)  
getOSData device-id has AAA0 value  
2017-10-13 21:57:24.101730+0200 localhost kernel[0]: (kernel) WhateverGreen: audio @ (DBG) corrects digital audio for hdau at HDAU with 1002:AAA0  
2017-10-13 21:57:24.108583+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG)  
getOSData class-code has 30000 value  
2017-10-13 21:57:24.108738+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG)  
getOSData vendor-id has 1002 value  
2017-10-13 21:57:24.108896+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG)  
getOSData device-id has 679A value  
2017-10-13 21:57:24.109055+0200 localhost kernel[0]: (kernel) WhateverGreen: audio @ (DBG) corrects digital audio for gpu at PEGP with 1002:679A  
2017-10-13 21:57:24.109213+0200 localhost kernel[0]: (kernel) WhateverGreen: audio @ (DBG) fixing gpu plane name to GFX0  
2017-10-13 21:57:24.109373+0200 localhost kernel[0]: (kernel) WhateverGreen: audio @ (DBG) existing hda-gfx in gpu (1) or hdau (1), assuming complete inject  
2017-10-13 21:57:24.109529+0200 localhost kernel[0]: (kernel) WhateverGreen: audio @ (DBG) found existing layout-id in hdau  
2017-10-13 21:57:24.109688+0200 localhost kernel[0]: (kernel) WhateverGreen: audio @ (DBG) found existing built-in in hdau  
2017-10-13 21:57:24.109846+0200 localhost kernel[0]: (kernel) WhateverGreen: audio @ (DBG) fixing built-in in gpu  
2017-10-13 21:57:24.110006+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) compatible property starts with pci1043,aaa0 and is 47 bytes  
2017-10-13 21:57:24.110163+0200 localhost kernel[0]: (kernel) WhateverGreen: audio @ (DBG) found HDAU in compatible, ignoring  
2017-10-13 21:57:24.849933+0200 localhost kernel[0]: (kernel) Lilu: config @ (DBG) init via mac\_cred\_check\_label\_update\_execve  
2017-10-13 21:57:24.853252+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG) MachInfo asKernel 1 object constructed  
2017-10-13 21:57:24.866945+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG) readMachHeader for /System/Library/Caches/com.apple.kext.caches/Startup/kernelcache  
2017-10-13 21:57:24.878762+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG)

readMachHeader got magic BEBAFECA  
2017-10-13 21:57:37.836530+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:37.843394+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) processing already loaded kexts by iterating over 96 summaries  
2017-10-13 21:57:37.850892+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) discovered the right kext com.apple.iokit.IOGraphicsFamily at <private>, invoking handler  
2017-10-13 21:57:37.858893+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG) aslr/load slide is 0x11600000  
2017-10-13 21:57:37.865743+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) current kext is com.apple.iokit.IOGraphicsFamily progressState 896  
2017-10-13 21:57:37.873614+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.iokit.IOGraphicsFamily  
2017-10-13 21:57:37.888307+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:37.895208+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.iokit.IOSMBusFamily  
2017-10-13 21:57:37.903394+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:37.910439+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleSMBusController  
2017-10-13 21:57:37.918980+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:37.926105+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleMCCSControl  
2017-10-13 21:57:37.934328+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:37.941150+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.iokit.IOSlowAdaptiveClockingFamily  
2017-10-13 21:57:37.949870+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:37.957229+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleIntelSlowAdaptiveClocking  
2017-10-13 21:57:37.965952+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:37.972849+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.AppleGraphicsDeviceControl  
2017-10-13 21:57:37.981227+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:37.987920+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.kext.AMDSupport  
2017-10-13 21:57:37.995178+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) caught the right kext at <private>, invoking handler



2017-10-13 21:57:38.002248+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG) aslr/load slide is 0x11600000

2017-10-13 21:57:38.008834+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) current kext is com.apple.kext.AMDSupport progressState 896

2017-10-13 21:57:38.016688+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG) found symbol \_\_ZN14AtiBiosParser116getConnectorInfoEP13ConnectorInfoRh at 0x<private> (non-aslr 0x<private>)

2017-10-13 21:57:38.024915+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) diff 3F2FCF5 argument 3F2FCF5

2017-10-13 21:57:38.031779+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) diff <private> argument FC14B97F

2017-10-13 21:57:38.038595+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) routed \_\_ZN14AtiBiosParser116getConnectorInfoEP13ConnectorInfoRh

2017-10-13 21:57:38.047456+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG) found symbol \_\_ZN14AtiBiosParser216getConnectorInfoEP13ConnectorInfoRh at 0x<private> (non-aslr 0x<private>)

2017-10-13 21:57:38.056149+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) diff 3F2570F argument 3F2570F

2017-10-13 21:57:38.063383+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) diff <private> argument FC15607F

2017-10-13 21:57:38.070924+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) routed \_\_ZN14AtiBiosParser216getConnectorInfoEP13ConnectorInfoRh

2017-10-13 21:57:38.079887+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG) found symbol \_\_ZN14AtiBiosParser126translateAtomConnectorInfoERN30AtiObjectInfoTableInterface\_V117AtomConnectorInfo at 0x<private> (non-aslr 0x<private>)

2017-10-13 21:57:38.090748+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) diff 3F2FEA5 argument 3F2FEA5

2017-10-13 21:57:38.099492+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) diff <private> argument FC14BAB3

2017-10-13 21:57:38.107474+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) routed \_\_ZN14AtiBiosParser126translateAtomConnectorInfoERN30AtiObjectInfoTableInterface\_V117AtomConnectorInfo at 0x<private> (non-aslr 0x<private>)

2017-10-13 21:57:38.118589+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG) found symbol \_\_ZN14AtiBiosParser226translateAtomConnectorInfoERN30AtiObjectInfoTableInterface\_V217AtomConnectorInfo at 0x<private> (non-aslr 0x<private>)

2017-10-13 21:57:38.129931+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) diff 3F259EB argument 3F259EB

2017-10-13 21:57:38.138481+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) diff <private> argument FC1561A7

2017-10-13 21:57:38.146947+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG) routed

\_\_ZN14AtiBiosParser226translateAtomConnectorInfoERN30AtiObjectInfoTableInterface\_V217AtomConnectorI  
2017-10-13 21:57:38.158223+0200 localhost kernel[0]: (kernel) Lilu: mach @ (DBG) found  
symbol \_\_ZN13ATIController5startEP9IOService at 0x<private> (non-aslr 0x<private>)  
2017-10-13 21:57:38.168235+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) diff  
3FB45FB argument 3FB45FB  
2017-10-13 21:57:38.177171+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) diff  
<private> argument FC0C7731  
2017-10-13 21:57:38.185954+0200 localhost kernel[0]: (kernel) WhateverGreen: rad @ (DBG)  
routed \_\_ZN13ATIController5startEP9IOService  
2017-10-13 21:57:38.196309+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked  
at kext loading/unloading  
2017-10-13 21:57:38.205502+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last  
kext is <private> and its name is com.apple.kext.AMD7000Controller  
2017-10-13 21:57:38.215749+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked  
at kext loading/unloading  
2017-10-13 21:57:38.225017+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last  
kext is <private> and its name is com.apple.driver.AppleFIVRDriver  
2017-10-13 21:57:38.236065+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked  
at kext loading/unloading  
2017-10-13 21:57:38.244858+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last  
kext is <private> and its name is com.apple.driver.IOPlatformPluginFamily  
2017-10-13 21:57:38.254925+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked  
at kext loading/unloading  
2017-10-13 21:57:38.264121+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last  
kext is <private> and its name is com.apple.driver.IOPlatformPluginLegacy  
2017-10-13 21:57:38.274618+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked  
at kext loading/unloading  
2017-10-13 21:57:38.283449+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last  
kext is <private> and its name is com.apple.driver.ACPI\_SMC\_PlatformPlugin  
2017-10-13 21:57:38.293974+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked  
at kext loading/unloading  
2017-10-13 21:57:38.303541+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last  
kext is <private> and its name is com.apple.iokit.IOSerialFamily  
2017-10-13 21:57:38.314144+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked  
at kext loading/unloading  
2017-10-13 21:57:38.322967+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last  
kext is <private> and its name is com.apple.driver.Apple16X50Serial  
2017-10-13 21:57:38.333428+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked  
at kext loading/unloading  
2017-10-13 21:57:38.342245+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last  
kext is <private> and its name is com.apple.driver.Apple16X50ACPI  
2017-10-13 21:57:38.352505+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked  
at kext loading/unloading



2017-10-13 21:57:38.361346+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AudioAUUC  
2017-10-13 21:57:38.389797+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:38.398720+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleOSXWatchdog  
2017-10-13 21:57:38.409739+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:38.418664+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is org.voodoo.driver.VoodooHDA  
2017-10-13 21:57:38.428886+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:38.428894+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleSMBusPCI  
2017-10-13 21:57:38.429634+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:38.466163+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleLPC  
2017-10-13 21:57:38.476970+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:38.485780+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.iokit.IONDRVSupport  
2017-10-13 21:57:38.496268+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:38.505089+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleBacklightExpert  
2017-10-13 21:57:38.515374+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:38.524179+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.driver.AppleBacklight  
2017-10-13 21:57:38.535688+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:38.545333+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.AVEBridge  
2017-10-13 21:57:38.555791+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:38.564638+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last kext is <private> and its name is com.apple.AppleGPUWrangler  
2017-10-13 21:57:38.574066+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG) getOSData vendor-id has 1002 value  
2017-10-13 21:57:38.574592+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading  
2017-10-13 21:57:38.574717+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) last

kext is <private> and its name is com.apple.Dont\_Steal\_Mac\_OS\_X

2017-10-13 21:57:38.575535+0200 localhost kernel[0]: (kernel) Lilu: patcher @ (DBG) invoked at kext loading/unloading

2017-10-13 21:57:38.583575+0200 localhost kernel[0]: (kernel) WhateverGreen: iokit @ (DBG) getOSData device-id has AAA0 value

2017-10-13 21:57:38.583775+0200 localhost kernel[0]: (kernel) WhateverGreen: audio @ (DBG) corrects digital audio for hdau at HDAU with 1002:AAA0  
/spoiler]

ein bisschen hab noch...