

Erledigt

How to - wie bekomme ich High Sierra ohne Probleme auf meinen Rechner ?

Beitrag von „iPhoneTruth“ vom 19. Dezember 2017, 09:23

Ok, damit bootet er weiter, allerdings kommen dann irgendwann Meldungen wie: „localhost com.apple.xpc.launchd[1] (com.displaypolicyd.546) <Warning>: Service exited with abnormal code: 1 (Siehe Bild).

Dann wird der Bildschirm irgendwann dunkel und dann geht gar nichts mehr 😞

```

CCFLags: 0x3, CCLLevel: 5 ConsoleFlags: 0x0, ConsoleLevel: -1
CCFLags: 0x4, CCLLevel: 5 ConsoleFlags: 0x0, ConsoleLevel: -1
IO80211Controller::start_controller is 0x9c1f5c41f83678e5, provider is 0x9c1f5c407bec3925
ARPT: 299.807792: srom rev:11
ARPT: 299.806557: ChangeVCO => vco:960, xtalF:40, frac: 90, ndivMode: 3, ndivint: 24
ARPT: 299.971625: Data written into the PLL_CNTRL_ADDR2: 00000c31
ARPT: 300.051959: Data written into the PLL_CNTRL_ADDR3 (Fractional): 0000100e
ARPT: 300.292866: Clear UC AER: 100000
ARPT: 300.373984: Clear Corr AER: 2000
ARPT: 300.452877: Clear DEV_STS: 1b2c30
Init: error getting PHY_MODE; using MODE_UNKNOWN
ARPT: 300.612004: BRCN tunables:
ARPT: 300.689213: pullmode[1] txringsize[ 256] txsendqsize[0] reapmin[ 32] reapcount[ 120]
ARPT: 300.786237: w10: Broadcom BCM43b1, vendor-ID[0x14e4] BAR0[0xe1200004]
7.77.37 (TOB) (r728640 )
AirportBrcmFixup: BRCMFX @ service AirPort_BrcmNIC successfully started
HID: Legacy shim 2
000301.029434 IOUSBHostHIDDevice: IOUSBHostHIDDevice::handleStart: unable to open interface
000301.036129 IOUSBHostHIDDevice: IOUSBHostHIDDevice::handleStart: unable to open interface
000301.038718 IOUSBHostHIDDevice: IOUSBHostHIDDevice::start: unable to start IOHIDDevice
000301.061306 IOUSBHostHIDDevice: IOUSBHostHIDDevice::start: unable to start IOHIDDevice
HID: Legacy shim 2
Tue Dec 19 04:18:41 2017 localhost com.apple.xpc.launchd[1] (MyListenerSocket) <Error>; No PATH environment variable set.
Tue Dec 19 04:18:41 2017 localhost com.apple.xpc.launchd[1] (MyListenerSocket) <Error>; No PATH environment variable set.
Tue Dec 19 04:18:41 2017 localhost com.apple.xpc.launchd[1] (com.apple.webcontentfilter.dns) <Notice>; This service is de
IOGraphics flags 0x43 (0x51)
AppleLPC::start - RCBA not enabled
Sound assertion in AppleHDAController at line 436
Sound assertion in AppleHDAController at line 385
ACPI_SMC_PlatformPlugin::start - waitForService(resourceMatching(AppleIntelCPUPowerManagement) timed out
ACPI: Dynamic OEM Table Load:
ACPI: SSDT 0xFFFFF803E435810 0003CF (v02 PmRef Cpu0Cst 00003001 INTL 20141107)
ACPI Error: [CST] Namespace lookup failure, AE_ALREADY_EXISTS (20160930/dswload-462)
ACPI Exception: AE_ALREADY_EXISTS, During name lookup/catalog (20160930/psobject-310)
ACPI: Dynamic OEM Table Load:
ACPI: SSDT 0xFFFFF803FAC4010 00075F (v02 PmRef Cpu0Ist 00003000 INTL 20141107)
WARNING: IOPlatformPluginUtil: getCPUIDInfo: this is an unknown CPU model 0x4e
-- power management may be incomplete or unsupported
ACPI: Dynamic OEM Table Load:
ACPI: SSDT 0xFFFFF803E0D0390 0005AA (v02 PmRef ApIst 00003000 INTL 20141107)
ACPI: Dynamic OEM Table Load:
ACPI: SSDT 0xFFFFF803F9E4430 000119 (v02 PmRef ApCst 00003000 INTL 20141107)
ACPI Error: [CST] Namespace lookup failure, AE_ALREADY_EXISTS (20160930/dswload-462)
ACPI Exception: AE_ALREADY_EXISTS, During name lookup/catalog (20160930/psobject-310)
AppleLPC::notifyPlatformASPM - registering with plugin with ASPM Support false
ACPI_SMC_PlatformPlugin::registerLPCDriver - WARNING - LPC device initialization failed: C-state power management not init
AppleLPC::notifyPlatformASPM - failed to register with IOPlatformPlugin
ApplePMC::publishedIOPPF() - failed
DSMOS has arrived
getFeatures() ==>
getFeatures() <==
getChecksumSupport() ==>
getChecksumSupport() <==
getChecksumSupport() ==>
getChecksumSupport() <==
IO80211Controller::dataLinkLayerAttachComplete(): adding AppleEFIVRAM notification
Initting Scan Manager controller 0x9c1f5c41f83678e5 ioservice 0x9c1f5c407bec3925 interface 0x9c1f5c407c63a0e5 ioservice 0x9c
bpfAttach len 64 dlt 12
busy timeout[0], (240s): 'AppleEFIRuntime'
Tue Dec 19 04:21:04 2017 localhost com.apple.xpc.launchd[1] (com.apple.displaypolicyd.190) <Warning>; Service exited with ab
Tue Dec 19 04:22:46 2017 localhost com.apple.xpc.launchd[1] (com.apple.displaypolicyd.540) <Warning>; Service exited with ab
busy timeout[1], (240s): 'AppleEFIRuntime'
Tue Dec 19 04:24:27 2017 localhost com.apple.xpc.launchd[1] (com.apple.displaypolicyd.541) <Warning>; Service exited with ab
Tue Dec 19 04:26:15 2017 localhost com.apple.xpc.launchd[1] (com.apple.displaypolicyd.542) <Warning>; Service exited with ab
Tue Dec 19 04:27:56 2017 localhost com.apple.xpc.launchd[1] (com.apple.displaypolicyd.543) <Warning>; Service exited with ab
busy timeout[2], (240s): 'AppleEFIRuntime'

```

Gesendet von iPhone mit Tapatalk