

Erledigt

Ryzen 2700X | ASRock Fatal1ty X470 Gaming K4

Beitrag von „ElZampano“ vom 27. Juli 2018, 09:29

Apfs.efi habe ich aus usr/standalone/i386 clover ist die aktuelle Version eigentlich r4617

vom Stick aus bleibt der Boot Vorgang hängen

UPDATE:

```
will-in decrypter used
DTraceSyncLockManager: start Starting
DTraceSyncLockManager: start Registered service
IID: Legacy shim 2
IID: Legacy shim 2
IID: Legacy shim 2
IID: Legacy shim 2
IID: Legacy shim 2
AppleEfi: startQueue()
IID: Legacy shim 2
unexpected session: 100000 uid: -1 requested by: 37
AppleKeyStore: operation failed (pid: 37) set: 7 ret: a00002c2 "-536870206", -1, 1000000
Igh: Link is Up 1000 Mbps Full Duplex, Flow Control: RX/IX
AppleIOB: startQueue()
and: starting synthetic DRD (immediately for f000:4:1092:ark6:150:adfb)
and: DRD complete for f000:4:1092:ark6:150:adfb - no duplicates found.
EXC_RESOURCE -> FindDevice(1713) exceeded mem limit: InactiveSoft 30 MB (non-Fatal)
kextIIOAppleNvidiaDriver_MVD0800000: In interface com.apple.kpi.bsd of __kernel__... could
d symbol _buf_tcp_socket_in
kextIIOAppleNvidiaDriver_MVD0800000: In interface com.apple.kpi.bsd of __kernel__... could
d symbol _buf_tcp_socket_out
kextIIOAppleNvidiaDriver_MVD0800000: In interface com.apple.kpi.mach of __kernel__... could
d symbol _mach_krtdp_register_unregister_klntstamp_callback
IOConsoleUsers: time(0) 0-00, tick 0, tick 1
IOConsoleUsers: gDPScreenLockState 3, hs 0, hs 0, row 0, us 0x0
EXC_RESOURCE -> systemat(1773) exceeded mem limit: InactiveSoft 10 MB (non-Fatal)
|

LLIO: user 0 no slide present, initialization failed, fallback to restrict
unexpected session: 100000 uid: -1 requested by: 37
AppleKeyStore: operation failed (pid: 37) set: 7 ret: a00002c2 "-536870206", -1, 1000000
Igh: Requested Rate is Below 10000
Igh: Link is Up 1000 Mbps Full Duplex, Flow Control: RX/IX
AppleIOB: startQueue()
and: starting synthetic DRD (immediately for f000:4:1092:ark6:150:adfb)
and: DRD complete for f000:4:1092:ark6:150:adfb - no duplicates found.
RCPI_SMC_PlatformPlugin: start - wait for ServiceResourceMatching (AppleIntelCPUPowerManagement)
and
WARNING: IOPlatformPlugin(111) : getCPUIDInfo unknown CPU Family: Family 0x37, model 0x0
- power management may be incomplete or unsupported
EXC_RESOURCE -> kernelat(166) exceeded mem limit: InactiveSoft 50 MB (non-Fatal)
EXC_RESOURCE -> kernelat(166) exceeded mem limit: InactiveSoft 50 MB (non-Fatal)
kextIIOAppleNvidiaDriver_MVD0800000: In interface com.apple.kpi.bsd of __kernel__... could
d symbol _buf_tcp_socket_in
kextIIOAppleNvidiaDriver_MVD0800000: In interface com.apple.kpi.bsd of __kernel__... could
d symbol _buf_tcp_socket_out
kextIIOAppleNvidiaDriver_MVD0800000: In interface com.apple.kpi.mach of __kernel__... could
not find symbol _mach_krtdp_register_unregister_klntstamp_callback
IOConsoleUsers: time(0) 0-00, tick 0, tick 1
IOConsoleUsers: gDPScreenLockState 3, hs 0, hs 0, row 0, us 0x0
EXC_RESOURCE -> systemat(1773) exceeded mem limit: InactiveSoft 10 MB (non-Fatal)
|

NIFS driver 3.13 (OpenFS)
NIFS: error (device /dev/disk3s1, pid 152): nifs_restart_page_header_in_val(0): SlogFile ve
2.0 is not supported. (This driver supports version 1.1 only.)
NIFS: error (device /dev/disk3s1, pid 152): nifs_restart_page_header_in_val(0): SlogFile ve
2.0 is not supported. (This driver supports version 1.1 only.)
NIFS: error (device /dev/disk3s1, pid 152): nifs_logfile_check(): Did not find any restart p
in SlogFile and it was not empty.
NIFS: error (device /dev/disk3s1, pid 152): nifs_system_locker_get(): SlogFile is not clea
it not be able to restart read-write. Reboot in Windows.
|
```

NVWebdriver (17A365) installiert, seit dem bootet

(nach Installation)

(aktuell mit NVWebDriverLibValFix,

NVWebDriverLibValFix, System Parameters/NvidiaWeb)