

Erledigt Ryzen 2700X | ASRock Fatal1ty X470 Gaming K4

Beitrag von „ElZampano“ vom 27. Juli 2018, 09:29

Apfs.efi habe ich aus usr/standalone/i386 clover ist die aktuelle Version eigentlich r4617

vom Stick aus bleibt der Boot Vorgang hängen

UPDATE:

```
will-in decrypter used
DTraceSyncLockManager: start Starting
DTraceSyncLockManager: start Registered service
IID: Legacy shim 2
IID: Legacy shim 2
IID: Legacy shim 2
IID: Legacy shim 2
IID: Legacy shim 2
AppleEfi: startQueue()
IID: Legacy shim 2
unexpected session: 100000 uid: -1 requested by: 37
AppleKeyStore: operation failed (pid: 37) set: 7 ret: a00002c2 "-536870206", -1, 1000000
Igh: Link is Up 1000 Mbps Full Duplex, Flow Control: RX/IX
AppleIGB: startQueue()
and: starting synthetic DRD (immediately for f000:4:1092:ark6:150:adfb)
and: DRD complete for f000:4:1092:ark6:150:adfb - no duplicates found.
EXC_RESOURCE -> finddeviceat(171) exceeded mem limit: InactiveSoft 30 MB (non-Fatal)
kextIIOAppleNvidiaDriver_MDR0800000: In interface com.apple.kpi.bsd of __kernel__... could
d symbol _kpf_tcp_packet_in
kextIIOAppleNvidiaDriver_MDR0800000: In interface com.apple.kpi.bsd of __kernel__... could
d symbol _kpf_tcp_packet_out
kextIIOAppleNvidiaDriver_MDR0800000: In interface com.apple.kpi.mach of __kernel__... could
d symbol _mach_krtdgs_register_register_ktimeamp_callback
IOConsoleUsers: time(0) 0-00, ltk 0, ltk 1.
IOConsoleUsers: gDSScreenLockState 3, hs 0, hs 0, row 0, ss 0x0
EXC_RESOURCE -> systemat(173) exceeded mem limit: InactiveSoft 10 MB (non-Fatal)
|

LLIO: user 0 no slide present, initialization failed, fallback to restrict
unexpected session: 100000 uid: -1 requested by: 37
AppleKeyStore: operation failed (pid: 37) set: 7 ret: a00002c2 "-536870206", -1, 1000000
Igh: Requested Rate is Above 1000Mbps
Igh: Link is Up 1000 Mbps Full Duplex, Flow Control: RX/IX
AppleIGB: startQueue()
and: starting synthetic DRD (immediately for f000:4:1092:ark6:150:adfb)
and: DRD complete for f000:4:1092:ark6:150:adfb - no duplicates found.
PCP_SMC_PlatformPlugin: start - wait for ServiceResourceMatching (AppleIntelCPUPowerManagement)
and
WARNING: IOPlatformPlugin(11) : getCPUIDInfo unknown CPU Family: Family 0x37, model 0x0
-> power management may be incomplete or unsupported
EXC_RESOURCE -> kernelat(166) exceeded mem limit: InactiveSoft 50 MB (non-Fatal)
EXC_RESOURCE -> kernelat(166) exceeded mem limit: InactiveSoft 50 MB (non-Fatal)
kextIIOAppleNvidiaDriver_MDR0800000: In interface com.apple.kpi.bsd of __kernel__... could
d symbol _kpf_tcp_packet_in
kextIIOAppleNvidiaDriver_MDR0800000: In interface com.apple.kpi.bsd of __kernel__... could
d symbol _kpf_tcp_packet_out
kextIIOAppleNvidiaDriver_MDR0800000: In interface com.apple.kpi.mach of __kernel__... could
not find symbol _mach_krtdgs_register_register_ktimeamp_callback
EXC_RESOURCE -> systemat(173) exceeded mem limit: InactiveSoft 10 MB (non-Fatal)
IOConsoleUsers: time(0) 0-00, ltk 0, ltk 1.
IOConsoleUsers: gDSScreenLockState 3, hs 0, hs 0, row 0, ss 0x0
NIFS driver 3.13 (OpenFS)
NIFS: error (device /dev/disk3s1, pid 152): nifs_restart_page_header_in_val(0): $logFile ve
2.0 is not supported. (This driver supports version 1.1 only.)
NIFS: error (device /dev/disk3s1, pid 152): nifs_restart_page_header_in_val(0): $logFile ve
2.0 is not supported. (This driver supports version 1.1 only.)
NIFS: error (device /dev/disk3s1, pid 152): nifs_logFile_check(): Did not find any restart
in $logFile and it was not empty.
NIFS: error (device /dev/disk3s1, pid 152): nifs_system_locker_get(): $logFile is not clea
r, not the data to restart read-write. Reboot in Windows.
|
```

Webdriver (17A365) installiert, seit dem bootet

(nach Installation)

(aktuell mit NVWebDriverLibValFix,

NVWebDriverLibValFix, System Parameters/NvidiaWeb)