

OpenCore Sammelthread (Hilfe und Diskussion)

Beitrag von „derHackfan“ vom 10. November 2019, 20:19

Habe mir das ganze mal im Terminal und in Clover angesehen,

```
uuenigge@uuenigge:~$ sudo csrutil status
Last login: Sun Nov 18 20:02:42 on console
uuenigge@uuenigge-Mac ~$ sudo csrutil status
System Integrity Protection status: disabled.
uuenigge@uuenigge-Mac ~$
```

```
Clover rev 4961 - System Integrity Protection (0x0077)->

Modify the System Integrity Protection configuration.
All configuration changes apply to the entire machine.

Allow unrestricted FS: [-]
Allow Task For PID: [-]
Allow Kernel Debugger: [ ]
Allow Apple Internal: [ ]
Allow unrestricted traces: [-]
Allow unrestricted NVRAM: [-]
Allow Device Configurations: [ ]
Allow Any Recovery OS: [ ]
Allow Unapproved Kexts: [ ]
Return
```

```
uuenigge@uuenigge-Mac ~$ sudo csrutil status
System Integrity Protection status: disabled (Apple Internal).
uuenigge@uuenigge-Mac ~$
```

```
Clover rev 4961 - System Integrity Protection (0x0077)->

Modify the System Integrity Protection configuration.
All configuration changes apply to the entire machine.

Allow Unrestricted FS: [-]
Allow Task For PID: [-]
Allow Kernel Debugger: [ ]
Allow Apple Internal: [ ]
Allow unrestricted traces: [-]
Allow unrestricted NVRAM: [-]
Allow Device Configurations: [ ]
Allow Any Recovery OS: [ ]
Allow Unapproved Kexts: [ ]
Return
```

```
ueenigge@uees-iMac ~ % csrutil status
System Integrity Protection status: unknown (Custom Configuration).

Configuration:
  Apple Internal: enabled
  Kext Signing: disabled
  Filesystem Protections: disabled
  Debugging Restrictions: disabled
  DTrace Restrictions: disabled
  NVMM Protections: disabled
  BaseSystem Verification: enabled

This is an unsupported configuration, likely to break in the future and leave yo
ur machine in an unknown state.
ueenigge@uees-iMac ~ %
```

```
CSOver rev 4961 - System Integrity Protection [0x007F]->

Modify the System Integrity Protection configuration.
All configuration changes apply to the entire machine.

Allow unrestricted FI: [+ ]
Allow Task For PID: [+ ]
Allow Kernel Debugger: [+ ]
Allow Apple Internal: [+ ]
Allow unrestricted STrace: [+ ]
Allow unrestricted NVMM: [+ ]
Allow Device Configuration: [ ]
Allow Any Recovery OS: [ ]
Allow Unapproved Kexts: [ ]
Return
```

also die Feinheiten und für mich persönlich auch viel verständlicher in der Praxis. 😊

Gruß derHackfan