

Erledigt

Mojave Installation hängt bei 100%

Beitrag von „Giganttilom“ vom 29. Dezember 2019, 20:47

Mit der einen EFI hänge ich hier fest ohne Fehlermeldung:

```
AppleACPICPU: ProcessorId=6 LocalApicId=10 Enabled
AppleACPICPU: ProcessorId=7 LocalApicId=12 Enabled
AppleACPICPU: ProcessorId=8 LocalApicId=14 Enabled
AppleACPICPU: ProcessorId=9 LocalApicId=1 Enabled
AppleACPICPU: ProcessorId=10 LocalApicId=3 Enabled
AppleACPICPU: ProcessorId=11 LocalApicId=5 Enabled
AppleACPICPU: ProcessorId=12 LocalApicId=7 Enabled
AppleACPICPU: ProcessorId=13 LocalApicId=9 Enabled
AppleACPICPU: ProcessorId=14 LocalApicId=11 Enabled
AppleACPICPU: ProcessorId=15 LocalApicId=13 Enabled
AppleACPICPU: ProcessorId=16 LocalApicId=15 Enabled
calling mpo_policy_init for AMFI
Security policy loaded: Apple Mobile File Integrity (AMFI)
calling mpo_policy_init for Sandbox
Security policy loaded: Seatbelt sandbox policy (Sandbox)
calling mpo_policy_init for Quarantine
Security policy loaded: Quarantine policy (Quarantine)
calling mpo_policy_init for TMSafetyNet
Security policy loaded: Safety net for Time Machine (TMSafetyNet)
IOAPIC: Version 0x20 Vectors 64:111
ACPI: Executed 44 blocks of module-level executable AML code
ACPI: sleep states S3 S4 S5
CPUSensors: CPU family 0x6, model 0x9e, stepping 0xd, cores 8, threads 16, Tjmax 100
CPUSensors: setting platform keys to [j45 ]
CPUSensors: base CPU multiplier is 36
CPUSensors: started
pci (build 17:03:14 Aug 20 2019), flags 0x20c3080
IID: Legacy shim 2
SMCRTC: start
IID: Legacy shim 2
FakeSMconsole relocated to 0x7f80000000
Using 16384 buffer headers and 10240 cluster IO buffer headers
[ PCI configuration end, bridges 2, devices 15 ]
IntelMausiEthernet: Version 2.4.1d1 starting on OS X Darwin 18.7.
```