

OpenCore Sammelthread (Hilfe und Diskussion)

Beitrag von „karacho“ vom 30. Januar 2020, 14:33

Dazu habe ich noch dieses gefunden... <https://krypted.com/lists/comp...-of-mac-os-x-error-codes/>

```
Apple event manager error messages
errAEC coercion fail = -1700, /* bad parameter data or unable to coerce the
data supplied */
errAEDescNotFound = -1701,
errAECorruptData = -1702,
errAEWrongDataType = -1703,
errAENotAEDesc = -1704,
errAEBadListItem = -1705, /* the specified list item does not exist */
errAENewerVersion = -1706, /* need newer version of the AppleEvent
manager */
errAENotAppleEvent = -1707, /* the event is not in AppleEvent format */
errAEEventNotHandled = -1708, /* the AppleEvent was not handled by
any handler */
errAEReplyNotValid = -1709, /* AEResetTimer was passed an invalid re-
ply parameter */
errAEUknownSendMode = -1710, /* mode wasn't NoReply, WaitReply,
or QueueReply or Interaction level is unknown */
errAEWaitCanceled = -1711, /* in AESend, the user cancelled out of wait
loop for reply or receipt */
errAETimeout = -1712, /* the AppleEvent timed out */
errAENoUserInteraction = -1713, /* no user interaction is allowed */
errAENotASpecialFunction = -1714, /* there is no special function
for with this keyword */
errAEParmMissed = -1715, /* a required parameter was not accessed */
errAEUknownAddressType = -1716, /* the target address type is not
known */
```

Edit: Wie mountest du deine ESP?