

OpenCore Sammelthread (N-D-K Fork)

Beitrag von „karacho“ vom 31. Januar 2020, 10:59

[Zitat von Download-Fritz](#)

Custom-Einträge können kein Standard sein, wenn es andere gibt

Er nutzt den N-D-K Fork, da ist das so.



OpenCore

Additional features/changes implemented by this fork

- [Multi-Boot]**
 - ACPI patches are optional for non ACPI users setting `ACPI=disable=disable` to get defaults on
 - Better Security, SMBIOS and Secure Properties patches will only apply to ACPI.
- [Kexts]**
 - Full functional kexts (S/L) corresponding to Boot Entry's index number and delivered as (libkext)
- [Boot Picker]**
 - More boot/ctrl, auto boot to the same OS or default ctrl to always boot the OS with the 00 version
 - Auto boot to previous loaded OS (if `Auto=force=oldAutoBoot`) is `NO/Yes`.
 - `Auto Recovery/No` entries are hidden by default, use `Picker` in Boot Menu as a toggle switch.
- [Custom Entries]**
 - Custom entries are now listed first in picker menu and by the order they are appeared in `Boot-Info`
 - Default custom entry can be set hidden using `Hidden=0/1` in `Boot-Info`.
 - Ability to change entry name found by auto loader by adding custom entry with the exact same desc.
- [Other]**
 - No verbose `efi` driver loading (if using `efi` instead of `AppleIntelCPUPanel.efi`).
 - Fixed the embedded boot and stages boot loader bugs for the previous version, see `Boot-Info=efi`.
 - `Auto-Recovery=No` script can be copied with `Auto=old` file can modify set to `Auto=old` if
 - `Auto-Recovery=No` script are also available for update without custom menu support. (New)

Usage:

- To add OpenCore, run `"./add-macutils.sh"` at Terminal (requires Apple and Apple Command Line Tool installed, and open access to accept license agreement before compiling).
- To add `Boot-Info` files, run `"./add-boot-info.sh"`.