

OpenCore Sammelthread (N-D-K Fork)

Beitrag von „karacho“ vom 5. März 2020, 12:11

[Zitat von ozw00d](#)

Muss dann in den Drivers Ordner, schätze ich.

Genau, ist auch so in der Sample.plist eingetragen, nur mit einer Raute davor. AudioDxe.efi in den Treiber Ordner, Raute entfernen, dann sollte es klappen.

Property List	Type	Wert
▼ Misc	Dictionary	13 Schlüssel/Wert-Paare
!WARNING - 1	String	This is just a sample. Do NOT try loading it.
!WARNING - 2	String	Ensure you understand EVERY field before booting.
!WARNING - 3	String	In most cases recommended to use Sample.plist
!WARNING - 4	String	Use SampleFull.plist for end of life models: 2011 and older.
!WARNING - 5	String	https://docs.google.com/spreadsheets...TmeEg9d9U73mKKEedkq6d
! ACPI	Dictionary	4 Schlüssel/Wert-Paare
! Booter	Dictionary	2 Schlüssel/Wert-Paare
! DeviceProperties	Dictionary	2 Schlüssel/Wert-Paare
! Kernel	Dictionary	3 Schlüssel/Wert-Paare
! Misc	Dictionary	6 Schlüssel/Wert-Paare
! NVRAM	Dictionary	6 Schlüssel/Wert-Paare
! PlatformInfo	Dictionary	6 Schlüssel/Wert-Paare
! UEFI	Dictionary	7 Schlüssel/Wert-Paare
! Audio	Dictionary	7 Schlüssel/Wert-Paare
ConnectDrivers	Boolean	YES
▼ Drivers	Array	7 Elemente
0	String	HSPlus.efi
1	String	AptDriverLoader.efi
2	String	FdFunctionServices.efi
3	String	#AppleUbootDxe.efi
4	String	#RtDatabase.efi
5	String	#MmExpressDxe.efi
6	String	#ChiDxe.efi
7	String	#AudioDxe.efi
! Input	Dictionary	8 Schlüssel/Wert-Paare
! Output	Dictionary	11 Schlüssel/Wert-Paare
! Protocols	Dictionary	13 Schlüssel/Wert-Paare
! Quirks	Dictionary	6 Schlüssel/Wert-Paare