

Big Sur iso erstellen

Beitrag von „Schwarzkopf“ vom 22. September 2020, 13:22

jetzt gehts komischerweise nicht mehr komisch

Code

1. Last login: Tue Sep 22 12:06:53 on ttys000
2. pino@Pinos-iMac-Pro ~ % sudo hdiutil create -o /tmp/BigSur -size 20100m -volname BigSur -layout SPUD -fs HFS+
- 3.
- 4.
5. Password:
6. created: /tmp/BigSur.dmg
7. pino@Pinos-iMac-Pro ~ % sudo hdiutil attach /tmp/BigSur.dmg -noverify -mountpoint /Volumes/BigSur
- 8.
9. /dev/disk4 Apple_partition_scheme
10. /dev/disk4s1 Apple_partition_map
11. /dev/disk4s2 Apple_HFS /Volumes/BigSur
12. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\ Big\ Sur\ Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/BigSur ----nointeraction
13. createinstallmedia: unrecognized option `----nointeraction'
14. Usage: createinstallmedia --volume <path to volume to convert>
- 15.
16. Arguments
17. --volume, A path to a volume that can be unmounted and erased to create the install media.
18. --nointeraction, Erase the disk pointed to by volume without prompting for confirmation.
19. --downloadassets, Download on-demand assets that may be required for installation.
- 20.
21. Example: createinstallmedia --volume /Volumes/Untitled
22. pino@Pinos-iMac-Pro ~ % hdiutil eject -force /Volumes/Install\ macOS\ Big\ Sur\ Beta
23. hdiutil: eject failed - Es existiert keine Datei und kein Ordner dieser Art
24. pino@Pinos-iMac-Pro ~ % sudo hdiutil create -o /tmp/BigSur -size 20100m -volname BigSur -layout SPUD -fs HFS+
- 25.
- 26.
27. created: /tmp/BigSur.dmg

28. pino@Pinos-iMac-Pro ~ % sudo hdiutil attach /tmp/BigSur.dmg -noverify -mountpoint /Volumes/BigSur

29.

30.

31. /dev/disk4 Apple_partition_scheme

32. /dev/disk4s1 Apple_partition_map

33. /dev/disk4s2 Apple_HFS /Volumes/BigSur

34. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\ Big\ Sur\ Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/BigSur ----nointeraction

35. createinstallmedia: unrecognized option `----nointeraction'

36. Usage: createinstallmedia --volume <path to volume to convert>

37.

38. Arguments

39. --volume, A path to a volume that can be unmounted and erased to create the install media.

40. --nointeraction, Erase the disk pointed to by volume without prompting for confirmation.

41. --downloadassets, Download on-demand assets that may be required for installation.

42.

43. Example: createinstallmedia --volume /Volumes/Untitled

44. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\ Big\ Sur\ Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/BigSur ----nointeraction

45. createinstallmedia: unrecognized option `----nointeraction'

46. Usage: createinstallmedia --volume <path to volume to convert>

47.

48. Arguments

49. --volume, A path to a volume that can be unmounted and erased to create the install media.

50. --nointeraction, Erase the disk pointed to by volume without prompting for confirmation.

51. --downloadassets, Download on-demand assets that may be required for installation.

52.

53. Example: createinstallmedia --volume /Volumes/Untitled

54. pino@Pinos-iMac-Pro ~ % hdiutil eject -force /Volumes/Install\ macOS\ Big\ Sur\ Beta

55. hdiutil: eject failed - Es existiert keine Datei und kein Ordner dieser Art

56. pino@Pinos-iMac-Pro ~ % hdiutil convert /tmp/BigSur.dmg -format UDTO -o ~/Desktop/BiBigSur

57.

58.

59. hdiutil: convert failed - Die Ressource ist zeitweilig nicht verfügbar

60. pino@Pinos-iMac-Pro ~ % mv -v ~/Desktop/BigSur.cdr ~/Desktop/BigSur.iso

61.

62.

63. mv: rename /Users/pino/Desktop/BigSur.cdr to /Users/pino/Desktop/BigSur.iso: No such file or directory

```
64. pino@Pinos-iMac-Pro ~ % sudo rm -fv /tmp/BigSur.dmg
65.
66.
67. /tmp/BigSur.dmg
68. pino@Pinos-iMac-Pro ~ %
```

Alles anzeigen