

Programm lässt sich nicht installieren - Schreibrechte?

Beitrag von „JimSalabim“ vom 15. Oktober 2020, 19:40

[karacho](#) Für Big Sur müsste der Wert für deaktivierte [SIP](#) <FF0F0000> sein, nicht mehr <67000000> (siehe weiter oben und Dortania-Big-Sur-Installations-Guide). Hab allerdings keinen Schimmer, was sich da genau geändert hat.

EDIT: Ach doch, jetzt hab ich nen kleinen Schimmer, siehe hier 😊

You can choose different values to enable or disable certain flags of SIP. Some useful tools to help you with these are [CurDecode](#) and [csrstat](#). Common values are as follows (bytes are pre-hex swapped for you, and note that they go under NVRAM -> Add -> 7C436110-AB2A-4BBB-AB80-FE41995C9F82 -> csr-active-config):

- 00000000 - SIP completely enabled (0x0).
- 03000000 - Disable text signing (0x1) and filesystem protections (0x2).
- FF030000 - Disable all flags in macOS High Sierra (0x3ff).
- FF070000 - Disable all flags in macOS Mojave and in macOS Catalina (0x7ff) as Apple introduced a value for executable policy.
- FF0F0000 - Disable all flags in macOS Big Sur (0xfff) which has another new flag for authenticated root.