

Catalina Installation bricht nach Kopieren der Installationsdateien ab

Beitrag von „doktamotta“ vom 21. Februar 2021, 19:35

Hi zusammen,

ja [g-force](#), ich hab den von dir verlinkten Guide befolgt. Leider passt die Verzeichnisstruktur, wie sie in dem Guide dargestellt ist, überhaupt nicht zu meinem alten EVI Verzeichnis. Daher habe ich das EVI-Verzeichnis umbenannt und Clover erneut eingespielt und gemäß des Guides die Verzeichnisse und den Inhalt erstellt und die config.plist erzeugt.

Leider bleibt das System beim Booten hängen:




```
[IGPU] Scheduler interface revision = 1: Default EL Scheduler
[IGPU] *****
[IGPU] Graphics accelerator is using scheduler interface revision 1
[IGPU] Scheduler: Multiple channel indexes per command streamer
[IGPU] Scheduler: Process CSB using HWS.
[IGPU] Scheduler: PM notify enabled
[IGPU] Graphics Address: PPGTT, Separate Address Space
[IGPU] MultiForceWake Enabled: Using 3D Driver
[IGPU] Scheduler Throttle Cap = 100ms.
ufsd_ExtFS : UFS version 10.00 => loaded
process kdc[189] crossed memory high watermark (15 MB); sending EXC
process 189 (kdc) exceeded physical memory footprint, the InactiveS
ufsd_NTFS : UFS version 10.00 => loaded
process MRT[53] crossed memory high watermark (50 MB); sending EXC
process 53 (MRT) exceeded physical memory footprint, the InactiveS
Sound assertion in AppleHDADriver at line 1664
Sound assertion in AppleHDADriver at line 1664
Sound assertion in AppleHDADriver at line 1664
Sound assertion in AppleHDADriver at line 1664
Sound assertion in AppleHDADriver at line 1664
Sound assertion in AppleHDADriver at line 1664
Sound assertion in AppleHDADriver at line 2324
Sound assertion in AppleHDADriver at line 216
Sound assertion in AppleHDADriver at line 3747
Sound assertion in AppleHDADriver at line 1098
busy timeout[0], (60s), kextd wait(0): 'AppleACPICPU'
considerRebuildOfPrelinkedKernel com.apple.driver.AppleBacklightEx
busy timeout[1], (60s), kextd wait(0): 'AppleACPICPU'
IOConsoleUsers: time(0) 0->0, lln 0, ltk 1,
IOConsoleUsers: gIOScreenLockState 3, hs 0, bs 0, now 0, sm 0x0
```


Der letzte Eintrag aus dem Bootlog ist:

Code



1. 2:058 0:003 Custom boot screen not used because entry has unset use graphics

Die config.plist habe ich aufbauend von meiner alten Config ausgehend wie folgt aufgebaut:





Irgendwo habe ich gelesen, dass bei der Grafikkarte 32MB Speicher eingetragen werden soll. Leider weiß ich nicht, wo das erfolgen soll.

Aktuell komme ich nicht weiter.  

Als Referenz ist das EVI Verzeichnis hier [EFI 2.zip](https://www.hackintosh-forum.de/forum/thread/52733-catalina-installation-bricht-nach-kopieren-der-installationsdateien-ab/?postID=682316#post682316) angehängt.