

OpenCore Sammelthread (Hilfe und Diskussion)

Beitrag von „Arkturus“ vom 6. März 2021, 19:04

OC 0.6.7 bleibt auf dem T430 mit MacBookPro11,2 und BigSur 11.3 Beta beim apfs_module_start hängen. Die Kexte sind alle aktuell. OC 0.6.6 läuft bestens, wohin ich ein Downgrade mache.

EDIT: gleiches Problem beim nightly 0.6.8 v. heutigen Tage.

```
AppleFDEKeyStore: boot 3
HID: Legacy shim 2
console relocated to 0xf8000000
[ PCI configuration end, bridges 4, devices 13 ]
Lilu user: @ disabling user patcher on request!
SMCSuperIO ssio: @ starting up SuperIO sensors
SMCSuperIO ssio: @ failed to detect supported SuperIO
pci8086,85 cannot assert wake from D3cold
Previous shutdown cause: 5
000002.444514 AppleUSBLegacyRoot@: AppleUSBLegacyRoot::in
ApplePS2Controller: Notification consumer published: Appl
ApplePS2Controller: Notification consumer published: Appl
VoodooPS2Trackpad starting: Synaptics TouchPad reports typ
ApplePS2Controller: Notification consumer published: Appl
BuildActDeviceEntry enter
HID: Legacy shim 2
AppleActuatorDevice::start Entered
BuildActDeviceEntry exit
apfs_module_start:2483: load: con.apple.filesystems.apfs, v
```