

Bis 0.7.2 läuft Hackintosh perfekt, mit 0.7.3 nur Apfel ohne Ladebalken

Beitrag von „Noir0SX“ vom 18. September 2021, 11:28

msart

- - -

Drivers	Array	(16 items)
Item 0	Dictionary	(3 items)
Path	String	HfsPlus.efi
Enabled	Boolean	1
Arguments	String	
Item 1	Dictionary	(3 items)
Path	String	OpenRuntime.efi
Enabled	Boolean	1
Arguments	String	
Item 2	Dictionary	(3 items)

0.7.3
v0.7.3 released 11 days ago

- Improved SSDT-PMLF compatibility with CFL+ graphics
- Fixed OpenCanopy performance loss due to redrawing introduced in 0.6.9
- Added pattern-based automatic variable initialization for better security
- Updated underlying EDK II package to edk2-stable202108
- Updated Apple Secure Boot variables for (i)86Legacy
- Updated Linux variants in Flavours.md
- Implemented Boot Entry Protocol, allowing plug-in boot entry drivers
- Added StringBuffer and FlexArray libraries
- Updated Drivers to support arguments (requires config.plist update, see samples)
- Added OpenLinuxBoot driver: OC-native Linux autodetect and boot without chaining via GRUB
- Fixed overlong boot entry names breaking test flow in builtin menu
- Added (i)ssxboot(ia)efi: UEFI quirk to enable writing OC system variables

Assets

- OpenCore-0.7.3-DEBUG.zip 6.68 MB
- OpenCore-0.7.3-RELEASE.zip 6.52 MB
- Source code (zip)
- Source code (tar.gz)

[Sample.plist](#)