

Kann ich Monterey auf meinem Hackintosh installieren?

Beitrag von „MacAbe“ vom 28. Dezember 2021, 11:36

Warum ist AllowRelocationBlock bei dir unter Quirks aktiviert, ist notwendig um zu starten ?

```
1. AllowRelocationBlock
Type: plist boolean
Failsafe: false
Description: Allows booting macOS through a relocation block.

The relocation block is a scratch buffer allocated in the lower 4 GiB used for loading the kernel and related
structures by EFIboot on firmware where the lower memory region is otherwise occupied by (assumed) non-runtime
data. Right before kernel startup, the relocation block is copied back to lower addresses. Similarly, all the other
addresses pointing to the relocation block are also carefully adjusted. The relocation block can be used when:

• No better slide exists (all the memory is used)
• slide=0 is forced (by an argument or safe mode)
• KASLR (slide) is unsupported (this is macOS 10.7 or older)

This quirk requires ProvideCustomSlide to be enabled and typically also requires enabling AvoidRuntimeDefrag
to function correctly. Hibernation is not supported when booting with a relocation block, which will only be used
if required when the quirk is enabled.

Note: While this quirk is required to run older macOS versions on platforms with used lower memory, it is not
compatible with some hardware and macOS 11. In such cases, consider using EnableSafeModeSlide instead.
```

lies letzte Zeilen.