

Big Sur Installation brach ab...

Beitrag von „wu ming“ vom 24. April 2022, 11:34

Während [Hecatomb](#) noch schläft 

habe ich die aktuelle Config die ich für Monterey verwende mit der Config von BigSur, beide von [Hecatomb](#) verglichen und paar Sachen aus BigSur in Monterey aktiviert, angelichen. Ob man das so einfach machen kann / darf / muss / soll keine Ahnung. Auf jeden Fall ging dann der Start der Intstalation ein bissl weiter, kann also nicht ganz verkehrt gewesen sein, meine amateurhafte Operation an der Config.

Hier das aktuelle Ergebniss:

```

com.apple.xpc.launchd[2022-04-24 08:57:33.109172 (system/com.apple.webcontentfilter.RecoveryOS [58]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.109174 (system/com.apple.webcontentfilter.RecoveryOS [58]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.109178 (system/com.apple.opendirectoryd) <Notice>; internal event: WILL_SPAWN, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.109181 (system/com.apple.opendirectoryd) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.109182 (system/com.apple.opendirectoryd) <Notice>; service state: spawning
com.apple.xpc.launchd[2022-04-24 08:57:33.109209 (system/com.apple.opendirectoryd) <Notice>; launching: speculative
com.apple.xpc.launchd[2022-04-24 08:57:33.111678 (system/com.apple.opendirectoryd [59]) <Notice>; xpcproxy spawned with pid 59
com.apple.xpc.launchd[2022-04-24 08:57:33.111678 (system/com.apple.opendirectoryd [59]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.111687 (system/com.apple.opendirectoryd [59]) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.111693 (system/com.apple.apsd) <Notice>; internal event: WILL_SPAWN, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.111697 (system/com.apple.apsd) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.111697 (system/com.apple.apsd) <Notice>; service state: spawning
com.apple.xpc.launchd[2022-04-24 08:57:33.111731 (system/com.apple.apsd) <Notice>; launching: speculative
com.apple.xpc.launchd[2022-04-24 08:57:33.114274 (system/com.apple.apsd [60]) <Notice>; xpcproxy spawned with pid 60
com.apple.xpc.launchd[2022-04-24 08:57:33.114285 (system/com.apple.apsd [60]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.114288 (system/com.apple.apsd [60]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.114291 (system/com.apple.coreservices.launchservicesd) <Notice>; internal event: WILL_SPAWN, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.114295 (system/com.apple.coreservices.launchservicesd) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.114296 (system/com.apple.coreservices.launchservicesd) <Notice>; service state: spawning
com.apple.recoveryosd: Current Audit Session: [AUDIT: -1, ASID: 100002]
com.apple.recoveryosd: Invoking sstaudit_addr() -- [AUDIT: 0, ASID: 100002, MASK: 0, TERNID: 48, FLAGS: 50331650]
com.apple.recoveryosd: Invoking SLSPackagesInitializeSessionPreferences()...
com.apple.xpc.launchd[2022-04-24 08:57:33.114323 (system/com.apple.coreservices.launchservicesd) <Notice>; launching: speculative
com.apple.xpc.launchd[2022-04-24 08:57:33.116758 (system/com.apple.coreservices.launchservicesd [61]) <Notice>; xpcproxy spawned with pid 61
com.apple.xpc.launchd[2022-04-24 08:57:33.116768 (system/com.apple.coreservices.launchservicesd [61]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.116771 (system/com.apple.coreservices.launchservicesd [61]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.116774 (system/com.apple.timed) <Notice>; internal event: WILL_SPAWN, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.116705 (system/com.apple.timed) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.116786 (system/com.apple.timed) <Notice>; service state: spawning
com.apple.xpc.launchd[2022-04-24 08:57:33.116822 (system/com.apple.timed) <Notice>; launching: speculative
com.apple.xpc.launchd[2022-04-24 08:57:33.119326 (system/com.apple.timed [62]) <Notice>; xpcproxy spawned with pid 62
com.apple.xpc.launchd[2022-04-24 08:57:33.119337 (system/com.apple.timed [62]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.119339 (system/com.apple.timed [62]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.119342 (system/com.apple.securityd) <Notice>; internal event: WILL_SPAWN, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.119346 (system/com.apple.securityd) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.119347 (system/com.apple.securityd) <Notice>; service state: spawning
com.apple.xpc.launchd[2022-04-24 08:57:33.119374 (system/com.apple.securityd) <Notice>; launching: speculative
com.apple.xpc.launchd[2022-04-24 08:57:33.122163 (system/com.apple.securityd [63]) <Notice>; xpcproxy spawned with pid 63
com.apple.xpc.launchd[2022-04-24 08:57:33.122174 (system/com.apple.securityd [63]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.122177 (system/com.apple.securityd [63]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.122188 (system/com.apple.locationd) <Notice>; internal event: WILL_SPAWN, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.122191 (system/com.apple.locationd) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.122192 (system/com.apple.locationd) <Notice>; service state: spawning
com.apple.xpc.launchd[2022-04-24 08:57:33.122241 (system/com.apple.locationd) <Notice>; launching: semaphore
com.apple.xpc.launchd[2022-04-24 08:57:33.124811 (system/com.apple.locationd [64]) <Notice>; xpcproxy spawned with pid 64
com.apple.xpc.launchd[2022-04-24 08:57:33.124821 (system/com.apple.locationd [64]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.124824 (system/com.apple.locationd [64]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.124827 (system/com.apple.recoverylogd) <Notice>; internal event: WILL_SPAWN, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.124831 (system/com.apple.recoverylogd) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.124832 (system/com.apple.recoverylogd) <Notice>; service state: spawning
com.apple.xpc.launchd[2022-04-24 08:57:33.124876 (system/com.apple.recoverylogd) <Notice>; launching: speculative
com.apple.xpc.launchd[2022-04-24 08:57:33.127397 (system/com.apple.recoverylogd [65]) <Notice>; xpcproxy spawned with pid 65
com.apple.xpc.launchd[2022-04-24 08:57:33.127406 (system/com.apple.recoverylogd [65]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.127409 (system/com.apple.recoverylogd [65]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.127412 (system/com.apple.displaypolicyd) <Notice>; internal event: WILL_SPAWN, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.127415 (system/com.apple.displaypolicyd) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.127422 (system/com.apple.displaypolicyd) <Notice>; service state: spawning
com.apple.xpc.launchd[2022-04-24 08:57:33.127446 (system/com.apple.displaypolicyd) <Notice>; launching: speculative
com.apple.xpc.launchd[2022-04-24 08:57:33.130001 (system/com.apple.displaypolicyd [66]) <Notice>; xpcproxy spawned with pid 66
com.apple.xpc.launchd[2022-04-24 08:57:33.130011 (system/com.apple.displaypolicyd [66]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.130014 (system/com.apple.displaypolicyd [66]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.130017 (system/com.apple.distnoted.xpc.daemon) <Notice>; internal event: WILL_SPAWN, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.130021 (system/com.apple.distnoted.xpc.daemon) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.130022 (system/com.apple.distnoted.xpc.daemon) <Notice>; service state: spawning
com.apple.xpc.launchd[2022-04-24 08:57:33.130054 (system/com.apple.distnoted.xpc.daemon) <Notice>; launching: speculative
com.apple.xpc.launchd[2022-04-24 08:57:33.133250 (system/com.apple.distnoted.xpc.daemon [67]) <Notice>; xpcproxy spawned with pid 67
com.apple.xpc.launchd[2022-04-24 08:57:33.133268 (system/com.apple.distnoted.xpc.daemon [67]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.133270 (system/com.apple.distnoted.xpc.daemon [67]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.133274 (system/com.apple.bsd.dirhelper) <Notice>; internal event: WILL_SPAWN, code = 0
KextLog: Loading FileSet KC(s)
KextLog: Loading Pageable KC from file /System/Library/KernelCollections/BaseSystemKernelExtensions.kc
com.apple.xpc.launchd[2022-04-24 08:57:33.133279 (system/com.apple.bsd.dirhelper) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.133280 (system/com.apple.bsd.dirhelper) <Notice>; service state: spawning
com.apple.xpc.launchd[2022-04-24 08:57:33.133319 (system/com.apple.bsd.dirhelper) <Notice>; launching: speculative
com.apple.xpc.launchd[2022-04-24 08:57:33.138999 (system/com.apple.bsd.dirhelper [68]) <Notice>; xpcproxy spawned with pid 68
com.apple.xpc.launchd[2022-04-24 08:57:33.139008 (system/com.apple.bsd.dirhelper [68]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.139011 (system/com.apple.bsd.dirhelper [68]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.139015 (system/com.apple.KernelEventAgent) <Notice>; internal event: WILL_SPAWN, code = 0
KextLog: Collection UUID matches with loaded KCs.
com.apple.xpc.launchd[2022-04-24 08:57:33.139010 (system/com.apple.KernelEventAgent) <Notice>; service state: spawn scheduled
com.apple.xpc.launchd[2022-04-24 08:57:33.139020 (system/com.apple.KernelEventAgent) <Notice>; service state: spawning
com.apple.xpc.launchd[2022-04-24 08:57:33.139043 (system/com.apple.KernelEventAgent) <Notice>; launching: speculative
com.apple.xpc.launchd[2022-04-24 08:57:33.141992 (system/com.apple.KernelEventAgent [69]) <Notice>; xpcproxy spawned with pid 69
com.apple.xpc.launchd[2022-04-24 08:57:33.142002 (system/com.apple.KernelEventAgent [69]) <Notice>; internal event: SPANNED, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.142004 (system/com.apple.KernelEventAgent [69]) <Notice>; service state: xpcproxy
com.apple.xpc.launchd[2022-04-24 08:57:33.142007 (system/com.apple.recoveryosd) deferred rematching count 1
IOG flags 0x3 (0x51)
<Notice>; internal event: WILL_SPAWN, code = 0
com.apple.xpc.launchd[2022-04-24 08:57:33.142010 (system/com.apple.recoveryosd) <Notice>; service state: spawn scheduled

```

Das letzte was es

und dann kann ich den Kasten auch nicht mehr mit dem Einschalt-Knopf ausschalten, er friert komplett ein und geht nur mit Netzschalter aus.

So, vielleicht weiß da wer Bescheid oder ich warte, was der gute [Hecatomb](#) sagt, der ja dieselbe oder die gleiche Kiste zu Hause hat und sie nur ein Einstöpseln muss.

Gut Ding braucht Weile und ich bemühe mich auch redlich, hinter die Magie des Hackintosh zu kommen....Aber manchmal ist es für *Dilettantische Amateure* im fortgeschrittenen Alter auch nicht mehr ganz so einfach. So fragte ich die Firma Google nach Mats, weil das bei Dortina erwähnt wird, Bords mit Mats diese Einstellungen. Die Firma Google hat mich dann nach Maroco ?? geschickt, oder

verkaufen wollen.

