

# Terminal Befehl ausführbar machen.....

Beitrag von „surfincool“ vom 18. April 2024, 00:31

ok....irgendwas fehlt noch.....

ich beginne ein rtf Dokument zu erstellen da steht drin:

1 Zeile

```
rsync -ahP /Users/surfincool/Desktop/MP3 /Volumes/NAS/SicherD 2> ~/desktop/rsyncerror.txt
```

benenne das rtf in .sh um

..... wenn ich das im Terminal direkt eingeben kopiert die Maschine.....

Datei abgespeichert auf desktop..... im Terminal eingegeben:

```
chmod -x RsyncMP3Nas326.sh
```

```
chmod 755 RsyncMP3Nas326.sh
```

dann Doppelklick auf Datei und dann:

```
Last login: Thu Apr 18 00:13:47 on ttys001
```

```
surfincool@MacBook-Pro-von-Eberhard ~ % /Users/surfincool/Desktop/RsyncMP3Nas326.sh ;  
exit;
```

```
/Users/surfincool/Desktop/RsyncMP3Nas326.sh: line 1: {rtf1ansiansicpg1252cocoartf2761:  
command not found
```

```
/Users/surfincool/Desktop/RsyncMP3Nas326.sh: line 2: syntax error near unexpected token `}'
```

```
/Users/surfincool/Desktop/RsyncMP3Nas326.sh: line 2:  
`cocoatextscaling0\cocoaplatform0{\fonttbl\f0\fnil\fcharset0 Menlo-Regular;}'
```

Saving session...

...copying shared history...

...saving history...truncating history files...

...completed.

[Prozess beendet]