


Erledigt

Bootet nicht mit Ozmosis Gigabyte Z77-DS3H

Beitrag von „bipbipbob“ vom 28. Dezember 2013, 10:44

auch das bios ohne dsdt funktioniert nicht. Abbruch und Neustart wieder bei ca. 20 % Installationskopie.

 :help:

wenn ich mein altes system starte kommt folgender Fehlerbericht:

Sat Dec 28 10:40:31 2013

panic(cpu 2 caller 0xfffff7f81eff7d3): No HPETs available...CPU(s) configured incorrectly

Backtrace (CPU 2), Frame : Return Address

0xfffff81cb523f00 : 0xfffff800021d636

0xfffff81cb523f70 : 0xfffff7f81eff7d3

0xfffff81cb523fb0 : 0xfffff80002b3257

Kernel Extensions in backtrace:

com.apple.driver.AppleIntelCPUPowerManagement(214.0)[3B20B0E5-0D48-36D9-BA2C-B6208BC6E795]@0xfffff7f81ef9000->0xfffff7f81f26fff

BSD process name corresponding to current thread: kernel_task

Boot args: slide=0 root-dmg=file:///BaseSystem.dmg

Mac OS version:

12F45

Kernel version:

Darwin Kernel Version 12.5.0: Sun Sep 29 13:33:47 PDT 2013; root:xnu-2050.48.12~1/RELEASE_X86_64

Kernel UUID: EA38B02E-2B88-309F-BA68-1DE29F605DD8

System model name: MacPro3,1 (Mac-F42C88C8)

System uptime in nanoseconds: 90207651613

last loaded kext at 17622532608: com.apple.iokit.IOUserEthernet 1.0.0d1 (addr 0xfffff7f828ae000, size 40960)

last unloaded kext at 84489439091: com.apple.driver.AppleFileSystemDriver 3.0.1 (addr 0xfffff7f8202e000, size 8192)

loaded kexts:

org.hwsensors.driver.GPUSensors 820

org.hwsensors.driver.LPCSensors 820

org.hwsensors.driver.ACPIsensors 820

org.hwsensors.driver.CPUSensors 820

org.netkas.driver.FakeSMC 820

com.apple.iokit.IOUserEthernet 1.0.0d1

com.apple.driver.AppleUpstreamUserClient 3.5.12

com.apple.driver.AppleMCCSControl 1.1.11

com.apple.iokit.IOBluetoothSerialManager 4.1.7f4

com.apple.Dont_Steal_Mac_OS_X 7.0.0

com.apple.driver.ApplePolicyControl 3.4.5

com.apple.driver.AppleIntelFramebufferCapri 8.1.6

com.apple.driver.AppleLPC 1.6.3

com.apple.driver.ACPI_SMC_PlatformPlugin 1.0.0

com.apple.nke.webcontentfilter 5

com.apple.driver.DiskImages.ReadWriteDiskImage 345

com.apple.driver.DiskImages.UDIFDiskImage 345

com.apple.driver.DiskImages.FileBackingStore 345

com.apple.driver.DiskImages.RAMBackingStore 345

com.apple.driver.XsanFilter 404

com.apple.iokit.IOAHCIBlockStorage 2.3.5

com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1

com.apple.driver.AppleUSBHub 635.4.0

com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0d1

com.apple.BootCache 34

com.apple.driver.AirPort.Atheros40 600.72.2

com.apple.driver.AppleAHCIPort 2.6.6

com.apple.driver.AppleUSBECPI 621.4.6

com.apple.driver.AppleUSBXHCI 635.4.0

com.apple.driver.AppleACPIButtons 1.8

com.apple.driver.AppleRTC 1.5

com.apple.driver.AppleSMBIOS 1.9

com.apple.driver.AppleAPIC 1.7

com.apple.driver.AppleIntelCPUPowerManagementClient 214.0.0

com.apple.nke.applicationfirewall 4.0.39
com.apple.security.quarantine 2.1
com.apple.driver.AppleIntelCPUPowerManagement 214.0.0
com.apple.iokit.IOSurface 86.0.4
com.apple.driver.AppleSMBusController 1.0.11d1
com.apple.iokit.IOSMBusFamily 1.1
com.apple.nvidia.gk100hal 8.1.6
com.apple.NVDAResman 8.1.6
com.apple.iokit.IOBluetoothFamily 4.1.7f4
com.apple.driver.AppleGraphicsControl 3.4.5
com.apple.iokit.IONDRVSupport 2.3.7
com.apple.iokit.IOGraphicsFamily 2.3.7
com.apple.iokit.IOSerialFamily 10.0.6
com.apple.driver.AppleSMC 3.1.5d4
com.apple.driver.IOPlatformPluginLegacy 1.0.0
com.apple.driver.IOPlatformPluginFamily 5.4.1d13
com.apple.driver.DiskImages.KernelBacked 345
com.apple.iokit.IOUSBHIDDriver 623.4.0
com.apple.iokit.IOSCSIBlockCommandsDevice 3.5.6
com.apple.iokit.IOUSBMassStorageClass 3.5.2
com.apple.iokit.IOSCSIArchitectureModelFamily 3.5.6
com.apple.driver.AppleUSBComposite 621.4.0
com.apple.iokit.IOUSBUserClient 630.4.4
com.apple.iokit.IO80211Family 530.5
com.apple.iokit.IONetworkingFamily 3.0
com.apple.iokit.IOAHCIFamily 2.5.1
com.apple.driver.AppleEFINVRAM 2.0
com.apple.iokit.IOUSBFamily 635.4.0
com.apple.driver.AppleEFIRuntime 2.0
com.apple.iokit.IOHIDFamily 1.8.1
com.apple.security.sandbox 220.3
com.apple.kext.AppleMatch 1.0.0d1
com.apple.security.TMSafetyNet 7
com.apple.driver.DiskImages 345
com.apple.iokit.IOStorageFamily 1.8
com.apple.driver.AppleKeyStore 28.21
com.apple.driver.AppleACPIPlatform 1.8
com.apple.iokit.IOPCIFamily 2.8
com.apple.iokit.IOACPIFamily 1.4
com.apple.kec.corecrypto 1.0
Model: MacPro3,1, BootROM MP31.006C.B05, 4 processors, Intel Core i7, 3.4 GHz, 16 GB, SMC 1.30f3
Graphics: NVIDIA GeForce GTX 660, NVIDIA GeForce GTX 660, PCIe, 2048 MB

Memory Module: BANK 0/ChannelA-DIMM0, 8 GB, DDR3, 1333 MHz, G Skill Intl, F3-1600C11-8GNT
Memory Module: BANK 2/ChannelB-DIMM0, 8 GB, DDR3, 1333 MHz, G Skill Intl, F3-1600C11-8GNT
AirPort: spairport_wireless_card_type_airport_extreme (0x168C, 0x3112), Atheros 9380: 4.0.72.0-P2P
Bluetooth: Version 4.1.7f4 12974, 3 service, 21 devices, 3 incoming serial ports
Network Service: Wi-Fi, AirPort, en0
Serial ATA Device: SanDisk SDSSDHP256G, 256,06 GB
Serial ATA Device: WDC WD5000AADS-00S9B0, 500,11 GB
USB Device: hub_device, 0x8087 (Intel Corporation), 0x0024, 0x1a100000 / 2
USB Device: USB Keyboard, 0x1241, 0x1603, 0x1a140000 / 5
USB Device: BCM2046B1, 0x0a5c (Broadcom Corp.), 0x4500, 0x1a150000 / 4
USB Device: BLUETOOTH USB +EDR ADAPTER v2.1 UHE, 0x050d (Belkin Corporation), 0x016a, 0x1a153000 / 8
USB Device: composite_device, 0x0a5c (Broadcom Corp.), 0x4502, 0x1a151000 / 7
USB Device: composite_device, 0x0a5c (Broadcom Corp.), 0x4503, 0x1a152000 / 6
USB Device: USB-PS/2 Optical Mouse, 0x046d (Logitech Inc.), 0xc03d, 0x1a120000 / 3
USB Device: hub_device, 0x8087 (Intel Corporation), 0x0024, 0x1d100000 / 2