

Erledigt

Ich kann den Mac leider nicht abschalten er bleibt immer bei schwarzem Bildschirm stehen...

Beitrag von „vipergps“ vom 31. Oktober 2014, 22:19

und ich muss den netzschalter umlegen, kann mir bitte jemand sagen woran es liegen kann danke

*** Panic Report ***

```
panic(cpu 0 caller 0xfffff800041f12a): "Double fault at 0xfffff8000418494, registers:\n" "CR0: 0x000000008001003b, CR2: 0xfffff81fdeafff8, CR3: 0x00000000160b5000, CR4: 0x00000000001626e0\n" "RAX: 0xfffff80331bec00, RBX: 0xfffff81fdeb3f50, RCX: 0xfffff7f8184151c, RDX: 0xfffff8031900500\n" "RSP: 0xfffff81fdeb0000, RBP: 0xfffff81fdeb0000, RSI: 0x0000000000000001, RDI: 0x0000000000000001\n" "R8: 0x0000000000000072a, R9: 0xfffff8016872148, R10: 0xfffff8004bfc356, R11: 0xfffff81fdeb3ac0\n" "R12: 0xfffff8000a95700, R13: 0x0000000000000001, R14: 0xfffff80008f1790, R15: 0x0000000000000001\n" "RFL: 0x0000000000010293, RIP: 0xfffff8000418494, CS: 0x0000000000000008, SS: 0x0000000000000010\n" "Error code: 0x0000000000000000\n"@/SourceCache/xnu/xnu-2782.1.97/osfmk/i386/trap_native.c:168  
Backtrace (CPU 0), Frame : Return Address  
0xfffff81d1410cf0 : 0xfffff800033a811
```

.....

Backtrace continues...

Kernel Extensions in backtrace:

```
com.apple.driver.AppleSMC(3.1.9)[FC091A2D-8062-3BA9-AE2B-77FA8ADCF2AE]@0xfffff7f8183a000->0xfffff7f81855fff
```

```
dependency: com.apple.iokit.IOACPIFamily(1.4)[70E2B65E-A91A-3522-A1A0-79FD63EABB4C]@0xfffff7f81813000
```

BSD process name corresponding to current thread: kernel_task

Boot args: slide=0 kext-dev-mode=1

Mac OS version:

14A389

Kernel version:

Darwin Kernel Version 14.0.0: Fri Sep 19 00:26:44 PDT 2014; root:xnu-

2782.1.97~2/RELEASE_X86_64

Kernel UUID: 89E10306-BC78-3A3B-955C-7C4922577E61

__HIB text base: 0xffffffff8000100000

System model name: iMac14,2 (Mac-27ADB7B4CEE8E61)System uptime in nanoseconds:
227534824966

last loaded kext at 60958003507: com.apple.driver.AppleUSBCDC 4.2.2b5 (addr
0xffffffff7f81678000, size 24576)

last unloaded kext at 165798670018: com.apple.driver.AppleACPIEC 3.1 (addr
0xffffffff7f82725000, size 28672)

loaded kexts:

com.avira.kext.FileAccessControl 1.0.0d1

com.logitech.driver.LogiGamingMouseFilter 1

com.driver.LogJoystick 2.0

com.intel.driver.EnergyDriver 2.0

org.hwsensors.driver.GPUSensors 1307

org.hwsensors.driver.LPCSensors 1307

com.insanel ymac.driver.AppleIntelE1000e 2.4.14

net.osx86.kexts.GenericUSBXHCI 1.2.7

org.hwsensors.driver.ACPIsensors 1307

org.hwsensors.driver.CPUSensors 1307

org.netkas.driver.FakeSMC 1307

com.apple.filesystems.autofs 3.0

com.apple.iokit.IOBluetoothSerialManager 4.3.0f10

com.apple.driver.AppleHDA 2.5.3fc1

com.apple.driver.AudioAUUC 1.70

com.apple.driver.AppleUpstreamUserClient 3.6.1

com.apple.driver.AppleMCCSControl 1.2.10

com.apple.iokit.IOUserEthernet 1.0.1

com.apple.GeForce 10.0.0

com.apple.driver.AppleOSXWatchdog 1

com.apple.Dont_Steal_Mac_OS_X 7.0.0

com.apple.driver.AppleHWAccess 1

com.apple.driver.AppleHV 1

com.apple.driver.AppleLPC 1.7.3

com.apple.driver.Apple16X50ACPI 3.2

com.apple.driver.ACPI_SMC_PlatformPlugin 1.0.0

com.apple.iokit.SCSITaskUserClient 3.7.0

com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1

com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0d1

com.apple.BootCache 35

com.apple.driver.XsanFilter 404

com.apple.iokit.IOAHCIBlockStorage 2.6.5

com.apple.iokit.AppleIntelI210Ethernet 2.2.0b1
com.apple.driver.AirPort.Atheros40 700.74.5
com.apple.driver.AppleUSBHub 705.4.1
com.apple.driver.AppleAHCIPort 3.0.7
com.apple.driver.AppleUSBHCI 705.4.14
com.apple.driver.AppleACPIButtons 3.1
com.apple.driver.AppleHPET 1.8
com.apple.driver.AppleRTC 2.0
com.apple.driver.AppleSMBIOS 2.1
com.apple.driver.AppleAPIC 1.7
com.apple.nke.applicationfirewall 161
com.apple.security.quarantine 3
com.apple.security.TMSafetyNet 8
com.apple.kext.triggers 1.0
com.apple.iokit.IOUSBUserClient 705.4.0
com.apple.driver.DspFuncLib 2.5.3fc1
com.apple.kext.OSvKernDSPLib 1.15
com.apple.driver.AppleSMBusController 1.0.13d1
com.apple.iokit.IOSurface 97
com.apple.iokit.IOAcceleratorFamily2 156.4
com.apple.nvidia.driver.NVDAGK100Hal 10.0.0
com.apple.nvidia.driver.NVDAResman 10.0.0
com.apple.AppleGraphicsDeviceControl 3.7.21
com.apple.iokit.IOBluetoothFamily 4.3.0f10
com.apple.iokit.IOUSBHIDDriver 705.4.0
com.apple.iokit.IONDRVSupport 2.4.1
com.apple.driver.AppleHDAController 2.5.3fc1
com.apple.iokit.IOGraphicsFamily 2.4.1
com.apple.iokit.IOHDAFamily 2.5.3fc1
com.apple.driver.Apple16X50Serial 3.2
com.apple.iokit.IOSerialFamily 11
com.apple.driver.AppleSMC 3.1.9
com.apple.driver.IOPlatformPluginLegacy 1.0.0
com.apple.driver.IOPlatformPluginFamily 5.8.0d49
com.apple.driver.AppleUSBAudio 295.22
com.apple.iokit.IOAudioFamily 200.6
com.apple.vecLib.kext 1.2.0
com.apple.driver.AppleUSBComposite 705.4.9
com.apple.iokit.IOSCSIMultimediaCommandsDevice 3.7.0
com.apple.iokit.IOBDStorageFamily 1.7
com.apple.iokit.IODVDStorageFamily 1.7.1
com.apple.iokit.IOCDStorageFamily 1.7.1

com.apple.driver.CoreStorage 471
com.apple.iokit.IOAHCISerialATAPI 2.6.1
com.apple.iokit.IOSCSIArchitectureModelFamily 3.7.0
com.apple.iokit.IOEthernetAVBController 1.0.3b3
com.apple.driver.mDNSOffloadUserClient 1.0.1b8
com.apple.iokit.IO80211Family 700.52
com.apple.driver.AppleEFINVRAM 2.0
com.apple.iokit.IOAHCIFamily 2.7.0
com.apple.iokit.IONetworkingFamily 3.2
com.apple.iokit.IOUSBFamily 705.4.14
com.apple.driver.AppleEFIRuntime 2.0
com.apple.iokit.IOHIDFamily 2.0.0
com.apple.iokit.IOSMBusFamily 1.1
com.apple.security.sandbox 300.0
com.apple.kext.AppleMatch 1.0.0d1
com.apple.driver.AppleKeyStore 2
com.apple.driver.AppleMobileFileIntegrity 1.0.5
com.apple.driver.AppleCredentialManager 1.0
com.apple.driver.DiskImages 389.1
com.apple.iokit.IOStorageFamily 2.0
com.apple.iokit.IOReportFamily 31
com.apple.driver.AppleFDEKeyStore 28.30
com.apple.driver.AppleACPIPlatform 3.1
com.apple.iokit.IOPCIFamily 2.9
com.apple.iokit.IOACPIFamily 1.4
com.apple.kec.Libm 1
com.apple.kec.pthread 1
com.apple.kec.corecrypto 1.0

Model: iMac14,2, BootROM IM142.0118.B00, 4 processors, Intel Core i7, 4.4 GHz, 16 GB, SMC 1.30f3

Graphics: NVIDIA Ashley, NVIDIA Ashley, PCIe, 3072 MB

Memory Module: BANK 1/ChannelA-DIMM1, 8 GB, DDR3, 1600 MHz, Crucial Technology, BLT8G3D1608DT1TX0.

Memory Module: BANK 3/ChannelB-DIMM1, 8 GB, DDR3, 1600 MHz, Crucial Technology, BLT8G3D1608DT1TX0.

AirPort: spairport_wireless_card_type_airport_extreme (0x168C, 0x3112), Atheros 9380: 4.0.74.0-P2P

Network Service: Ethernet, Ethernet, en0

Network Service: Wi-Fi, AirPort, en2

PCI Card: NVIDIA Ashley, Display Controller, J6B1

Beitrag von „ProfA12345“ vom 31. Oktober 2014, 22:20

Nutzt du ozmosis, Clover oder Chameleon?

Beitrag von „vipergps“ vom 31. Oktober 2014, 22:47

Eigentlich Ozmosis aber da ich gefühlte 50 Anleitungen versucht habe weil der appstor nicht lief ist das das Ergebnis 😞