

**Erledigt**

## **Sicherheitsupdate 2015-004 -> Hacki bootet nur noch im Safe-Mode**

**Beitrag von „eny7785“ vom 17. November 2015, 18:47**

Ja wie schon der Titel sagt. Ich habe das Update gemacht, ja hätte ich vielleicht sein lassen sollen 😊

Könnt ihr mir helfen? Der Hacki bootet nur noch im Safe-Mode. Habe ihn frisch aufgezogen und habe das Bios mit Osmosis geflasht.

---

**Beitrag von „eny7785“ vom 17. November 2015, 20:20**

im folgenden noch mein Fehlerbericht von OSX. Vielleicht hilft das ja?

Zitat

Anonymous UUID: EE3B83DD-4DC4-FE14-BEE0-F3C163311178

Tue Nov 17 19:58:52 2015

\*\*\* Panic Report \*\*\*

panic(cpu 0 caller 0xfffff8000416df2): Kernel trap at 0xfffff7f820b9e25, type 14=page fault, registers:

CR0: 0x000000008001003b, CR2: 0x0000000000000000, CR3: 0x00000003ff9c5037, CR4: 0x0000000001627e0

RAX: 0x00000006e3625cbe, RBX: 0x0000000000000000, RCX: 0x00000000471c6b88, RDX: 0x0000000000000004

RSP: 0xfffff81edb02fe0, RBP: 0xfffff81edb03010, RSI: 0xfffff80246dfe3c, RDI: 0xfffff8000a29d60

R8: 0xfffff7f8212ffc1, R9: 0x0000000000000008, R10: 0xfffff8000954b90, R11: 0x0000000000000000

R12: 0xffffffff7f818aaa70, R13: 0xffffffff7f818aaa70, R14: 0x0000000000000000, R15:  
0xffffffff80246dfc00  
RFL: 0x0000000000010206, RIP: 0xffffffff7f820b9e25, CS: 0x0000000000000008, SS:  
0x0000000000000010  
Fault CR2: 0x0000000000000000, Error code: 0x0000000000000000, Fault CPU: 0x0

Backtrace (CPU 0), Frame : Return Address

0xffffffff81edb02c90 : 0xffffffff800032ad21  
0xffffffff81edb02d10 : 0xffffffff8000416df2  
0xffffffff81edb02ed0 : 0xffffffff8000433ca3  
0xffffffff81edb02ef0 : 0xffffffff7f820b9e25  
0xffffffff81edb03010 : 0xffffffff7f820c0cba  
0xffffffff81edb03050 : 0xffffffff80008d3dee  
0xffffffff81edb03090 : 0xffffffff7f820c0378  
0xffffffff81edb030e0 : 0xffffffff80008af4da  
0xffffffff81edb03140 : 0xffffffff80008b9287  
0xffffffff81edb03160 : 0xffffffff80008a9139  
0xffffffff81edb031a0 : 0xffffffff80008af6d3  
0xffffffff81edb031d0 : 0xffffffff80008af729  
0xffffffff81edb03210 : 0xffffffff7f820b4bdd  
0xffffffff81edb03240 : 0xffffffff80008af4da  
0xffffffff81edb032a0 : 0xffffffff80008b9287  
0xffffffff81edb032c0 : 0xffffffff80008a9139  
0xffffffff81edb03300 : 0xffffffff80008af6d3  
0xffffffff81edb03330 : 0xffffffff80008af729  
0xffffffff81edb03370 : 0xffffffff80008af4da  
0xffffffff81edb033d0 : 0xffffffff80008b9287  
0xffffffff81edb033f0 : 0xffffffff80008a9139  
0xffffffff81edb03430 : 0xffffffff80008af6d3  
0xffffffff81edb03460 : 0xffffffff80008af729  
0xffffffff81edb034a0 : 0xffffffff80008af4da  
0xffffffff81edb03500 : 0xffffffff80008b9287  
0xffffffff81edb03520 : 0xffffffff80008a9139  
0xffffffff81edb03560 : 0xffffffff80008af6d3  
0xffffffff81edb03590 : 0xffffffff80008af729  
0xffffffff81edb035d0 : 0xffffffff80008af4da  
0xffffffff81edb03630 : 0xffffffff80008b9287  
0xffffffff81edb03650 : 0xffffffff80008a9139  
0xffffffff81edb03690 : 0xffffffff80008af6d3  
0xffffffff81edb036c0 : 0xffffffff80008af729

0xffffffff81edb03700 : 0xffffffff7f81e13df2  
0xffffffff81edb03a50 : 0xffffffff7f813f2321  
0xffffffff81edb03aa0 : 0xffffffff7f813f2234  
0xffffffff81edb03ac0 : 0xffffffff7f813ee320  
0xffffffff81edb03b10 : 0xffffffff7f813f86ff  
0xffffffff81edb03b30 : 0xffffffff7f813f8e79  
0xffffffff81edb03b60 : 0xffffffff80009014f4  
0xffffffff81edb03bc0 : 0xffffffff80008fede3  
0xffffffff81edb03d00 : 0xffffffff80003e1307  
0xffffffff81edb03e10 : 0xffffffff800032ef8c  
0xffffffff81edb03e40 : 0xffffffff80003139f3  
0xffffffff81edb03e90 : 0xffffffff800032429d  
0xffffffff81edb03f10 : 0xffffffff800040231a  
0xffffffff81edb03fb0 : 0xffffffff80004344c6

Kernel Extensions in backtrace:

com.apple.driver.AppleHDA(272.18.3)[6893BD05-570A-3918-8477-C60FC4AF5DE2]@0xffffffff7f820ab000->0xffffffff7f82155fff

dependency: com.apple.driver.AppleHDAController(272.18.3)[BB6A5E87-4857-3FB8-A979-505C84F52C9D]@0xffffffff7f81e0e000

dependency: com.apple.iokit.IONDRVSupport(2.4.1)[7372D580-6DDE-3457-B043-49B8447FC9D2]@0xffffffff7f8142b000

dependency: com.apple.iokit.IOAudioFamily(203.3)[76E5591A-B495-3994-82C9-D4AFE7248ACD]@0xffffffff7f8188c000

dependency: com.apple.iokit.IOHDAFamily(272.18.3)[C5D86DE4-6E4E-310D-89B9-DC0744020876]@0xffffffff7f81dff000

dependency: com.apple.iokit.IOGraphicsFamily(2.4.1)[8922721D-5517-3883-BD3A-57422D0244A0]@0xffffffff7f813e4000

dependency: com.apple.driver.DspFuncLib(272.18.3)[324CB4BD-B0BA-32DF-BE23-5879D2E2D93A]@0xffffffff7f81f7b000

BSD process name corresponding to current thread: WindowServer

Boot args: slide=0 kext-dev-mode=1

Mac OS version:

14F1021

Kernel version:

Darwin Kernel Version 14.5.0: Tue Sep 1 21:23:09 PDT 2015; root:xnu-

2782.50.1~1/RELEASE\_X86\_64  
Kernel UUID: 06D286E3-A8A1-3BE7-A7EB-EAC6E0C69758  
\_\_HIB text base: 0xffffffff8000100000  
System model name: MacPro3,1 (Mac-F42C88C8)

System uptime in nanoseconds: 19584745084  
last loaded kext at 8229812313: com.apple.driver.AppleBluetoothMultitouch 85.3  
(addr 0xffffffff7f81e5d000, size 73728)  
loaded kexts:  
at.obdev.nke.LittleSnitch 4352  
org.hwsensors.driver.LPCSensors 1290  
com.insanelymac.driver.AppleIntelE1000e 3.1.0  
com.kext.HDAEnabler 1.0.0d1  
org.hwsensors.driver.CPUSensors 1290  
org.netkas.driver.FakeSMC 1290  
com.apple.driver.AppleBluetoothMultitouch 85.3  
com.apple.filesystems.autofs 3.0  
com.apple.driver.AppleHDAHardwareConfigDriver 272.18.3  
com.apple.driver.AppleHDA 272.18.3  
com.apple.iokit.SCSITaskUserClient 3.7.5  
com.apple.iokit.BroadcomBluetoothHostControllerUSBTransport 4.3.6f3  
com.apple.driver.AppleGraphicsDevicePolicy 3.7.7  
com.apple.driver.AppleUpstreamUserClient 3.6.1  
com.apple.driver.AppleMCCSControl 1.2.12  
com.apple.driver.AppleTyMCEDriver 1.0.2d2  
com.apple.driver.AppleUSBCDC 4.3.3b1  
com.apple.iokit.IOBluetoothSerialManager 4.3.6f3  
com.apple.driver.AppleIntelHD5000Graphics 10.0.6  
com.apple.driver.ACPI\_SMC\_PlatformPlugin 1.0.0  
com.apple.driver.AppleFIVRDriver 4.1.0  
com.apple.driver.AppleOSXWatchdog 1  
com.apple.driver.AppleIntelFramebufferAzul 10.0.6  
com.apple.driver.Apple16X50ACPI 3.2  
com.apple.iokit.IOUserEthernet 1.0.1  
com.apple.Dont\_Steal\_Mac\_OS\_X 7.0.0  
com.apple.driver.AppleHWAccess 1  
com.apple.driver.AppleHV 1  
com.apple.driver.AppleIntelSlowAdaptiveClocking 4.0.0  
com.apple.driver.AppleFileSystemDriver 3.0.1  
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1

com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0  
com.apple.BootCache 36  
com.apple.driver.AppleUSBHub 705.4.2  
com.apple.driver.XsanFilter 404  
com.apple.iokit.IOAHCIBlockStorage 2.7.1  
com.apple.iokit.IOAHCIPassThrough 1.0.3  
com.apple.driver.AppleUSBXHCI 710.4.11  
com.apple.driver.AppleUSBXHCI 705.4.14  
com.apple.driver.AppleAHCIPort 3.1.2  
com.apple.driver.AppleACPIButtons 3.1  
com.apple.driver.AppleRTC 2.0  
com.apple.driver.AppleHPET 1.8  
com.apple.driver.AppleSMBIOS 2.1  
com.apple.driver.AppleAPIC 1.7  
com.apple.nke.applicationfirewall 161  
com.apple.security.quarantine 3  
com.apple.security.TMSafetyNet 8  
com.apple.driver.IOBluetoothHIDDriver 4.3.6f3  
com.apple.driver.AppleMultitouchDriver 264.6  
com.apple.kext.triggers 1.0  
com.apple.driver.DspFuncLib 272.18.3  
com.apple.kext.OSvKernDSPLib 1.15  
com.apple.iokit.IOBluetoothHostControllerUSBTransport 4.3.6f3  
com.apple.driver.AppleGraphicsControl 3.10.25  
com.apple.driver.AppleSMBusController 1.0.13d1  
com.apple.iokit.IOSMBusFamily 1.1  
com.apple.iokit.IOSCSIBlockCommandsDevice 3.7.5  
com.apple.iokit.IOUSBUserClient 705.4.0  
com.apple.iokit.IOUSBHIDDriver 705.4.0  
com.apple.iokit.IOUSBMassStorageClass 3.7.2  
com.apple.iokit.IONDRVSupport 2.4.1  
com.apple.driver.AppleHDAController 272.18.3  
com.apple.iokit.IOHDAFamily 272.18.3  
com.apple.iokit.IOAudioFamily 203.3  
com.apple.vecLib.kext 1.2.0  
com.apple.driver.IOPlatformPluginLegacy 1.0.0  
com.apple.driver.IOPlatformPluginFamily 5.9.1d7  
com.apple.driver.AppleUSBComposite 705.4.9  
com.apple.driver.AppleSMBusPCI 1.0.12d1  
com.apple.AppleGraphicsDeviceControl 3.10.25  
com.apple.iokit.IOAcceleratorFamily2 156.16

com.apple.driver.Apple16X50Serial 3.2  
com.apple.iokit.IOSerialFamily 11  
com.apple.iokit.IOSurface 97.4  
com.apple.iokit.IOGraphicsFamily 2.4.1  
com.apple.iokit.IOBluetoothFamily 4.3.6f3  
com.apple.iokit.IOSlowAdaptiveClockingFamily 1.0.0  
com.apple.driver.AppleSMC 3.1.9  
com.apple.iokit.IOSCSIArchitectureModelFamily 3.7.5  
com.apple.iokit.IOUSBFamily 720.4.4  
com.apple.iokit.IOAHCIFamily 2.7.5  
com.apple.iokit.IONetworkingFamily 3.2  
com.apple.driver.AppleEFINVRAM 2.0  
com.apple.driver.AppleEFIRuntime 2.0  
com.apple.iokit.IOHIDFamily 2.0.0  
com.apple.security.sandbox 300.0  
com.apple.kext.AppleMatch 1.0.0d1  
com.apple.driver.AppleKeyStore 2  
com.apple.driver.AppleMobileFileIntegrity 1.0.5  
com.apple.driver.AppleCredentialManager 1.0  
com.apple.driver.DiskImages 398  
com.apple.iokit.IOStorageFamily 2.0  
com.apple.iokit.IOReportFamily 31  
com.apple.driver.AppleFDEKeyStore 28.30  
com.apple.driver.AppleACPIPlatform 3.1  
com.apple.iokit.IOPCIFamily 2.9  
com.apple.iokit.IOACPIFamily 1.4  
com.apple.kec.corecrypto 1.0  
com.apple.kec.Libm 1  
com.apple.kec.pthread 1  
Model: MacPro3,1, BootROM MP31.006C.B05, 2 processors, Intel Core i3, 3.6 GHz, 16 GB, SMC 1.30f3  
Graphics: Intel HD Graphics 4600, Intel HD Graphics 4600, Built-In  
Memory Module: BANK 0/DIMM1, 8 GB, DDR3, 1600 MHz, Kingston, KHX1600C10D38G  
Memory Module: BANK 0/DIMM3, 8 GB, DDR3, 1600 MHz, Kingston, KHX1600C10D38G  
Bluetooth: Version 4.3.6f3 16238, 3 services, 27 devices, 0 incoming serial ports  
Network Service: Ethernet, Ethernet, en0  
Serial ATA Device: Samsung SSD 850 EVO 250GB, 250,06 GB  
USB Device: Hub  
USB Device: Hub  
USB Device: BCM20702A0  
USB Device: USB Flash Drive

USB Device: USB KEYBOARD

Thunderbolt Bus:

Alles anzeigen

---

### **Beitrag von „griven“ vom 18. November 2015, 20:34**

Die Panik wird von der AppleHDA verursacht. Hast Du eine VoodooHDA irgendwo im System oder sonst irgendwas, dass an der AppleHDA rumpached? Falls ja mal entfernen...

---

### **Beitrag von „fundave3“ vom 18. November 2015, 20:38**

Oder denn AppleHDADisabler drüberhauen dann sollte es auch wieder gehen