

# Rechner bleibt hängen

Beitrag von „hebandy“ vom 8. Februar 2020, 11:34

Könnt ihr mir sagen was für ein Problem der hat?

Bis gestern lief alles!

```
Arg0: ffffffff80274f5000 <Obj> Integer 000000000000000f
Arg1: ffffffff80274f5d20 <Obj> Integer 0000000000000000

ACPI Error: Method parse/execution failed [\SB.GINF] (Node ffffffff8027962660), AE_AML_PACKAGE_LIMIT (20160930/psparse-632)
ACPI Error: Method parse/execution failed [\SB.GADR] (Node ffffffff8027962900), AE_AML_PACKAGE_LIMIT (20160930/psparse-632)
ACPI Error: Method parse/execution failed [\SB.SHPD] (Node ffffffff80279629f0), AE_AML_PACKAGE_LIMIT (20160930/psparse-632)
ACPI Error: Method parse/execution failed [\SB.PCI0.SPI1.FPNT._INI] (Node ffffffff802796b4e0), AE_AML_PACKAGE_LIMIT (20160930/psparse-632)
ACPI Exception: AE_AML_PACKAGE_LIMIT, during \SB.PCI0.SPI1.FPNT._INI execution (20160930/nsinit-770)
ACPI Error: [^HECI._ADR] Namespace lookup failure, AE_NOT_FOUND (20160930/psargs-163)
[_INI] 000001 00000: Zero
No Local Variables are initialized for method [_INI]

No Arguments are initialized for method [_INI]

ACPI Error: Method parse/execution failed [\SB.PCI0.INE1._INI] (Node ffffffff8027967e0), AE_NOT_FOUND (20160930/psparse-632)
ACPI: sleep states S3 S4 S5
ACPI Error: [^IGPU.CLID] Namespace lookup failure, AE_NOT_FOUND (20160930/psargs-163)
[_STAR] 000001 00000: 0x03
No Local Variables are initialized for method [_STAR]

No Arguments are initialized for method [_STAR]

ACPI Error: Method parse/execution failed [\SB.PCI0.LPCB.EC._STAR] (Node ffffffff80279747b0), AE_NOT_FOUND (20160930/psparse-632)
ACPI Error: [^IGPU.CLID] Namespace lookup failure, AE_NOT_FOUND (20160930/psargs-163)
[_STAR] 000001 00000: 0x03
No Local Variables are initialized for method [_STAR]

No Arguments are initialized for method [_STAR]

ACPI Error: Method parse/execution failed [\SB.PCI0.LPCB.EC._STAR] (Node ffffffff80279747b0), AE_NOT_FOUND (20160930/psparse-632)
ACPI Exception: AE_AML_PACKAGE_LIMIT, Index (0x00000000) is beyond end of object (length 0x4) (20160930/exoparg2-531)
[GINF] 00001E 00000: GCHI [Arg0]
No Local Variables are initialized for method [GINF]

Initialized Arguments for Method [GINF]: (0 arguments defined for method invocation)
Arg0: ffffffff80279f3c00 <Obj> Integer 0000000000000000
Arg1: ffffffff80279f3ca0 <Obj> Integer 0000000000000001

ACPI Error: Method parse/execution failed [\SB.GINF] (Node ffffffff8027962660), AE_AML_PACKAGE_LIMIT (20160930/psparse-632)
ACPI Error: Method parse/execution failed [\SB.INUM] (Node ffffffff80279626c0), AE_AML_PACKAGE_LIMIT (20160930/psparse-632)
ACPI Error: Method parse/execution failed [\SB.PCI0.SPI1.FPNT._CRS] (Node ffffffff802796b540), AE_AML_PACKAGE_LIMIT (20160930/psparse-632)
ACPI Error: Method execution failed [\SB.PCI0.SPI1.FPNT._CRS] (Node ffffffff802796b540), AE_AML_PACKAGE_LIMIT (20160930/uteval-183)
HPET: probeHPET() failed
RTC: Only single RAM bank (128 bytes)
HID: Legacy shla y "FnM"
pci (build 21:27:54 Jan 9 2020), flags 0x20c3000
FakeSMC: 10 preconfigured keys added
[ PCI configuration begin ]
console relocated to 0x7f80000000
[ PCI configuration end, bridges 9, devices 12 ]
FakeSMC: 5 keys exported by Clover EFI
SMC: successfully initialized
Previous shutdown cause: 5
Copyright (c) 1982, 1986, 1989, 1991, 1993
The Regents of the University of California. All rights reserved.

MRC Framework successfully initialized
using 16384 buffer headers and 10240 cluster 10 buffer headers
mcache: 4 CPU(s), 64 bytes CPU cache line size
sbinitt: done [96 MB total pool size, (64/32) split]
dlll_init: Waiting for all the create dlll kernel threads to get scheduled at least once.
dlll_init: All the created dlll kernel threads have been scheduled at least once. Proceeding.
ifnet_attach: All kernel threads created for interface lo0 have been scheduled at least once. Proceeding.
com.apple.AppleFSCompressionTypeZlib kmod start
com.apple.AppleFSCompressionTypeDataless kmod start
calling mpo_policy_init for ASP
Security policy loaded:■
```

Beitrag von „g-force“ vom 8. Februar 2020, 11:44

Du hattest ja gestern was verändert, weil Du keinen Ton mehr hattest.

Poste nochmal deine aktuelle EFI, kannst Du vom Stick booten?

---

## Beitrag von „hebandy“ vom 8. Februar 2020, 14:45

Hab mal was ausprobiert.

Mein Sohn hat exakt den gleichen Rechner wie ich.

Wenn ich die Festplatte bei meinem Sohn einbaue bootet der normal hoch.


Wenn ich die in meinem Rechner einbaue geht es nicht 😞

---

## Beitrag von „AkimoA“ vom 8. Februar 2020, 15:34

Hast du unter anderem diese ACPI Renames in deiner config unten auf dem Bild ?

Und benutzen beide Rechner die IGPU oder hat einer eine externe Grafikkarte dran hängen ?  
Wenn nein würde ich die [Bios Einstellungen](#) der beiden Rechner vergleichen dann solltest du schlauer sein .




---

## Beitrag von „hebandy“ vom 8. Februar 2020, 17:26

Hab jetzt Bios verglichen. Da sind beide Rechner gleich.

Die ACPI Renames habe ich in beiden Config nicht!

Er fährt jetzt ein Stück weiter hoch und bleibt dann hängen



---

## Beitrag von „g-force“ vom 8. Februar 2020, 17:48

Da muß es irgendeinen Unterschied im BIOS geben. Ich empfehle Reset und Neukonfiguration des BIOS.

---

## Beitrag von „AkimoA“ vom 8. Februar 2020, 17:50

Dann würde ich die mal hinzufügen und erneut booten , denn die lösen mit die Panic aus weil er danach sucht aber nichts findet , wenn du dir den output mal genau anschaust .

---

### Beitrag von „hebandy“ vom 8. Februar 2020, 18:58

[AkimoA](#): Hab ich gemacht und jetzt bleibt er beim Apfel hängen!



---

### Beitrag von „AkimoA“ vom 9. Februar 2020, 10:44

Wenn der EFI Ordner aus deinem "kein Ton" Fred aktuell ist wundert mich wenig Lilu ist auf Version 1.2.1 aktuell wäre 1.4.1 , Whatevergreen fehlt ganz .

ALC ist ebenfalls Version 1.2.2 was hier aber nicht relevant ist .

Das würde ich mal erledigen wenn er dann noch immer nicht bootet beißt die DSDT.aml ( woher sie auch immer kommt) die ACPI Renames in Clover entweder oder entfernen.

---

### Beitrag von „hebandy“ vom 9. Februar 2020, 11:18

[g-force](#): Das wars

Hab Bios komplett neu drauf gebügelt und jetzt funzt er

Vielen Dank an Dich und eVillain

Ihr seid die Grössten