

Erledigt

Boot0 Fehler

Beitrag von „ralf2201“ vom 2. Dezember 2012, 19:23

Hi, ich habe seit neuestem den boot0 error. Bin bereits nach der Anleitung aus dem Forum vorgegangen aber ohne Erfolg. Habe einen Auszug aus der "Chameleon_Installer_Log.txt" angehängt. Habe gesehen, dass der Bootloader in /dev/rdisk0 installiert ist. Wie bekomme ich den dort wieder weg um chameleon nochmals neu zu installieren.

Backing up Chameleon files

Backing up stage2 file /Volumes/System/boot to /Volumes/System/Chameleon.Backups/2012-12-02-17h56/boot

Backing up /Volumes/System/Extra folder to /Volumes/System/Chameleon.Backups/2012-12-02-17h56/Extra

=====

Clearing options...

=====

Running Standard postinstall script

Target volume = /Volumes/System on /dev/disk0s2

Target disk already has existing Chameleon stage 0 loader - boot0

=====

Stage 0 loader not written to /dev/disk0.

Written boot1h to /dev/rdisk0s2.

Written boot to /Volumes/System on /dev/disk0s2.

=====

Preparing to check target disk for previous installations.

Going to check the EFI system partition also.

Mounting /dev/disk0s1 as /Volumes/EFI.

Checking disk0.

Nothing found that could cause any problems.

=====

Disk: /dev/rdisk0 geometry: 14593/255/63 [234441648 sectors]

Signature: 0xAA55

Starting Ending

#: id cyl hd sec - cyl hd sec [start - size]

```
-----  
1: EE 1023 254 63 - 1023 254 63 [ 1 - 234441647] <Unknown ID>  
2: 00 0 0 0 - 0 0 0 [ 0 - 0] unused  
3: 00 0 0 0 - 0 0 0 [ 0 - 0] unused  
4: 00 0 0 0 - 0 0 0 [ 0 - 0] unused
```

Setting /Volumes/System partition active.

```
=====  
Standard script complete  
=====
```

```
Added boot option: Legacy Logo=Yes  
Added boot option: EthernetBuiltIn=Yes  
Added boot option: UseKernelCache=Yes  
Added boot option: Kernel Flags=darkwake=0  
Added boot option: GenerateCStates=Yes  
Added boot option: GeneratePStates=Yes  
Added boot option: GraphicsEnabler=Yes  
=====
```

Running Post postinstall script

Target volume = /Volumes/System

```
=====  
Unmount all volumes named EFI
```

```
/private/tmp/PKInstallSandbox.4q1JbE/Scripts/org.chameleon.post.x4WeDL/UnMountEFIvolumes.sh:  
line 25:
```

```
/private/tmp/PKInstallSandbox.4q1JbE/Scripts/org.chameleon.post.x4WeDL/InstallLog.sh: No  
such file or directory
```

```
/private/tmp/PKInstallSandbox.4q1JbE/Scripts/org.chameleon.post.x4WeDL/UnMountEFIvolumes.sh:  
line 26:
```

```
/private/tmp/PKInstallSandbox.4q1JbE/Scripts/org.chameleon.post.x4WeDL/InstallLog.sh: No  
such file or directory  
=====
```

Post postinstall script complete

Beitrag von „Ehemaliges Mitglied“ vom 2. Dezember 2012, 19:37



Dir mal das Tool Efi MounTE.app damit kannst Du diese Partition mounten und anschliessend bearbeiten.